

Manufacturer List - Ductile Iron Pipes as per IS 8329 :2000

Sl. No.	Firm Name & Address	State	Variety	Brand
1	TRU FORM ENGINEERSADDRESS:- SURVEY NO 155/3 VILLAGE KAWATHA ,,TALUKA KAMPTEEPINCODE:-441002	MAHARASHTRA	Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water, Gas and Sewage for size and classification as follows: 1. Size 300-450mm, Class K9 PN10 with Screwed on Flange 1. Size 300-600mm, Class K9 PN10 with Screwed on Flange or Welded on Flange, excluding rubber gaskets 1.SIZE 80-250MM DN, CLASS-K9, PN10 WITH SCREWED ON FLANGED OR WELDED ON FLANGED (EXCLUDING RUBBER GASKET 2.SIZE 700-1000MM DN, CLASS-K9, PN10 WITH WELDED ON FLANGED (EXCLUDING RUBBER GASKET Size 80 to 600mm DN, Class K9, PN16 with Screwed on Flanged or Welded on Flanged (excluding rubber gasket) Welded on type Flanged Joint Pipes for DN 700 to DN 1000mm for Class K9 of PN16	K.R.STEEL TUBE CO., PIPE HOUSE, WABAG, L & T, truform
2	CHANDRABHAGA PIPEADDRESS:- SURVEY NO.74 KATTEDAN GAGANPAHAD VILLAGE - 500052,,GAGANPAHAD VILLAGEPINCODE:-500052	TELANGANA	Centrifugally cast (spun) ductile iron pressure pipes for water, gas and sewage for size nominal dia 80mm to 450mm, ductile iron flanged pipes (screwed), classification : K 9, PN = 10, DIA 500MM TO 600MM, Type Welded flanged, Class K9, Pressure Rating PN 10, Size DN500 and DN 600.	MERCURY
3	SATHAVAHANA ISPAT LIMITEDADDRESS:- HARESAMUDRAM VILLAGE -515871 BOMMANAHAL MANDAL ,,HARESAMUDRAM VILLAGEPINCODE:-515871	ANDHRA PRADESH	Centrifugally cast (spun)ductile iron pressure pipes for water,gas and sewage for classes K 7 and K 9, for sizes DN 80 upto and including DN 1000 excluding DN 125 and DN 750, with pushon joints, lengths upto 6 m -for sizes DN 80mm to DN 1000mm (excluding DN 125mm & DN 750mm), class K 7 & K 9, length upto 6m, both side spigot ends	SATHAVAHANA
4	ELECTRO STEEL CASTINGS LTDADDRESS:- 30, B. T. ROAD, KHARDAH, P.O.SUKCHAR, ,,PINCODE:-0	WEST BENGAL	Sizes 80mm DN upto and including 1000mm DN, Class K9; Sizes 80mm DN upto & including 1000mm DN, Class K7 and K8, push on joint; Size 1100mm DN, Class K-9; sizes 80 mm DN upto & including 1000mm DN, Class K10 and 80 mm DN upto & including 1000mm DN,Class K12	ELECTROSTEEL

Sl. No.	Firm Name & Address	State	Variety	Brand
5	KEJRIWAL CASTINGS LTD ADDRESS:- NH 6, CHAMRAIL, P.S. LILUAH,,, LILUAH PINCODE:- 711323	WEST BENGAL	Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water, Gas and Sewage (for Flanged Pipes only) i) Flanged Pipes with Screwed Joint, Class K9, PN 10, Sizes DN 100, DN 200, DN 300 and DN 350 ii) Flanged Pipes with Welded Joint, Class K9, PN 10, Sizes DN 100, DN 200, DN 300 to 600, DN 700 and DN 1000 Class K9, PN 10 Sizes DN 80, DN 150, DN 250 flanged pipes with Screw joint and Class K9, PN 10 Sizes DN 80, DN 150, DN 250 and DN 800 flanged pipes with Welded Joint i) Flanged Pipes with Screwed Joint, Class K9, PN 10, Sizes DN 125, DN 400 and DN 450 ii) Flanged Pipes with Welded Joint, Class K9, PN 10, Sizes DN 125, DN 750 DN 900 i) Flanged Pipes with Screwed Joint, Class K9, PN 16, Sizes DN 125, DN 400 and DN 450 ii) Flanged Pipes with Welded Joint, Class K9, PN 16, Sizes DN 125, DN 750 DN 900	-
6	JAI BALAJI INDUSTRIES LTD (UNIT III) ADDRESS:- UNIT III VILL BANSKOPA P. O. RAJBANDH,, DURGAPUR PINCODE:- 713212	WEST BENGAL	Class K7 and Class K9, Sizes DN 100, DN 150, DN 200, DN 250 and DN 300 with Socket and Spigot ends (Push on flexible Joints) Class K7 and K9, sizes-DN 350 to DN 600 with socket and spigot ends (push on flexible joints) Class K 7 and K 9, Sizes – DN 700, DN 800, DN 900 and DN 1000 with socket and spigot ends (push on flexible Joints) Class K7 and K9, sizes-DN 1100 and DN 1200 with socket and spigot ends (push on flexible joints) Centrifugally Cast (Spun) Ductile Iron Pressure Pipes with both side spigot ends for water, gas and sewage for Class K 7 and K 9, Sizes DN 100 ,DN 150, DN 200, DN 250, DN 300 , DN 350, DN 400, DN 450, DN 500, DN 600, DN 700, DN 800, DN 900 and DN 1000 , DN 1100 and DN 1200 Class K 7 and K 9, Sizes – DN 80 with socket and spigot ends (push on flexible Joints) Class K 7 and K 9, Sizes – DN 80 with both side spigot ends	JAI BALAJI INDUSTRIES LIMITED

Sl. No.	Firm Name & Address	State	Variety	Brand
7	TATA METALIKS LIMITED ADDRESS:- VILL: GAKULPUR, P.O.SAMRAIPUR,,KHARAGPUR PINCODE:- 721301	WEST BENGAL	As per the Guidelines for Change in Scope of License (CSoL) issued by CMD-I, CMD-I/2:12:4 dated 29.10.2018 if there is no change in infrastructure (including manufacturing machinery and test equipment) change in scope of license is in same group of sampling guidelines, then the test report(s) from third party laboratory is/are not required for processing change in scope of license. In view of the above Inclusion may be considered for centrifugally cast (Spun) Ductile Iron Pressure Pipes for water, gas and Sewage Class: K12, Size: DN 80 to DN 800, Push on Joint and Spigot ends as per IS 8329:2000. Inclusion charges has been paid on MOL, Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water, Gas & Sewage: Class K7, Sizes DN 80 to DN 800 excluding DN 125 and DN 750 with socket and spigot ends (push on flexible Joints) Class K9, Sizes DN 80 to DN 800 excluding DN 125 and DN 750 with socket and spigot ends (push on flexible Joints) Spigot ended Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water, Gas and Sewage for Class K 7 , Sizes DN 80 upto and including DN 800 excluding DN 125 and DN 750 Class and K 9 Sizes DN 80 upto and including DN 800 excluding DN 125 and DN 750	TATA DUCTURA

Sl. No.	Firm Name & Address	State	Variety	Brand
8	RASHMI METALIKS LTD ADDRESS:- VILL:GOKULPUR,P.O.SHYAMRAIPUR,PS.KHARAGPUR,,KHARAGPUR PINCODE:-721304	WEST BENGAL	Class - K7: Sizes - DN 80 upto & including DN 1000, excluding DN 125 & DN 750 Class - K8: Sizes - DN 80 upto & including DN 600, excluding DN 125 Class - K9: Sizes - DN 80 upto & including DN 1000, excluding DN 125 & DN 750 With Spigot & Socket Ends, Push - on flexible Joint only (a) Class - K7: Sizes - DN 125 mm, With Spigot & Socket Ends, Push on Flexible Joint, (b) Class - K9: Sizes - DN 125 mm, With Spigot & Socket Ends, Push on Flexible Joint, (c) Class - K7: Sizes - DN 125 mm, Spigot ended, (d) Class - K9: Sizes - DN 125 mm, Spigot ended, Class K 7 and K 9, Sizes DN 80 up to and including DN 600 excluding DN 125, spigot ended Flanged pipe (screwed and welded)for centrifugally cast (spun) Ductile Iron Pressure Pipes for Water, Gas and Sewerage as per IS 8329: 2000 Class K9 Sizes DN 80 mm upto and including DN 350 mm , Type : Screwed, Class - K9, PN 10 Class-K7, Size: DN 125 mm with spigot & socket end-Push on flexible joint;Class K9, Size: DN 125 mm with spigot & socket end-Push on flexible joint; Class-K7, Size: DN 125 mm spigot ended,Class-K9, Size: DN 125 mm with spigot ended a)Class-K7: Sizes-DN 750 mm, With Spigot & Socket Ends b)Class-K9: Sizes-DN 750 mm, with Spigot & Socket Ends c) Class-K7: Sizes: DN 750 mm, spigot ended d) Class - K9: Sizes - DN 750 mm, spigot ended.	RASHMI AQUA
9	R K PIPES ADDRESS:- 74/1, F ROAD, BELGACHIA,, PINCODE:-711108	WEST BENGAL	(a)(80mm - 450mm)DN, Screwed on, PN-10 & PN-16, Class: K 9 (b)(80mm - 600mm)DN, Welded, PN-16, Class: K 9 Sizes (80mm to 600mm)DN, Welded, PN-10, Class: K 9. Sizes(700mm to 1000mm)DN, Welded,PN 10,Class:K9	RK PIPES
10	ESL STEEL LIMITED ADDRESS:- VILL SIYALJORI, POST JOGIDIH,,O.P BANGARIA, PS CHANDANKYARI,,BOKAROPIN CODE:-828303	JHARKHAND	Class - K7 & K9, Sizes- DN 80 to DN 300 Sizes- DN 350 to DN 1000 Sizes - DN 1100 & DN 1200	V-DUC PIPE

Sl. No.	Firm Name & Address	State	Variety	Brand
11	SRIKALAHASTHI PIPES LIMITED ADDRESS:- RACHAGUNNERI VILLAGE SRIKALAHASTI MANDAL,,RACHAGUNNERI PIN CODE:- 517641	ANDHRA PRADESH	Class K9 from DN 300mm upto & including DN600mm for lengths from 5.5m upto & including 6m with socket & spigot ends with push-on joints, zinc, bitumen coating with cement lining. Class K7 & K8 DN 100 to 250mm (excluding DN 125) spigot & socket push-on upto 5.5m K 7 & K8 DN 300 to 600mm spigot & socket push-on upto & including 6m. K9 DN 100mm upto & including 600mm excluding DN 125mm spigot & socket push-on upto & including 5.5m K9 DN 300mm upto & including DN 600mm spigot & socket push-on from 5.5m upto & including 6m. K7 & K8 DN 100 to 250mm (excluding DN 125mm) spigot & socket push-on upto & including 5.5m K7 & K8 DN 300 to 600mm spigot & socket push-on upto & including 6m. Class K7, size DN 200 & 250 spigot & socket end with push-on flexible joint of lengths upto & including 6.0m with zinc bitumen coating and cement mortar lining. Class K8 size DN 250 spigot & socket end with push-on flexible joint of lengths upto & including 6.0m with zinc bitumen coating & cement mortar lining. K8 DN 200, K9 DN 200 & 250 socket spigot type with push-on joint upto & including 6.0m with bituminous paint and cement mortar lining. K7 DN 700mm, K8 DN 700mm & K9 DN 700mm socket spigot type with push-on joint upto & including 6m with bituminous paint and cement mortar lining. K7 DN 750mm K8 DN 750mm & K9 DN 750mm socket spigot type with push-on joint upto & including 6m with bituminous paint & cement mortar lining. K7 & K9 DN 800mm socket spigot type with push-on joint upto & including 6m with bituminous paint & cement mortar lining. DN 100mm upto & including DN 400mm excluding DN 125mm, class K9 for pressure ratings PN 10, PN 16 and PN 25 upto & including 5m length with bituminous paint & cement mortar lining.	SRIPIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
12	JINDAL SAW LIMITED ADDRESS:- SAMGHOGHA, MANDVI PARAGPUR ROAD, TALUKA MUNDRA, BHUJ,, BHUJ PINCODE:- 370415	GUJARAT	Class K8, Nominal Sizes from DN 80 mm upto and including DN 250 mm for Push on Flexible joint having outer coating of Zinc, Bituminous/ Synthetic Resin and inner Cement Lining. , Inclusion of additional varieties is recommended in accordance with Grouping Guidelines (CMD-III/16:8329) dated 08.06.2018 as per IS 8329:2000: Class K7 and K9 for size up to DN 1200 for Socket and Spigot Push on Flexible joints with coating of Zinc, Bituminous/ Synthetic resin and Cement Lining, Class K8, Size DN 300mm to 1200mm, for socket and spigot Push on flexible joints with coating of Zinc, Bituminous/ Synthetic Resin and Cement Lining., Class K10, Size DN 80mm to 1200mm, for socket and spigot Push on flexible joints with coating of Zinc, Bituminous/ Synthetic Resin and Cement Lining., Class K12, Size DN 80mm to 1200mm, for socket and spigot Push on flexible joints with coating of Zinc, Bituminous/ Synthetic Resin and Cement Lining., Class K6, size up to DN 1000, socket and spigot ends and having coating of Zinc, Bituminous/ Synthetic Resin and Cement Lining, Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for water, gas and sewage from sizes DN 80mm upto and including DN 1000mm for class K7 and K9 respectively, zinc bituminous coating with cement lining and push on flexible joints DN 80mm UP TO AND INCLUDING DN 1000mm FOR CLASS K7 AND K9 RESPECTIVELY, ZINC COATING BITUMINOUS COATING/SYNTHETIC RESIN COATING WITH CEMENT LINING AND PUSH ON FLEXIBLE JOINTS DN 80mm UP TO AND INCLUDING DN 1000mm FOR CLASS K7 K9 RESPECTIVELY, ZINC COATING, BITUMINOUS COATING/SYNTHETIC RESIN COATING WITH CEMENT LINING AND PLAIN ENDED. Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for water, gas and sewage for flanged joints with	JSAW-NIRJAL, JSAW-JAL

Sl. No.	Firm Name & Address	State	Variety	Brand
13	ELECTROTHERM (INDIA) LTDADDRESS:- SURVEY NO 325,N.H.NO.8A,310KM STONE,VILLAGE:SAMAKHIYALI, TALUKA:BHACHAU,,BHACHAUPINCODE:- 370140	GUJARAT	1) Class K7 - DN 80 mm to 1200 mm, Plain Ended Pipes, Internal Mortar (Cement) lining and External Zinc Oxide coating with a finishing layer of Bituminous Paint/ Synthetic Resin Coating. 2)Class K9 - DN 300 mm to 1200 mm, Plain Ended Pipes, Internal Mortar (Cement) lining and External Zinc Oxide coating with a finishing layer of Bituminous Paint/ Synthetic Resin Coating., Plain ended DI Pipe from class K9 size DN 80mm to DN250mm, with cement coating on inside surface and Zinc and Bitumen coating on outer surface, Spigot and Socketed with Push-on-Joints, Internal Mortar (cement) lining and external Zinc Oxide Coating with a finishing layer of Bituminous Paint DN350, class k-7&k-9 sizes DN 100, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800 for Class K7 & Class K9 sizes DN 450,500,600, 700 & 800 for Class K7 & DN 450, 800 for Class K9 DN 600mm for Class K9 DN 500, 700 for class K9 DN 750,900 & 1000 for Class K7 & Class K9 DN 1200 for Class K7 & Class K9	-

Sl. No.	Firm Name & Address	State	Variety	Brand
14	CHANDRANCHAL INFRASTRUCTURE (P) LTD.ADDRESS:- PLOT NO.40-41, EPIP, JHARMAJRI, BAROTIWALA,,BADDIPINCODE:-0	HIMACHAL PRADESH	Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water, Sewage, Gas for following:- Double flanged pipe, K9, PN 10 and sizes 80,100, 150,200, 250 ,300 350 ,400 & 450 mm. Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water, Sewage, Gas for following:- Double flanged pipe, K9, PN 10 and sizes 500, 600, 700, 750, 800, 900 & 1000 mm as per IS 8329:2000. Centrifugally cast (spun) ductile iron pressure pipe for water, gas and sewage for following sizes as per IS 8329:2000 :- 1)Double flanged pipe,K9,PN16, sizes 80 mm to 450 mm, screwed on flange. 2)Double flanged pipe,K9,PN16, sizes 500 mm to 1000 mm, welded on flange. Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water, Sewage, Gas, Double flanged pipe, K9, PN 10, sizes 125 mm. 1. Double Flanged Pipe, Welded on Flange with External Bituminous Coating for: a. K9 PN16 DN 1100 & DN 1200 , Double Flanged Pipe, Welded on Flange with External Bituminous Coating for K9 PN10 for DN1100 & DN1200	CHANDRANCHAL INFRASTRUCTURE
15	SACHDEVA METAL WORKSADDRESS:- C-33 EXTENSION FOCAL POINT JALANDHAR,,JALANDHARPINCODE:-0	PUNJAB	Centrifugally Cast (Spun) Ductile Iron Pressure Pipe for Water, Gas and Sewage, Nominal Pressure PN 10 and PN 16, Class K9 for follwoing varieties: 1.Screwed on Flange type sizes 80mm upto and including 450mm DN 2. Welded on Flange type, size 500mm upto and including 1000mm DN	SACHDEVA
16	SANGHI PIPES & TUBES,ADDRESS:- 79/08, LATOUCHE ROAD,,,PINCODE:-208001	UTTAR PRADESH	for Screwed on Flange Type, Class-PN-10, Classification-K-9, Sizes 100 mm,150 mm, 200 mm,250 mm & 300 mm DN, without rubber gasket. Class PN-10,Classification - K-9, Sizes 350 mm,400 mm,450 mm, 500 mm & 600 mm DN, without rubber gasket Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water, Gas and Sewage(without rubber Gasket)Size - 100 mm, 150 mm, 200 mm, 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, & 600 mm Type - Welded on Flange,Class -PN-10, Classification - K-9	Sanghi Pipes And Tubes

Sl. No.	Firm Name & Address	State	Variety	Brand
17	DHARAM ENGINEERING COMPANYADDRESS:- G T ROAD,,BATALAPINCODE:-0	PUNJAB	Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water, Gas and Sewage, Normal Presure PN 10 Class K9 for following varieties: 1. Screwed on Flange type, size 80mm upto & including 450mm DN. 2. Welded on Flange type, size 80mm upto & including 600mm DN.	NEEL
18	THE AARKO PIPES GRAM UDYOG (REGD.)ADDRESS:- VILLAGE DHADHA (NEAR FLY OVER) OLD HOSHIARPUR ROAD,,,JALANDHARPINCODE:-144004	PUNJAB	Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for Water,Gas & Sewage for following varieties: 1.Screwed on flange type, Class K9, Nominal Pressure PN 10 and PN 16, size 80mm DN upto & including 450mm. 2. Welded on Flange type, Class K9 Nominal Pressure PN 10 and PN 16,size 80mm DN upto & including 1000mm DN	-
19	DELIGHT ENTERPRISES PVT. LTDADDRESS:- 117/H-2/87 PANDOO NAGAR,,KANPURPINCODE:-208005	UTTAR PRADESH	100mm,150mm,200mm,250mm,300mm,350mm & 450mm DN	DELIGHT
20	TRIVEDI INDUSTRIESADDRESS:- P- 86,BENARAS ROAD. PO- NETAJIGARH,,HOWRAHPINCODE:-711108	WEST BENGAL	i)DN 80- DN 450, Screwed, DI Flanged Pipes, Class K9, PN 10 & PN 16. ii) DN 80 - DN 600, Welded, DI Flanged Pipes, Class K9, PN 10 & PN 16.	trivedi
21	KEJRIWAL CASTINGS LIMITEDADDRESS:- KHATIAN NO. 5770, J.L. NO. 58, VILL: GOPALPUR,MOUZA: BAMUNARA, BAMUNARA INDUSTRIAL AREA,DURGAPURPINCODE:-713212	WEST BENGAL	Centrifugally Cast (Spun) Ductile Iron Pressure Pipes for water,Gas Sewage,Class Designation: K7,K9,Type: Spigot and Socket,Push-on Flexible Joint,Nominal Size: DN 80 mm,DN 100 mm,DN 125 mm,DN 150 mm,DN 200 mm,DN 250 mm,DN 300 mm,DN 350 mm and DN 400 mm	KEJRIWAL
22	ROTOCAST INDUSTRIES LIMITEDADDRESS:- 591, URLA INDUSTRIAL COMPLEX,RAIPUR,RAIPURPINCODE:- 492003	CHHATTISGARH	Size: from 80 upto and including 600 mm Double Flanged (Screwed/Welded) Pipes, Class- K9, Pressure Rating PN 10 , Size:from 80 upto and including 600 mm Double Flanged (Screwed/Welded) Pipes, Class- K9, Pressure Rating PN 10	ROTO

Sl. No.	Firm Name & Address	State	Variety	Brand
23	EARTHS STAHL & ALLOYS PVT. LTD.ADDRESS:- VILLAGE DULDULA, SIMGA,SIMGA DULDULA ROAD,BALODA BAZARPINCODE:-493101	CHHATTISGARH	Class Designation K9 Pressure Rating PN10 Type of Pipe Flanged (Welded and Screwed) Size From DN80 upto and Including DN600	EARTH
24	CHANDRANCHAL ENTERPRISE PRIVATE LIMITED ADDRESS:- SURVEY NO.76 CHINNA SHIVANOR VILLAGE -502 255 CHEGUNTA MANDAL,,CHINNA SHIVANOR VILLAGEPINCODE:-502255	TELANGANA	Centrifugally cast (spun) ductile iron pressure pipes for water,gas and sewage for the designation K 9, nominal pressure PN 10 & sizes DN 80 upto and including 1000 mm, Centrifugally cast(spun)Ductile Iron welded flange pressure pipe for water, gas and sewage for the designation K 9 nominal pressure PN 1.6 and sizes DN 80 upto 300/450 mm, Ductile Iron Double flanged welded pipes for sizes 80mm to 250mm, Pn-16, K-9	CHANDRANCHAL
25	HITECH METAL CASTINGS PVT. LTD., UNIT - IIADDRESS:- A-5, UPPAL (TOWN & MANDAL) ,,HYDERABADPINCODE:-500076	TELANGANA	"Ductile Iron Double flanged screwed pipes, Designation: K-9, Nominal pressure rating PN-10, for the sizes from DN -80mm, upto & including DN -450mm" , "Ductile Iron Double flanged welded pipes, Designation: K-9, Nominal pressure rating PN-10, for the sizes from DN -80 to 600mm only."	HITECH
26	DEEPSHIKHA CASTINGS PVT LTDADDRESS:- KH NO 116/1, NAGALWADI, TALUKA HINGNA,,NAGPURPINCODE:-440023	MAHARASHTRA	Centrifugally cast (spun) ductile iron pressure pipes for water gas and sewage - for sizes from 80mm upto and including 250mm, Pressure Rating PN10, Class K9, Type:Flanged Joint Centrifugally cast (spun) ductile iron pressure pipes for water gas and sewage - for sizes 300mm to 600mm, Pressure Rating PN 10, Class K9, Type:Flanged Joint, Centrifugally cast (spun) ductile iron pressure pipes for water gas and sewage - for sizes from 80mm to 600mm, Pressure Rating PN16, Class K9, Type:Flanged Joint	DEEPSHIKHA
27	T.J. CASTINGADDRESS:- WADHWAN- VAGHELA ROAD, AT. VILL.: VAGHELA,,TAL.: WADHWAN, DIST.: SURENDRANAGAR- 363030.,WADHWANPINCODE:-363030	GUJARAT	As a Flanging Unit for the product Flanged DI pipes of Pressure rating PN 10 and sizes DN 80 to DN 450 for Screwed on Flanges and DN 80 to DN 1000 for Welded on Flanges with Bituminous Coating on both inside and outside surfaces	TJC

Sl. No.	Firm Name & Address	State	Variety	Brand
28	GIRIRAJ CASTINGSADDRESS:- 175-A JHOTWARA INDUSTRIAL AREA,JHOTWARA,JAIPURPINCODE:-302012	RAJASTHAN	Ductile Iron Double Flange pipe/ 80mm to 250mm/PN16/Screwed on Flange, Ductile Iron Double Flange pipe/ 300mm to 450mm/PN10/Screwed on Flange, Ductile Iron Double Flange pipe/ 500mm to 600mm/PN10/Welded on Flange	BIKANER, Bikaner
29	AQUACON RESOURCING PVT. LTD.ADDRESS:- BLOCK-D,VILLAGE MOHRI,TEHSIL SHAHBAD,SHAHBADPINCODE:-136135	HARYANA	Centrifugally Cast(Spun) Ductile Iron Pressure Pipes for Water,Gas and Sewage for Flanging Unit,Class K9,Nominal Pressure PN 10,Nominal Size DN 80mm upto and including DN600mm,welded flange type	AQUACON
30	GOVARDHAN DAS P.A. (JAL)ADDRESS:- ARAJI NO. 696, MAGRASA, ,HAMIRPUR ROAD, BIDHNU,KANPURPINCODE:-209214	UTTAR PRADESH	Class Designation K9 Pressure Rating PN 10 Flanged Pipes (screwed) Nominal Size DN(in mm) 100mm, 150mm,200mm and 250mm	GDPA
31	BEE AAR CASTINGSADDRESS:- INDUSRTIAL ESTATE, BATALA,,BATALAPINCODE:-143505	PUNJAB	Flanging Unit/PN 10 & PN 16/K9/ DN 80mm upto and including 300 mm DN/Up to 5.5 meter length/ Screwed as well as Welded Flange Type	SHAURYA, BEE AAR