

Manufacturer List - MS Pipe as per IS 3589 :2001

Sl. No.	Firm Name & Address	State	Variety	Brand
1	JINDAL PIPES LTD.ADDRESS:- 22ND MILE STONE, DELHI-HAPUR ROAD, P. O. JINDAL NAGAR, ,,PINCODE:-201302	UTTAR PRADESH	Steel Pipes for Water and Sewage for following type, ERW, Grade - Fe 330, Fe 410 & Fe 450, Black, OD upto and including 355.6 mm ERW, Grade - Fe 450, Galvanized, OD upto and including 219. 1 mm ERW, Grade - Fe 330 & Fe 410, Galvanized, OD upto and including 323.9 mm with Limiting thickness upto 10 mm ERW, Grade Fe 330, Fe 410 & Fe 450, 355.6 mm OD x limiting thickness 6 mm, GI	JINDAL, JINDAL STAR
2	STEEL AUTHORITY OF INDIA LTDADDRESS:- ROURKELA STEEL PLANT,,ROURKELAPINCODE:- 769011	ODISHA	-	SAIL RSP
3	SURYA ROSHNI LTDADDRESS:- PRAKASH NAGAR,,BAHADURGARHPINCODE:-124507	HARYANA	Electrically welded steel pipes for water, gas & sewage Grade : ERW 320 Sizes : 150 mm to 200 mm Electrically Welded Steel Pipes for water, gas & sewage: Grade : ERW 320 Sizes : 150 mm to 300 mm Electric resistance welded steel pipes for water, gas and sewage, with plain ends: Grade Fe 320 Sizes 150 mm to 400 mm NB and Grade Fe 410 Sizes 150 mm to 200 mm NB. Steel pipes for water and sewage, ERW, Grade Fe 450, Sizes - 150 mm upto & including 400 mm NB (OD - 168.3 mm upto and including 406.4 mm)	Prakash Surya
4	HI-TECH PIPES LTD.ADDRESS:- PLOT NO. 10, INDUSTRIAL AREA, SIKANDRABAD,,PINCODE:- 203205	UTTAR PRADESH	ERW, Fe 410, Black, Plain Ended, Sizes upto & including 273mm O. D.	HTL
5	FORTUNE METALS LIMITEDADDRESS:- VILLAGE SONDRA SILTARA INDUSTRIAL GROWTH CENTER PHASE II SILTARA,,RAIPURPINCODE:-439221	CHHATTISGARH	Steel Method of Outside Diameter Thickness Remarks Grade Manufacture Fe 410, ERW 168.3 to 323.9mm 2.6 to 7.1mm Black,Plain Fe 410, Fe 330 ERW, Black plain, size OD 168.3 to 355.6mm, thickness 2.6 to 12.0mm End	FORTUNE

Sl. No.	Firm Name & Address	State	Variety	Brand
6	KHANNA INDUSTRIAL PIPES PVT LTD - UNIT II ADDRESS:- SURVEY NO. 27/1-C, VILLAGE: ASANGAON,,TAL: SHAHAPUR PINCODE:-421604	MAHARASHTRA	Designation ERW-Fe330, Outside Diameter 219.1mm and Thickness 4.05mm BLACK , PLAIN END, ERW-Fe-330 and Fe-410, Outside Diameter 219.10mm, Thickness 6.30mm BLACK, PLAIN END	Khanna
7	JCO GAS PIPE LIMITED ADDRESS:- B-2 BOREGAON INDUSTRIAL AREA, MPAKVN GROWTH CENTRE, TAHSIL SAUSAR,,CHHINDWARA PINCODE:-480106	MADHYA PRADESH	---Steel Pipes for Water and Sewage, Black, SAW(Spiral Seam), Plain Bevel End, Outer Diameter: from 1661mm upto and including 2540mm, Grade: Fe330 Fe410, Wall Thickness: From 5.00mm upto and including 25.00mm, Sizes:610x8mm, 1016x8mm and 1524x8mm, Black SAW,Beveled, Bare, double length; Grade: Fe410,and Sizes X wall thickness:630x6.00mm, 630x8.00mm, 1067x8.00mm, 1118x8.00mm and 1219x8.00mm Grade:Fe410-Black SAW Beveled End and Spiral Length Single and Double and sizes from 406mm to 1626mm OD and wall thickness from 5.3 mm to 25mm, Grade:Fe330, Black SAW, Bevel end and Spiral length single and double Steel Pipes for Water and Sewage, Black, SAW, Bevel End, Spiral Length Single and Double for size-406mm to 1660mm OD and Grade: Fe 330, Fe 410 and Fe 450	-
8	VISHAL PIPES LTD. (UNIT NO. II) ADDRESS:- A-71, INDUSTRIAL AREA, SIKANDRABAD ,,PINCODE:- 203205	UTTAR PRADESH	ERW, Black, Plain and Beveled Ends, sizes: 168.3 mm to upto and including 219.1 mm outside diameter, Wall Thickness from 2.6 mm to upto and including 10.0 mm, Grade Fe 330 and Fe 410	VPL INDIA
9	NIPPON TUBES LTD, ADDRESS:- KHASARA NO.1009, BISRAKH ROAD, CHHAPRAULA,,PINCODE:-0	UTTAR PRADESH	Black, ERW, Plain and Bevelled ends, Grade- Fe-330 and Fe-410 for Sizes- 168.3 mm Out side Diameter to upto and including 273 mm Out side Diameter with limiting thickness up to and including 8.0 mm	JAISHREE, SHREEJEE
10	SURYA ROSHNI LIMITED (HIGH MAST DIVISION) ADDRESS:- P-1 TO P-20 GIRONGI INDUSTRIAL AREA,,MALANPUR PINCODE:-0	MADHYA PRADESH	Grade : Fe 450, ERW, Sizes 168.3mm & 219.1mm	PRAKASH SURYA

Sl. No.	Firm Name & Address	State	Variety	Brand
11	BHUWALKA PIPES (P) LTDADDRESS:- YARABANAHALLI, SULTANPUR VILLAGE, SURVEY NO.32 TO 39, BELLARY DISTRICT, KARNATAKA,,BELLARYPINCODE:-583115	KARNATAKA	Fe-330 & Fe-410 Galvanized ERW Pipe of Grade Fe 330 of size 219.1mm OD and upto 4.5mm thickness	JINDAL STAR
12	WELSPUN CORP LTDADDRESS:- NO.299, PAVANA, BEHIND BANK OF MYSORE, ADB BRANCH, IST MAIN, BANDI GOWDA LAYOUT,,MANDYAPINCODE:- 571401	KARNATAKA	Steel Pipes for Water and Sewage,SAW,Fe330 & Fe410, 562mm OD, thickness 6.0mm, Plain ended,Uncoated. Steel Pipes for Water and Sewage 740mm OD, thickness 8mm and 1244 mm OD, thickness 10mm, Fe 330, Fe 410, Plain ended, Uncoated pipes	IS 3589:2001, 0
13	VIBHOR STEEL TUBES PVT LTDADDRESS:- PIPE NAGAR, (VILL- SUKELI) NH-17, BKG ROAD, VIA- NAGOTHANE, TECH-ROHA, ,,NAGOTHANEPINCODE:-402126	MAHARASHTRA	219.1 OD x 4.5 t, ERW, Grade Fe 330 & Fe 410 Black and Galvanised 219.1 OD x 6.35 mm thick, Grade Fe 410 Black and Galvanised	VSTL, VSTL
14	TATA STEEL BSL LIMITEDADDRESS:- KHOPOLI PEN ROAD, ISAMBA PHATA VILLAGE SAVROLI, POST SAJGAON TAL. KHALAPUR,,KHALAPURPINCODE:- 410203	MAHARASHTRA	Steel Pipes for Water and Sewage sizes- Outside Diameter sizes 219.1 mm to 610 mm ERW (HF Welder) Grade Fe 410 & Fe 330 and Fe 450mm, Black . Steel Tubes for water and sewage for sizes upto and including 610mm OD ERW[HF Welder] [Grade Fe410, Fe330 and Fe450 blk]	TATA PIPES
15	ASHWAMEDH ENGINEERS & FABRICATORSADDRESS:- 3/702, TRINITY, TULSIDHAM CHS NEAR DAV SCHOOL KAPURWADI,,THANE [WEST]PINCODE:-400607	MAHARASHTRA	Steel pipes for water & sewage,SAW, GRADE Fe 410 , outside diameter 914 mm and 1626mm, thickness -10mm, black, plain and beveled ends.	-
16	ZENITH BIRLA INDIA LIMITEDADDRESS:- SURVEY NO.782, SH 71, KALUGUR, ,,THOGAMALAIPINCODE:- 0	TAMIL NADU	Grtade Fe410 Size:OD 1860mm, Thickness 8mm BLACK TUBES, Grade Fe 410 Size: OD 1341 mm, Thickness 10 mm, SAW, GRADE Fe 330 AND Fe 410, SIZES 1118mm BLAC K TUBES, 508mm OD X 5mm WT, Grade - Fe 410 BLACK TUBES	BLACK TUBES, BLACK TUBE

Sl. No.	Firm Name & Address	State	Variety	Brand
17	M K K METAL SECTIONS (P) LTD.,ADDRESS:- PLOT NO.M1, PHASES III, SIPCOT INDUSTRIAL ESTATE, WALAJAH TK., ,,RANIPETPINCODE:-632405	TAMIL NADU	Grade ERW, Fe 330 and Fe 410, OD 355.6 mm, Thickness Upto and Including 8.0 mm, Black Plain Ended, Grade ERW, Fe 330 and Fe 410, OD 355.6 mm, Thickness Upto and Including 8.0 mm, Black Plain Ended, Grades ERW Fe330, Fe410 and Fe450 for 168.3 and 219.1mm Outside Diameter, Grade ERW Fe450, Fe 410 and Fe 330 OD 323.9 mm, Black Plain Ended, ERW FE 450 273.0 MM OD THICKNESS 3.6 TO 6.3 MM	METPRO
18	BMW INDUSTRIES LTD.ADDRESS:- 228/3 G.T. ROAD(NORTH), GHUSURY, HOWRAH 711 107,,PINCODE:-711107	WEST BENGAL	ERW, Grade Fe 330, Sizes 168.3mm and 219.1mm OD.	TATA PIPES
19	GAJANAN TUBES PVT. LIMITEDADDRESS:- P.O. MALANCHA, MAHINAGAR, ,,PINCODE:-0	WEST BENGAL	ERW, black, Grade Fe 330, 168.3mm upto and including 355.6mm ERW, black, Grade Fe 410, 168.3mm upto and including 323.9mm	BHEL , BCCL, NTPC TANDA, NTPC RIHAND, NTPC KORBA , NTPC TALCHER , NCL, WESTERN COAL FIELDS LTD , NTPC SIMADHRI , M.P. POWER , NTPC Dadri , Singareni Collieries Co. Ltd. , South Eastern Coal Ltd, NTPC Vindhyachal , Eastern Region HQ. , NTPC Sail Power , NTPC Kudgi , C.S.P.G.C.L , NTPC Ramagundam , NTPC WRHQ - II, BRAND NAME, GAJANAN

Sl. No.	Firm Name & Address	State	Variety	Brand
20	UTKARSH INDIA LIMITED ADDRESS:- VILL: JANGALPUR, NH-6, POST: ANDUL MOURI, DIST: HOWRAH 711302,, PINCODE:-0	WEST BENGAL	ERW, Fe 330, of outside dia 219.1 and thickness 4.6mm ERW, black, Fe330, size upto & including 219.1mm OD and ERW, Black, Fe410 size 219.1mm OD a) Sizes upto & including 323.9 mm O.D., Galvanized ERW, FE-330 b) Sizes upto & including 168.3 mm O.D., Black ERW, FE-330 ERW, grade Fe310 & 410, black, 273mm OD ERW, Black, Fe 330 and Fe 410, Size: 323.9mm OD ERW Black Plain and Bevel end Grade Fe 450, Size 0 168.3mm upto and including 0 323.9mm ERW Black Plain End, Bevel End, Grade Fe330 & 410, Size: Above 323.9mm OD upto and including 406.4mm OD ERW Black, Plain and Bevel End, Grade Fe 450, Size: Above 323.9mm OD upto and including 406.4mm OD.	Utkarsh
21	TATA STEEL LIMITED ADDRESS:- (TUBE DIVISION),, JAMSHEDPUR PINCODE:-831001	JHARKHAND	Electric resistance including induction welded steel pipes of type ERW, grade, Fe-330 and size 168.3mm outside diameter for water and sewage.	Tata
22	BINA TUBE PRIVATE LIMITED ADDRESS:- B-4, PHASE-II, ADITYAPUR INDUSTRIAL AREA, ADITYAPUR,,, JAMSHEDPUR PINCODE:-831013	JHARKHAND	Steel Pipes for Water and Sewage	-
23	JINDAL (INDIA) LIMITED ADDRESS:- NH-6, BOMBAY ROAD, VILL: JANGALPUR, P.O.: ARGORI,, HOWRAH PINCODE:-711302	WEST BENGAL	ERW, Black, Plain end & Bevel end, Grade-Fe 330 & Fe 410, Sizes - 168.3 mm x 2.6 mm upto & including 323.9 mm x 9.52 mm (OD x Thickness) Steel Pipes for Water & Sewage, ERW, Black, Plain End and Bevel End, Grade: Fe 330 and Fe410, Sizes: 355.6 x 2.6mm upto and including 508 x 9.52mm (OD x Thickness) Steel Pipe for Water and Sewage, Size: 508 mm x 12.7 mm (OD x thickness), ERW, Black, Bevel End, Grade: Fe 410	-
24	SAIL/SPU-BETTIAH ADDRESS:- POST BAG NO.13, KUMARBAGH,, BETTIAH PINCODE:-845438	BIHAR	Steel Pipes for Water and Sewage (168.3 to 2 540 mm Outside Diameter)	SAIL BTH

Sl. No.	Firm Name & Address	State	Variety	Brand
25	BHUSHAN POWER AND STEEL LIMITED ADDRESS:- VILL-THELKOLOI, TEHSIL-RENGALI, PO-LAPANGA, SAMBALPUR PINCODE:-768232	ODISHA	-	-
26	PSL LIMITED ADDRESS:- 22-VAIYAVOOR VILLAGE, MALAI VAIYAOOR P.O., ,,MADHURANTHAKAMPINCODE:-603308	TAMIL NADU	SAW, Fe330 & Fe410. Sizes 413.80mm TO 2032mm, THICKNESS 3.40mm TO 19.05mm, PLAIN AND BEVEL ENDED.	-
27	PSL LIMITED ADDRESS:- SURVEY NO. 207, IDA, GURRAMPALEM, PENDURTHI,, PINCODE:-530013	ANDHRA PRADESH	Submerge Arc Welded Steel pipes for water and sewage sizes : OD457mm to 2235mm and 2540mm Grade: Fe 330 and 410 Type: Bevel & Uncoated.	Submerged Arc Welded Steel pipes for water and sewerages
28	MEGHA ENGINEERING & INFRASTRUCTURES LTD. ADDRESS:- SY. NO.512 GOWDAVALLI VILLAGE - 501 401 MEDCHAL MANDAL,, GOWDAVALLI VILLAGE PINCODE:-501401	TELANGANA	Steel pipes for water and sewage for sizes from 168.3mm to 2540.0mm without protective coating.	Meil, MEIL, MEIL, MEIL
29	JINDAL SAW LTD ADDRESS:- D.NO.24, VIDYANAGAR SHOPPING COMPLEX, JVSL TOWNSHIP, TORANAGALLU,, BELLARY PINCODE:-583275	KARNATAKA	Steel pipes for water & sewage pipe outside diameter 508mm to 2540mm, Steel grade Fe410, Saw spirally welded uncoated both plain & bevel end types., Steel Pipes for Water and Sewerage, Sizes 1016 and 2032 mm, uncoated, plain end Steel Pipes for Water and Sewage, outside diameter 508mm to 2032mm, Steel Grade Fe 410, SAW Spirally Welded, Uncoated, both plain and bevel end types.	JINDAL SAW LTD.
30	ASIAN TUBES PRIVATE LTD. ADDRESS:- PLOT NO.70, VILLAGE:ANKHOL, TALUKA KADI, (CHATRAL),,, PINCODE:-382721	GUJARAT	ELECTRICALLY WELDED STEEL PIPES : 1) GRADE ERW-Fe 330, WITH OR WITHOUT PROTECTIVE COATING UPTO AND INCLUDING SIZE 273.1mm OD, PLAIN ENDS 2) GRADE ERW-Fe 410 UPTO AND INCLUDING 273.1mm, PLAIN ENDS	ASIAN

Sl. No.	Firm Name & Address	State	Variety	Brand
31	APL APOLLO TUBES LTD ADDRESS:- M-1, ADDITIONAL M.I.D.C, KUDAVALI VILLAGE,,MURBAD PINCODE:-421401	MAHARASHTRA	Steel pipe for water and sewage- a) Designation HFIW Outside Diameter 219.1 mm ,thickness upto and including 8.0 mm grade Fe 330,Fe410 b) Designation HFIW Outside Diameter 273.1 mm ,thickness upto and including 10 mm grade Fe 330,Fe410 c) Designation HFIW Outside Diameter 323.9 mm ,thickness upto and including 10 mm grade Fe 330 and Fe 410 d) Designation HFIW Outside Diameter 355.6 mm ,thickness 4 to 6 mm grade Fe 410 e) Designation HFIW Outside Diameter 168.3 mm grade Fe 410,Black Plain end and Bevel end	APL APOLLO
32	WELSPUN CORP LIMITED ADDRESS:- SURVEY NOS. 204,205,216,217,218,219,220,259,260,261,264,265 & 266 VILLAGE VADADALA & JOLVA, TAL : VAGRA,,PINCODE:-392130	GUJARAT	SAW SPIRAL STEEL PIPES, FE 410, Fe 330, 406.6 TO 1620 mm OD, 457 to 1829mm OD, t-4 to 14.2mm OD 406.4 to 457mm, SAW, Black, Fe410 & Fe330, Spiral welded, Bevel and plain end	Welspun

Sl. No.	Firm Name & Address	State	Variety	Brand
33	LALIT PIPES & PIPES LTD.,ADDRESS:- SURVEY NO 77, VILLAGE VARASKOL, KHARDI RLY. STATION (CR), ,,TA; SHAHPURPINCODE:-421604	MAHARASHTRA	ELECTRICALLY WELDED STEEL PIPES FOR WATER, GAS AND SEWAGE GRADE DESIGNATION EFW 410 SIZES 457.0mm OD, THICKNESS 5 TO 10 mm & SIZE 508.0mm OD THICKNESS 5 TO 8 mm ONLY DESIGNAITON ERW FE 410 :- SIZES 610.0 mm OD, THICKNESS 6 TO 10 mm SIZES 711.0 mm OD, THICKNESS 6 TO 8 mm SIZES 762.0 mm OD, THICKNESS 6 TO 8 mm SIZES 1016.0 mm OD, THICKNESS 7 TO 10 mm SIZES 1067.0 mm OD, THICKNESS 7 TO 12 mm DESIGNAITON ERW Fe 410 - SIZES 406 mm OD, THICKNESS UPTO 10mm DESIGNAITON ERW Fe 410 - SIZES 610.0 mm OD, THICKNESS 6 TO 10 mm DESIGNAITON ERW Fe 410 - SIZES 711.0 mm OD, THICKNESS 6 TO 8 mm DESIGNAITON ERW Fe 410 - SIZES 762.0 mm OD, THICKNESS 6 TO 8 mm DESIGNAITON ERW Fe 410 - SIZES 1016.0 mm OD, THICKNESS 7 TO 10 mm DESIGNAITON ERW Fe 410 - SIZES 1067.0 mm OD, THICKNESS 7 TO 12 mm STEEL PIPES FOR WATER & SEWAGE FOR OD ABOVE 1067mm AND UPTO & INCLUDING 1930.4mm OD, GRADE FE410 SAW AND THICKNESS UPTO 25 MM STEEL PIPES FOR WATER & SEWAGE FOR 406mm OD TO 1930.4 mm OD GRADE FE330 SAW AND THICKNESS UPTO 25 MM	-
34	RATNAMANI METALS AND TUBES LTDADDRESS:- 3308/3309 GIDC ESTATE, PHASE 4, AHMEDABAD-MEHSANA HIGHWAY, CHHATRAL , TAL : KADI,,PINCODE:-382721	GUJARAT	GRADE SAW FE 410, SIZE 355.6 TO 1219 OD mm	IS 3589 (2001), RATNAMANI METALS & TUBES LTD., RATNAMANI METALS & TUBES LTD, IS 3589
35	MUKAT TANKS & V ESSELS LTD.,ADDRESS:- J/11 & G-69, MIDC AREA,,,TARAPURPINCODE:-401506	MAHARASHTRA	TYPE SAW GRADE Fe 410 457 MM OD TO 2032 MM OD TY[E SAW GRADE Fe 330 457 MM OD TO 2032 MM OD	MUKAT

Sl. No.	Firm Name & Address	State	Variety	Brand
36	SURINDRA ENGINEERING COMPANY LTD.ADDRESS:- BLOCK NO.1517, AT VILLAGE MOTI BHOYAN, TAL. KALOL,,PINCODE:-0	GUJARAT	1) 1016.0 to 2032.0mm OD OF Fe 330 & 410 STEEL GRADE 2) GRADE - Fe 410 & Fe 330, SIZE-457mm TO 1016mm OD 3) SAW Fe 410, SIZES 2032 TO 2540 mm	MUKAT
37	MAHARASHTRA SEAMLESS LTD.,ADDRESS:- PIPE NAGAR, VILLAGE SUKELI, N H 17 BKG ROAD,,,TAL ROHAPINCODE:-402126	MAHARASHTRA	GRADE Fe 330 AND Fe 410 SIZES UPTO AND 508.0 MM OD	JINDAL STAR, JINDAI STAR
38	ASIAN MILLS PVT LTDADDRESS:- 1, GIDC ESTATE, CHHATRAL, TAL: KALOL,,PINCODE:-382729	GUJARAT	(1) 168.3, 193.7, 219.1 mm OF GRADE FE 330 (2) 168.3 TO 406.4 mm OD (EXCEPT 244.5 mm), PLAIN AND BEVELLED END, GRADE FE410 (3) 273.1 TO 406.4 mm OD , PLAIN AND BEVELLED END, GRADE FE330 (4) 457 & 508 mm OD, BLACK, PLAIN & BEVELLED ENDED, GRADES ERW-FE410 & FE330	narmada
39	P S L LIMITEDADDRESS:- SURVEY NO. 35& 37, VILLAGE VARSANA, TALUKA ANJAR,,ANJARPINCODE:-370240	GUJARAT	STEEL PIPES FOR WATER AND SEWAGE SUBMERGED ARC WELDED (SPIRALLY WELDED) SAW Fe 410 having size from 406.4mm to 2540mm OD excluding external coating and internal lining	-
40	RIDDHI STEEL AND TUBE LTD.ADDRESS:- 83/84, VILLAGE : PIPLAJ, VIA : KAMOD, PIRANA ROAD, P.O. ASLALI,,PINCODE:-382427	GUJARAT	(1) SIZES UPTO 219.1 mm OD, ERW, FE330, BLACK, PLAIN END (2) SIZE 273 mm OD, ERW, FE330, BLACK, PLAIN END (3) SIZE 273 mm OD, ERW, FE410, BLACK, PLAIN END (4) SIZES UPTO 323.9mm OD, ERW, FE410, BLACK, PLAIN AND BEVELLED END.	RIDDHI,SIDDHI,GSP
41	RATNAMANI METALS AND TUBES LTDADDRESS:- SURVEY NO. 769, AHMEDABAD-MEHSANA HIGHWAY, NEAR CHHATRAL GIDC, VILLAGE : INDRAD, TAL : KADI,,PINCODE:-382729	GUJARAT	OD 168.3 TO 2540 mm, SAW FE 330 & FE 410	IS 3589, RATNAMANI METALS & TUBES LIMITED

Sl. No.	Firm Name & Address	State	Variety	Brand
42	WELSPUN CORP LIMITEDADDRESS:- VARSAMEDI, ANJAR-BHACHAUROAD, TALUKA-ANJAR, DISTT. KUTCH,,ANJARPINCODE:-371110	GUJARAT	Size from 168.3 mm to 406.4mm, Grade Fe 410 ERW PROCESS Steel pipe for water and sewage size 168.3 to 2540 mm O/D, spirally welded (SAW)and Size from 168.3 to 406.4mm, ERW process Grade Fe 330 bevelled ended Longitudinal Single Seam, SAW Pipe, Grade Fe410, Sizes 762mm OD Longitudinal Single Seam, SAW Pipe, Grade Fe410 & Fe330, OD Size 508mm to 1219.1mm, for thickness upto 36mm, Bevelled end Steel pipe for water and sewage size 168.3 to 2540 mm O/D, spirally welded (SAW), grade Fe410 beveled Diameter 914mm, thickness(8 to 17mm) to 1829mm thickness (14.2 to 17.5mm) of grade Fe 450	Welspun Corp Ltd.
43	MAN INDUSTRIES (INDIA) LTDADDRESS:- SURVEY NO. 485/2, ANJAR MUNDRA HIGHWAY, VILLAGE KHEDO, TALUKA ANJAR,,ANJARPINCODE:-317110	GUJARAT	Grade :Fe330 and Fe 410, Size 1039mm, O/D x 7.0mm Thickness bevelled and plain ends, spirally welded (SAW). Grade :Fe330 and Fe 410, Size 585mm O/D to 1016mm O/D & 1067mm OD to Thickness bevelled and plain ends, spirally welded (SAW). grade FE330 and 410, Black, size from above 1139mm OD upto 2235mm OD, bevelled/plain ended	IS 3589

Sl. No.	Firm Name & Address	State	Variety	Brand
44	RATNMANI METALS & TUBES LTD.ADDRESS:- KUTCH DIVISION, SURVEY NO. 474, ANJAR BHIMASAR ROAD, VILLAGE BHIMASAR TALUKA ANJAR,,ANJARPINCODE:-370240	GUJARAT	Steel Pipes for Water and Sewage, Method of Manufacture: SAW (Longitudinal welded), Steel Grade: Fe330 and Fe410, Size: OD 406.4 to 1422 mm, Thickness: 6.0 to 50.0 mm, End of Pipe: Plain and Bevel ended with no protective coating, Steel Pipes for Water and Sewage, spirally welded SAW, Grade Fe330 & Fe 410 Size from 610mm OD to 1829mm OD, Bevelled/Plain ends, Black Grade Fe330 & Fe 410 Size406.4 mm OD, ERW and from 457mm OD to 508mm OD & 2032mmOD to 2540mm OD to cover the range from 457mm OD to 2540mm OD, spirally welded SAW, Bevelled/Plain ends, Black Function of new variety in the existing licenses may be considered for,"Steel pipes for water & sewege, OD 457mm thickness up to & including 9.0 mm, Grade Fe 330 & Fe 410, black plain & develled ends.	CS WELDED PIPE
45	P S L LIMITEDADDRESS:- SURVEY NO. 38/1, 38/2, 39, 40, 42, 94/1 VILLAGE VARSANA TALUKA: ANJAR,,KUTCHPINCODE:-370240	GUJARAT	Steel pipes for Water and Sewage sizes 406.4mm to 2540mm, Gr. Fe 330 & Fe 410, SAW, bevelled and Plain ends without coating	No Production
46	JINDAL SAW LIMITEDADDRESS:- VILLAGE SAMGHOGHA, MANDVI-PARAGPUR ROAD, TALUKA MUNDRA ,,BHUIPINCODE:-370415	GUJARAT	Grade Fe330, Fe 410 & Fe 450, SAW, Sizes from 457mm OD to 2134mm OD, Plain & Bevelled Ends Grade Fe330, Fe 410, SAW Sizes from 2134mm OD to 2540mm OD, Plain & Bevelled Ends Grade Fe 410,Sizes 3035mm OD Thinkness 17.5mm	SAW PIPE, 0
47	SAMRUDDHI INDUSTRIESADDRESS:- S.NO.-166, GAT NO-40, VILLAGE- DHEKU, TAL- KHALAPUR, PEN- ADOSHI ROAD,,KHOPOLIPINCODE:-410203	MAHARASHTRA	Steel pipes for water & Sewage for OD 616mm to 1820mm & thickness from 8mm to 10mm of Grade Fe410, SAW, Plain & Bevelled end and ungalvanized SIZES 462 mm To 2432 mm OD, And Thickness 6mm To 16 mm, Fe 410, SAW Pipes, Plain & Bevelled end, Ungalvanized	-

Sl. No.	Firm Name & Address	State	Variety	Brand
48	ARCELORMITTAL NIPPON STEEL INDIA LIMITED ADDRESS:- 27KM, SURAT-HAZIRA ROAD, ,,HAJIRAPINCODE:-394270	GUJARAT	Bare(Uncoated), SAW, Fe330, Fe410, Fe450, OD- 508mm to 2540 mm	IS
49	SURYA ROSHNI LIMITEDADDRESS:- SURVEY NO 188 ANJAR MUNDRA HIGHWAY VILLAGE:BHUVAD,,KUTCHPINCODE:-370130	GUJARAT	STEEL PIPE SPIRAL WELDED, SAW, BLACK(UNCOATED)BEVELLED & PLAIN, GRADE Fe 450,Fe 410 & Fe 330 SIZE:610mm O/D X 8.0m THICK. SPIRAL WELDED, SAW, BLACK,BEVELELD & PLAIN ENDED STEEL PIPES SIZES: 1422 mm TO 2235 OD & THICKNESS 11.7 mm TO 22.2mm GRADE:Fe410 & Fe330 SPIRAL WELDED, SAW, BLACK,BEVELELD & PLAIN ENDED STEEL PIPES SIZES: 610 mm TO 2235 OD & THICKNESS 5.8mm TO 22.2mm GRADE:Fe410 & Fe330 spiral welded saw, black, bevelled & pain ended steel pipes of grades Fe 410 & Fe 330, Size out side Dia 457mm to 1219mm, upto and including thickness 22.2mm GRADE Fe 410 & Fe 330 SIZE, 2235mm OD TO 2540mm OD UPTO & INCLUDING THICKNESS 20mm. Electric Resistance Welded (ERW), Blach, Plain & Bevelled end Pipes for Grades Fe330 & Fe410 for sizes 168.3mm OD to 219.1mm OD for thickness up to nad including 7.3mm Steel pipes for water & sewage, outside diameter from 273mm to 406.4mm thickness upto and including 8.8mm, Grade-Fe410(ERW)and Fe330(ERW) black, plain and beveled ends ERW-Fe 330 and Fe 410, Black, Plain/Bevel Ended Pipes, Sizes 168.3 to 406.4 mm O.D., Thickness up to and including 10mm , ERW(Black)Plain & Bevelled End Pipes Grade Fe 330 and Fe 410 Sizes from 168.3mm OD to 406.4mm OD thickness up to and including 12.40mm	PRAKASH SURYA
50	GOOD LUCK INDIA LTD.ADDRESS:- A-45, INDUSTRIAL AREA, SIKANDRABAD, ,,PINCODE:-0	UTTAR PRADESH	ERW, Grade Fe 330 and Fe 410, Black, Plain/Bevelled End and Size 273mm OD.	GTC GOODLUCK, GTC GOODLUK

Sl. No.	Firm Name & Address	State	Variety	Brand
51	RAMA STEEL TUBES LTD.ADDRESS:- B-21, SITE NO. 4, INDUSTRIAL AREA, SAHIBABAD,,SAHIBABADPINCODE:-0	UTTAR PRADESH	Size upto and including 219.1mm outer diameter of steel grade Fe 330, Black, Plain End.	TTT Rama
52	ADVANCE STEEL TUBES LTD.ADDRESS:- 45/3, INDUSTRIAL AREA, SITE-4, SAHIBABAD, ,,PINCODE:-201010	UTTAR PRADESH	Up to Size OD 273.1mm, Black & Plain End, Grade Fe 330 & Fe 410, ERW	TATA, TTC ADVANCE
53	INDUS TUBES LTD.ADDRESS:- G. T. ROAD, CHHAPRAULA, TEHSIL-DADRI, ,,PINCODE:-201010	UTTAR PRADESH	Steel Pipe, ERW, Black, Plain Ended, Grade Fe 330,410 & 450 for size 355.6mm NB	ITL-INDUS
54	STEEL & METAL TUBES (INDIA) LTD.ADDRESS:- 22ND MILE, DELHI-HAPUR ROAD, VILLAGE-GALAND, P. O. JINDAL NAGAR,,PINCODE:-0	UTTAR PRADESH	ERW, Fe 330, black, plain ended for outside diameter 273.1 and 219.1mm,	SMT
55	RAJASTHAN TUBE MANUFACTURING COMPANY LIMITEDADDRESS:- BANKE BIHARI INDUSTRIAL AREA, JATAWALI MOD, MAHARKALA, GRAM: DEHRA,,CHOMUPINCODE:-307026	RAJASTHAN	Sizes : i) 193.3mm, ii) 219.1mm, iii) 273.1mm.	RTL
56	AMBUJA PIPES PRIVATE LIMITEDADDRESS:- E-149-150, SARNA DUNGAR INDUSTRIAL AREA,,JAIPURPINCODE:-302012	RAJASTHAN	ERW Fe 30 & Fe 410 BLACK WITH PLAIN ENDS OR BEVELLED ENDS FOR BUTT WELDING AND SIZE FROM 168.3mm to 273mm	-
57	J.D. INDUSTRIES (INDIA) LIMITEDADDRESS:- SP 288-298, RIICO INDUSTRIAL AREA,,BHIWADIPINCODE:-301019	RAJASTHAN	ERW Fe 410, Black with Plain Ends and OD 168.3mm & 219.1mm	-
58	APL APOLLO TUBES LIMITEDADDRESS:- A-19, INDUSTRIAL AREA, SIKANDRABAD, ,,PINCODE:-203205	UTTAR PRADESH	ERW STEEL PIPES FOR WATER & SEWAGE, GRADE Fe 330 & Fe 410, SIZE 168.33 TO 219.0 MM OD	APL APOLLO, LLOYDS,APL APOLLO
59	DADU PIPES (P)LTD,ADDRESS:- A-72, INDUSTRIAL AREA, SIKANDRABAD, ,,PINCODE:-0	UTTAR PRADESH	ERW, Bare Without Anti Rust Coating, Plain and Bevelled Ends, Size: 168.3 mm OD upto and including 323.9 mm OD with limiting thickness 7.1 mm, Grade Fe 330 and Fe 410	Dadu, DADU, D.P.L. INDIA

Sl. No.	Firm Name & Address	State	Variety	Brand
60	GAURANG PRODUCTS PVT. LTDADDRESS:- PLOT NO.10, SOUTH SIDE OF G.T BULANDSHAHR ROAD ,,PINCODE:-0	UTTAR PRADESH	168.3 to 355.6mm Fe 330, Fe 410 & Fe 450 Black, Plain and Bewelled end	GPL INDIA, AST, AGARWAL
61	SWASTIK PIPES LIMITED.ADDRESS:- 41 KM, DELHI ROHTAK ROAD, VPO ASAUDAH,,,DISTT. JHAJJARPINCODE:-0	HARYANA	Electrically Welded Steel Pipes for Water, Gas and Sewage Designation ERW-Fe 330, outside Diameter 193.7, 219.1, 273.1, 323.9 mm, Black Plain Ended. Electrically Welded Steel Pipes for Gas & Sewage, Outside Dias. 193.7, 219.1, 273.1 & 323.9 mm, Black Plain Ended, Designation ERW-Fe 330 & ERW-Fe 410. Electrically welded Steel Pipes for water, gas and sewage, outside diameters 168.3 mm upto and including 323.9 mm, Black and galvanized, plain ended designation ERW-Fe 330 and ERW-Fe 410. Steel Pipes for water and sewage, OD 219.1 mm to 323.9 mm, Black, Plain Ended, ERW, Grade Fe-450.	T.T SWASTIK
62	SWASTIK PIPE LTDADDRESS:- 1/23 B, ASAF ALI ROAD,,DELHIPINCODE:-110006	DELHI	Steel Pipes for Water and Sewage, grade Fe330 and Fe 410, ERW, ungalvanised, plain ended	TT SWASTIK
63	MUKAT PIPES LTDADDRESS:- PATIALA ROAD RAJPUR,,RAJPURPINCODE:-0	PUNJAB	Steel Pipes for water and sewage submerged Arc Welded (SAW) Grade Fe 330 and 410 for size nominal OD 335.6mm to upto and including 2083mm OD Steel Pipes for Water and Sewage Submerged arc welded(SAW)Grade Fe 410 for Size Nominal OD 2274 mm thickness 12 mm	2, 1
64	EVERGREEN PLYWOOD INDUSTRIESADDRESS:- VILLAGE KAMI MAJRA, KHAJURI ROAD,,,YAMUNANAGARPINCODE:-135001	HARYANA	TYPE 2/GRADE 2	EVERSHINE,ANGEL
65	JINDAL INDUSTRIES PRIVATE LIMITEDADDRESS:- DELHI ROAD, MODEL TOWN, ,,HISARPINCODE:-125005	HARYANA	UPTO & INCLUDING 323.9 MM OUTER DIA GRADE ERW-Fe 330, Black & Plain Ended Galvanized Pipes from size 219.10mm OD 273mm OD & 323.90mm OD Gr Fe 330 Steel pipe for water and sewages for size 323.90mm OD grade Fe 410 ERW Black with plian ends as per IS:3589-2001.	JINDAL - HISSAR, JINDAL-HISSAR

Sl. No.	Firm Name & Address	State	Variety	Brand
66	ORIENTAL PLYWOOD INDUSTRIESADDRESS:- VILL. TODARPUR, P O NAHARPUR, KHAJURI ROAD,,YAMUNANAGARPINCODE:-135001	HARYANA	Block Boards, Grade-MR, Type-Commercial(MR-COM).	-
67	JINDAL SAW LTD,ADDRESS:- A-1, UPSIDC INDUSTRIAL AREA, KOSI KALAN,,,PINCODE:-281403	UTTAR PRADESH	Designation SAW-Fe410, Black and Bevelled ended, Sizes-457mm to 2134mm OD	-
68	ARONI TUBES PRIVATE LIMITED.ADDRESS:- 70A,G.T.ROAD (EAST) KONNAGAR.,,KONNAGARPINCODE:-712235	WEST BENGAL	ERW, Black, Plain Ended, Fe 410 and Fe 330, Sizes 219.1 OD x 3.6 mm and 168.3 OD x 4.0 mm Steel Pipes for Water and Sewage purposes (168.3 and above) as per IS 3589 : 2001 for the following varieties : i.ERW, Black, Plain Ended, Fe 330, sizes : a.219.1 mm x above 3.6 to 5.0 mm ii.SAW, Black, Plain Ended, Fe 330, sizes : a.273.0 mm x 3.6 to 5.6 mm b.323.9 mm x 4.0 to 5.6 mm c.355.6 mm x 4.0 to 5.6 mm d.406.4 mm x 4.0 to 5.6 mm e.457.0 mm x 4.0 to 5.6 mm f.508.0 mm x 5.0 to 5.6 mm STEEL PIPES FOR WATER AND SEWAGE Fe 450, SAW, without coating, Sizes from OD 323.9 mm upto and including OD 508 mm with thickness 6.3 mm upto and including 12.0 mm	-
69	BENGAL PIPE INDUSTRIESADDRESS:- 46, G.T.ROAD,,LILUAH, HOWRAH,HOWRAHPINCODE:- 711204	WEST BENGAL	Grade Fe330, ERW, OD 219.1mm, Thickness 4.5mm	BENGAL

Sl. No.	Firm Name & Address	State	Variety	Brand
70	SIDHI VINAYAK POLYMER INDUSTRIESADDRESS:- SIDHI VINAYAK POLYMER INDUSTRIES,AT./PO: BISHALKHINDA, VIA: SASON MAIN ROAD,SAMBALPURPINCODE:-768200	ODISHA	(a) PE 80, PN 12.5 and 16, DN 250, SDR 9 and 7.4 (b) PE 100, PN 12.5 and 16, DN 250, SDR 11 and 9, PE Pipes, PE 63, PE 80, PE 100, PN4 to PN8, DN355 to DN450, SDR33 to SDR11, PE 63PN2, DN 75 to DN 180, SDR 41 PN2.5, DN 75 to DN 180, SDR 33 PN3.2, DN 50 to DN 180, SDR 26 PN4, DN 40 to DN 180, SDR 21 PN2, DN 200 to DN 315 SDR 41 PN2.5, DN 200 to DN 315, SDR 33 PN3.2, DN 200 to DN 315, SDR 26 PN4, DN 200 to DN 315, SDR 21 PN5, DN 32 to DN 180, SDR 17 PN6, DN 25 to DN 180, SDR 13.6 PN8, DN 20 to DN 180, SDR 11 PN5, DN 200 to DN 315, SDR 17 PN6, DN 200 to DN 315, SDR 13.6 PN8, DN 200 to DN 315, SDR 11 PE 80PN2.5, DN 75 to DN 180, SDR 41 PN3.2, DN 75 to DN 180, SDR 33 PN 4, DN 50 to DN 180, SDR 26 PN2.5, DN 200 to DN 315, SDR 41 PN3.2, DN 200 to DN 315, SDR 33 PN 4, DN 200 to DN 315, SDR 26 PN5, DN 40 to DN 180, SDR 21 PN6, DN 32 to DN 180, SDR 17 PN8, DN 25 to DN 180, SDR 13.6 PN10, DN 20 to DN 180, SDR 11 PN5, DN 200 to DN 315, SDR 21 PN6, DN 200 to DN 315, SDR 17 PN8, DN 200 to DN 315, SDR 13.6 PN10, DN 200 to DN 315, SDR 11 PE 100PN3, DN 75 to DN 180, SDR 41 PN4, DN 75 to DN 180, SDR 33 PN3, DN 200 to DN 315, SDR 41 PN4, DN 200 to DN 315, SDR 33 PN5, DN 50 to DN 180, SDR 26 PN6, DN 40 to DN 180, SDR 21 PN8, DN 32 to DN 180, SDR 17 PN 10, DN 25 to DN 180, SDR 13.6 PN5, DN 200 to DN 315, SDR 26 PN6, DN 200 to DN 315, SDR 21 PN8, DN 200 to DN315, SDR 17 PN 10, DN 200 to DN 315, SDR 13.6 Sizes as per Table-4 of IS 4984:2016, PE 80 PN4 DN 180 SDR 26, PE 80 PN10 DN 180 SDR 11, PE 80 PN 10 DN 315 SDR 11,	MASTER PLAST
71	GSF PIPESADDRESS:- PLOT NO.934,TANTITOLA,JHARTARANG,KALUNGA,ROUR KELAPINCODE:-769041	ODISHA	Steel Grade: Fe 410, OD: 168.3 mm, 219.1 mm, 273, ERW, Black Pipe, Plain Ended	GSF PIPE

Sl. No.	Firm Name & Address	State	Variety	Brand
72	NEZONE PIPES & STRUCTURESADDRESS:- EXTENDED EPIP, LOWER BALIAN, ,,BYRNIHATPINCODE:-793101	MEGHALAYA	Steel Pipes for water and sewage ERW, Black Grade: Fe 450MPa, Fe 410MPa & Fe 330MPa Outside diameter: (OD): 219.1mm Thickness: 2.60mm, 3.60mm, 4.50mm & 6.30mm, Steel Pipes for water and Sewage ERW, Black Grade Fe 450MPa, Fe 410MPa, Fe 330MPa Outside diameter (OD) 219.1mm Thickness 1.60mm to 8.00mm , Bevelled end as per IS 3589 2001	NEZONE
73	APL APOLLO TUBES LIMITEDADDRESS:- VILL- BENDRI,NEAR- URLA INDUSTRIAL AREA,RAIPUR,VILL-BENDRI,NEAR- URLA INDUSTRIAL AREA,RAIPUR,RAIPURPINCODE:- 492099	CHHATTISGARH	Manufacturing process ERW Grade Fe330 ,Plain ended Size OD 168.3mm with thickness 2.6mm,3.2mm, 4.0mm,4.5mm and OD 219.1mm with Thickness 2.6mm,3.6mm,4.5mm,6.3mm,Protective Coating galvanized, Manufacturing process ERW Grade Fe410,Plain ended Size OD 168.3mm with thickness 2.6mm,3.2mm, 4.0mm,4.5mm and OD 219.1mm with Thickness 2.6mm,3.6mm,4.5mm,6.3mm,Protective Coating galvanized, Manufacturing process ERW Grade Fe450,Plain ended Size OD 168.3mm with thickness 2.6mm,3.2mm, 4.0mm,4.5mm and OD 219.1mm with Thickness 2.6mm,3.6mm,4.5mm,6.3mm,Protective Coating galvanized, GRADE- Fe 330, Fe 410, Fe 450, THICKNESS- from 2.60mm up to & including 6.30mm, OD- From 168.30 mm up to and Including 219.10mm, ERW, Black, Plain ended, without sleeves	APL APOLLO
74	VIBHOR STEEL TUBES PVT LTD UNIT-IIADDRESS:- SYNO:515&516/I,UDITYALA VILLAGE,BALANAGAR - MANDAL,UDITYALAPINCODE:-509202	TELANGANA	ERW- Fe 410 and Fe 330, OD from 219.1mm to 323.9mm and thickness upto 8.0mm (galvanized and black) , Grade FE 330 ERW, Grade :Fe-330,OD from 219.1 to 273mm, Thickness upto 6.35mm,ERW Galvanized pipe only as per IS 3589:2001.	JINDAL STAR

Sl. No.	Firm Name & Address	State	Variety	Brand
75	SUDHA ENGINEERING WORKSADDRESS:- SUDHA ENGINEERING WORKS,SY.NO.276, GUDUR VILLAGE, BIBINAGAR,NALGONDAPINCODE:-508126	TELANGANA	SAW Fe-410 of Outside Diameters from 508mm to 1422mm, Thickness - 2.6mm to 25mm (with Plain ends or Bevelled ends; without protective coating)	Sudha, Sudha Engg Works
76	FLOFLEX INDUSTRIES LLPADDRESS:- KK3, KK4, SIPCOT INDUSTRIAL GROWTH CENTER, ,P.V.PALAYAM POST, PERUNDURAI TALUK, ERODE.,ERODEPINCODE:-638052	TAMIL NADU	i)SAW-Fe 410, OD-914 mm, Thickness 8 mm, Plain ended without inner and outer coating. ii)SAW-Fe 410, OD-457 mm, Thickness 5 mm, Plain ended without inner and outer coating, and iii)SAW-Fe 410, OD-2226 mm, Thickness 15 mm, Plain ended without inner and outer coating.	FLOFLEX
77	LARSEN & TOUBRO LIMITEDADDRESS:- SURVEY NO. 465-1/2, 466-1,2,3 & 473. INGUR VILLAGE,BEHIND SIPCOT,PERUNDURAI, ERODE PINCODE:-638052	TAMIL NADU	SAW - Fe 410, Uncoated, Bevel end, Sizes (OD X Thickness) - 510 x 5mm, 610 x 5mm, 712 x 6mm,912 x 6mm, 1720 x 10mm, 1822 x 11mm and 2024 x 12mm, STEEL PIPES FOR WATER AND SEWAGE,SAW,FE 410,OUTER DIAMETER 2226 MM,THICKNESS 13 MM,BEVEL END,UNCOATED.	NA
78	AHMEDABAD STRIPS PVT LTD (TUBE DIV)ADDRESS:- PLOT NO. 49, PAIKI-4-5-6-7, NEAR OLYMPIC LAMINATES, VILLAGE: KAROLI, TALUKA: KALOL, DISTT: GANDHINAGAR, GUJRAT-382721,,GANDHINAGARPINCODE:-382721	GUJARAT	ERW, Fe330,OD-219.1mm, THICKNESS-1.80mm TO 8.00mm	aspl gist
79	HI TECH SAW PRIVATE LIMITEDADDRESS:- SURVEY NO. 229, NEAR RAVIRAJ FOILS,,AT : KALANA,SANANDPINCODE:-382170	GUJARAT	Spirally welded, SAW, OD 406.40mm, Fe330, OD 610mm, 1219mm, Fe410, OD 1626mm, Fe450, Thickness- 4.00mm to 12.00mm, Plain End/Bevelled End, Without coating,	HI-TECH
80	SURYA ENGINEERSADDRESS:- G20/8 MIDC,AHMEDNAGAR,AHMEDNAGARPINCODE:-414111	MAHARASHTRA	Sizes from 900 mm outside dia upto and including 2540 mm, SAW, Grade Fe 410, Thickness upto and including 10 mm, Plain and Bevel ended, Type Black	Surya

Sl. No.	Firm Name & Address	State	Variety	Brand
81	DEEP SEALS INDIA LIMITED ADDRESS:- RENENUE SURVEY NO-583,LAKADIYA, ,SAMAKHIYALIPINCODE:-370150	GUJARAT	Steel Pipes fro water and Sewage, Grade Fe 410, SAW pipes for sizes from 457mm OD to up to and including 2540 mm OD with bevelled ends, without any external a and internal coatings., Bevelled ends without any external or internal coating, Fe410, SPIRAL SAW Welded PIPE, Size 762mm OD and 2075 OD, Bevelled ends without any external or internal coating, Fe410, SPIRAL SAW Welded PIPE	HSAW MS PIPE, NA
82	SG HEAVY ENGINEERING PVT LTD ADDRESS:- GUT NO. 8/1, MAUJE KHUPARI, BHIWANDI ROAD,,WADAPINCODE:-421312	MAHARASHTRA	Grade Fe 330 & Fe 410, SAW, Sizes 406.4 mm to 1524 mm dia and thickness 5 mm to 20 mm, Bevel End, Black ., SAW PIPE.GRADE : FE 410. SIZE: OD. 2500 MM .THICKNESS 30 MM	Others, SG
83	ZENITH BIRLA (I) LTD ADDRESS:- G-38/39, MIDC, TARAPUR,,BOISARPINCODE:-401506	MAHARASHTRA	219.1 OD, Thickness 4.0 mm to 8.0mm, Plain End, HFIW, Fe 330	Steel pipes
84	P. S. ENGINEERS & FABRICATORS ADDRESS:- PLOT NO. R - 316, TTC INDUSTRIAL AREA, THANE BELAPUR ROAD, RABALE MIDC,,NAVI MUMBAIPINCODE:-400701	MAHARASHTRA	Fe410 SAW, Bevel End Pipes, Black, Sizes 457mm dia and 914mm dia, thickness 6.0mm to 8.0mm 1] O.D. 610 mm X 6 mm Thickness [Fe410SAW] 2] O.D. 1016 mm X 10 mm Thickness [Fe410SAW] 3] O.D. 1524 mm X 12 mm Thickness [Fe410SAW] , Grade Fe 410 SAW, Bevel End M.S. Pipes, Size 1626mm OD X 16mm Thickness To Size 2540mm OD X 25mm Thickness	-

Sl. No.	Firm Name & Address	State	Variety	Brand
85	TOPWORTH PIPES & TUBES PRIVATE LIMITED ADDRESS:- VILLAGE HEDAVALI KHOPOLI PALI ROAD,TALUKA SUDHAGAD DIST RAIGAD,RAIGADPINCODE:-410205	MAHARASHTRA	Modified to-Steel Pipes for Water and Sewage, Method of Manufacture- SAW, Steel Grade- Fe 330, Fe 410, Fe 450, Outside diameter- 1254mm to 2032mm, Thickness- 12 mm, 12.5mm, End of pipe- Bevelled, Plain., Size Outside Diameter 1254mm to 2032mm, Thickness 12.5mm ,Description: Grade Fe330, Fe 410 , SAW (Spirally Welded) Bevelled End, Plain, Black Pipe, Size 1254 mm OD x 12 mm thickness,Grade Fe 410,SAW(Spirally Welded),Black and Bevelled End Pipe, Size 1254 mm OD x 12 mm thickness, Grade- Fe 410,, SAW (Spirally welded), Black & Bevelled end Pipe	LODHA PIPES
86	INFA ENGINEERS PVT LTD ADDRESS:- INDUSTRIAL AREA, TALOJA, PANVEL,MAHARASHTRA,PANVELPINCODE:-410208	MAHARASHTRA	outside diameter from 508mm to 1524 mm , Thickness upto 20mm, FE-330 FE-410	NA
87	PS STEEL TUBES LIMITED ADDRESS:- GUNTA NO. 644(B) TO 691 VILL - KHANAV DISTT- RAIGAD,KHANAV,KHOPOLIPINCODE:-410203	MAHARASHTRA	168.3 mm x 2.60 mm , , ERW, GI/BE pipe for Grade Fe 330, 168.3 mm x 4 mm , , ERW, GI/BE pipe for Grade Fe 330 & Fe 410, 219.1 mm x 6.30 mm , , ERW, GI/BE pipe for Grade Fe 330, Fe 410 and Fe 450, 219.1 mm x 10 mm , , ERW, GI/BE pipe for Grade Fe 330, Fe 410 and Fe 450	PSST KUNDAN
88	MAN INDUSTRIES (INDIA) LTD ADDRESS:- PLOT NO.257 & 258 B, SECTOR 01,,PITHAMPURPINCODE:- 454775	MADHYA PRADESH	Steel Pipes for Water & Sewage SAW, black, Grade: Fe 330 & Fe 410, Plain/bevel ended, Outer Diameter: 508mm & 1829mm SAW, Black, Grade: Fe 330 and Fe 410, Plain/Bevel Ended, Outer Diameter-2540mm, Steel Pipes for Water and Sewage, Black, SAW, Plain/Bevel End, Outer Diameter: 508mm to 2540mm , Grade: Fe 330 & Fe 410, wall thickness: 5mm upto & including 20mm	MAN

Sl. No.	Firm Name & Address	State	Variety	Brand
89	LARSEN AND TOUBRO LIMITED - CONSTRUCTIONADDRESS:- LARSEN AND TOUBRO LIMITED - CONSTRUCTION,KUNDALIA IRRIGATION PROJECT, KHASARA NO 767, 849, 851,KHERIYA SUSNERPINCEDURE:-465447	MADHYA PRADESH	---- Steel Pipes for Water and Sewage, Black, SAW, Plain and Bevel End, Outer Diameter: from 2224mm upto and including 2526mm , Grade: Fe410, Wall Thickness: From 12mm upto and including 13mm, --- Based on the above, Inclusion of new varieties for the product- STEEL PIPES FOR WATER AND SEWAGE(168.3 to 2540mm Outside Diameter) as per IS 3589:2001 (including all 4 amendments) as per the Grouping guidelines for the product having ref: CMD-III/16:1239, 3589 dated: 13/Nov/1997 in line with the Guideines for Change in Scope of License and Special Situations as per the Conformity Assessment Scheme-I of Schedule-II of BIS (Conformity Assessment) Regulations, 2018 dated:- 29/Oct/2018 in the existing scope of the licence may be considered as follow: Steel Pipes for Water and Sewage, Black, SAW, Plain Bevel End, Outer Diameter: from 808mm upto and including 2022mm , Grade: Fe410, Wall Thickness: From 04mm upto and including 11mm And Subsequently, the scope of the licence may be revised as: Steel Pipes for Water and Sewage , Black, SAW, Plain Bevel End, a)Outer Diameter: 408mm, 508mm, 608mm, Grade: Fe410, Wall Thickness: 4.00mm b) Outer Diameter:from 808mm upto and including 2022mm, Grade: Fe410, Wall Thickness: From 04mm upto including 11mm, Steel Pipes for Water and Sewage,Black,SAW,Plain & Bevel End,Outer Diameter: 408mm,508mm & 608mm,Grade: Fe410,Wall Thickness: 4.00mm	NIL
90	WELSPUN CORP LTD.ADDRESS:- SURVEY NO 228,229, INDUSTRIAL AREA JAMUNIA,GRAM POST - JAMUNIA ,RAISENPINCEDURE:-464651	MADHYA PRADESH	Steel Pipes for Water and Sewage,Black,SAW(Spiral seam),Plain & Bevel Ended,Outer Diameter: from 610mm upto & including 2540mm,Grade: Fe330 & Fe410,Wall Thickness: from 5.0mm upto & including 25mm	welspun corp ltd, welspun, NA

Sl. No.	Firm Name & Address	State	Variety	Brand
91	JMC PROJECTSINDIA LIMITEDADDRESS:- KHASRA NO.20/6,PIPALAL KHURD KHARGONE SANWER ,ROAD 451313,KHARGONEPINCODE:-451313	MADHYA PRADESH	Steel Pipes for Water and Sewage,Black,SAW,Plain End,Outer Diameter: from 456.5mm upto & including 807mm,Grade: Fe330 & Fe410,Wall Thickness: from 3.25mm upto & including 3.50mm	JMC
92	LARSEN AND TOUBRO LIMITED- CONSTRUCTIONADDRESS:- LARSEN & TOUBRO LTD. ISP- KALISINDH PHASE -I ,SURVEY - 579/1,580,581,588, ARNIYA JAGIR ,ARNIYA JAGIRPINCODE:-455115	MADHYA PRADESH	Steel Pipes for Water and Sewage, Black, SAW, Plain & Bevel End, Outer Diameter: from 406mm upto & including 1614mm, Grade: Fe410, Wall Thickness: From 3.00mm upto & including 7.00mm	1, Nil
93	OFFSHORE INFRASTRUCTURES LIMITEDADDRESS:- SURVEY NO- 794/1, DHAMANIYA DIWAN,TEH-SHAMGARH,SHAMGARHPINCODE:-458883	MADHYA PRADESH	Steel Pipes for Water and Sewage,Black,SAW,Bevel End,Outer Diameter: from 912mm upto & including 2250mm,Grade: Fe410,Wall Thickness: From 6.00mm upto & including 16.00mm	OIL
94	LARSEN AND TOUBRO LIMITED- CONSTRUCTIONADDRESS:- KHASARA NO. 2/1 VILLAGE KHANDORAPUR ,POST BHAURA TEHSIL ASHTA,KHANDORAPURPINCODE:-466116	MADHYA PRADESH	Steel Pipes for Water and Sewage,Black,SAW,Bevel End,Outer Diameter: from 406mm upto & including 1010mm,Grade: Fe410,Wall Thickness: From 3.00mm upto & including 5.00mm	nil
95	MTL PIPES INDIA LIMITEDADDRESS:- PLOT NO. 847,SECTOR-III PITHAMPUR.,PITHAMPURPINCODE:-454775	MADHYA PRADESH	Steel Pipes for Water and Sewage, Black, SAW(Spiral Seam), Plain & Bevel End, Outer Diameter: from 406mm upto & including 2540mm, Grade: Fe330 & Fe410, Wall Thickness: From 4.00mm upto & including 16.00mm	MAAN
96	LARSEN AND TOUBRO LIMITED- CONSTRUCTIONADDRESS:- LARSEN & TOUBRO LTD SURVEY NO.99, DHATRAWADA,NEAR GOVT SCHOOL PARARIA ROAD JIRAPUR,JIRAPURPINCODE:-465691	MADHYA PRADESH	Method of manufacture SAW, Steel Grade Fe 410 and Fe 330, Outer Diameter: from 708 mm upto and including 1416 mm, Wall Thickness: from 4 mm upto and including 8 mm, Bevel and plain ended, Steel Pipes for Water and Sewage,Black,SAW(Spiral Seam),Plain & Bevel End,Outer Diameter: from 406mm upto & including 606mm,Grade: Fe410,Wall Thickness: 3.00mm	nil

Sl. No.	Firm Name & Address	State	Variety	Brand
97	STARKE MINERALS ADDRESS:- KHASRA NO. 580, VIL. BADERA TEH. CHANDERI, DIST. ASHOKNAGAR, CHANDERI PINCODE:-473446	MADHYA PRADESH	Steel Pipes for Water and Sewage, Black, SAW, Plain and Bevel End, Outer Diameter: from 610mm upto and including 2428mm, Grade: Fe 410, Wall Thickness: From 5.00mm upto and including 14.00mm	NA
98	MANTENA MAX MP JV ADDRESS:- BACHRON VILLAGE, LABHEDA ROAD, PICHHORE,,, PICHHORE PINCODE:-473995	MADHYA PRADESH	Method of manufacture - SAW, Steel Grade - Fe410 and Fe330, OD from 323.9 mm upto including 2540 mm, Thickness from 5.0 mm upto including 16 mm, Bevel and plain ended, Without coating	DRMC, Mantena, Mantena Max MP JV
99	PSL LTD ADDRESS:- KHASARA NO 48 73 82, TAHSIL: PHAGI, JAIPUR PINCODE:-303005	RAJASTHAN	OD from 457mm to 2337mm, SAW Pipes, Steel Grade- Fe410.	NA
100	SKS SPIRAL PIPES ADDRESS:- PLOT NO. 4/4, 4/5, 4/6 MASOORI-GULAWATI INDUSTRIAL AREA, NEAR COCA COLA FACTORY,,, MASOORI PINCODE:- 201009	UTTAR PRADESH	Steel pipe for water and sewage, black, SAW, beveled ends, Grade Fe 410 for sizes OD 610mm to upto and including 2032mm with limiting thickness upto and including 16mm	SKS Saw Pipe