

## Manufacturer List - uPVC Pipe as per IS 4985 :2000

Sl. No.	Firm Name & Address	State	Variety	Brand
1	JAIN IRRIGATION SYSTEMS LTD.ADDRESS:- JAIN FIELDS, N.H. NO.6, BAMBHORI, P.B.NO.72,,JALGAONPINCODE:- 425001	MAHARASHTRA	63, 75 & 90mm 4kgf/cm <sup>2</sup> CLASS 1 2.5 kgf/cm <sup>2</sup> Upto 315 mm od Class 2 4 kgf/cm <sup>2</sup> Upto 315 mm OD	JAIN PLUMBING, Jain Pipe
2	AVON PLASTIC INDUSTRIES PVT LTDADDRESS:- NO 98 INDUSTRIAL SUBURB 2ND STAGE TUMKUR ROAD BANGALORE 560022,,BANGALOREPINCODE:-560022	KARNATAKA	Class 1 - 90mm to 110mm; 140mm to 180mm dia Plain and socket ended pipes Class 2 - 63mm to 110mm; 140mm to 200mm dia for solvent cement jointing Class 3 - 40mm to 110mm; 140mm to 200mm dia Class 5 - 20mm to 110mm Class 5 - 140mm to 180mm dia - Plain ended pipe Plumbing pipes - 20mm - 50mm - Plain ended pipe	AVONPLAST

Sl. No.	Firm Name & Address	State	Variety	Brand
3	THE SUPREME INDUSTRIES LIMITED ADDRESS:- UNIT NO.III, GAT NO.47,47/2,48 TO 50,55 TO66,69,70,72 & 73 JALGAON-AURANGABAD STATE HIGHWAY, AT POST GADEGAON, TAL.JAMNER, ,,JALGAON PINCODE:-425114	MAHARASHTRA	UPVC PIPE 4KGF/CM2 SIZE 315 MMM CLASS 4 UPTO & INCL. 160MM CLASS 4 - 200-250 PLUMBING PIPE 20 TO 50 MM CLASS 4 UPTO & INCL. 180MM CLASS 2 400 MM PLAIN ENDED CLASS 2 355 MM PLAIN ENDED CLASS 1 90 TO 315 MM BELL END CLASS 2 63 TO 315 MM BELL END CLASS 3 40 TO 315 MM BELL END CLASS 4 40 TO 315 MM BELL END CLASS 1 355 & 400 MM CLASS 3 SIZE 355 CLASS PLAIN ENDED SOCKET ENDED 1 90-400 MM 90-315 MM 2 63-400 MM 63-315 MM 3 40-355 MM 40-315 MM 4 40-315 MM 40-315 MM 4 PLUMBING PIPE 20-50 MM 1 90-400 MM 90-315 MM 2 63-400 MM 63-315 MM 3 40-355 MM 40-315 MM 5 20-315 MM 20-315 MM 5 PLUMBING PIPE 20-50 MM CLASS 4 25-315 PLAIN & SOCKET ENDED CLASS 6 20-110 MM PLAIN & SOCKET ENDED CLASS 3 63 - 315 MM WITH ELASTOMERIC RING CLASS 6 125 - 315 PLAIN & SOCKET ENDED CLASS 2 & 5 63-315 ELASTOMERIC SEALING RING JOINT CLASS 4 63-110 MM ELASTOMERIC SEALING RING JOINT CLASS	Supreme, Supreme-Netafim, EPC Irrigation, 3] SUPREME - EPC INDUSTRIE LIMITED [ A MAHINDRA GROUP COMPANY]
4	JAISWAL PLASTIC TUBES LTD ADDRESS:- GANESWARPUR INDUSTRIAL ESTATE,N.H-5 AT- JANUGANJ,,BALASORE PINCODE:-0	ODISHA	-	Jaiswal

Sl. No.	Firm Name & Address	State	Variety	Brand
5	DIPLAST PLASTICS LTD ADDRESS:- C 36 INDL AREA ,PHASE II S.A.S.NAGAR ,,MOHALI PINCODE:-0	PUNJAB	110 mm 8 Kg, 110 mm 10 Kg, Class II 90mm, 110mm,125mm to 250mm Class III Size 50mm,110mm	DIPLAST
6	SAVATRAM POLYMERSADDRESS:- MIDC INDUSTRIAL ESTATE, PLOT NO F-38/1, PHASE-II,,,AKOLAPINCODE:-444104	MAHARASHTRA	UPVC pipes for potable water supplies class 2, sizes upto and including 110mm 63mm-110mm dia, Class 3 UPVC pipes 7.1 – storage and handling of UPVC pipes shall be as per IS 7634 (Part 3): 1975 Class 3 – 125, 140, 160, & 180 mm OD plain and Bell ended pipes Class 2 : 63 to 110mm (Group I) Plain and Bell ended pipe, 140 to 160mm OD(Group II) Plain and Bell ended pipe.(joint by solvent cement) Class 3 : 63 to 110mm (Group I) Plain ended pipe, 125 to 180mm OD(Group II) Plain and Bell ended pipe.(joint by solvent cement) Class 5: 63 to 110mm (Group I) Plain and Bell ended pipe, (joint by solvent cement) Class 2 : 63 to 110mm IPLAIN AND BELL ENDED PIPES (JOINT BY SOLVENT CEMENT) 125 to 180mm II PLAIN AND BELL ENDED PIPES (JOINT BY SOLVENT CEMENT) 200mm III PLAIN AND BELL ENDED PIPES (JOINT BY SOLVENT CEMENT) Class 3 : 50 to 110mm IPLAIN AND BELL ENDED PIPES (JOINT BY SOLVENT CEMENT) 125 to 180mm II PLAIN AND BELL ENDED PIPES (JOINT BY SOLVENT CEMENT) 200mm III PLAIN AND BELL ENDED PIPES (JOINT BY	SP

Sl. No.	Firm Name & Address	State	Variety	Brand
7	REKAN EXTRUSIONS PRIVATE LIMITED ADDRESS:- INDUSTRIAL AREA, G.T. ROAD,VILL RAWATPUR CHAUDAGRA,,FATEHPURPINCODE:-0	UTTAR PRADESH	Unplasticized PVC pipes, plain ended Class 1, sizes 90 mm to 200 mm Class 2, sizes 63 mm to 180 mm Class 3, sizes 40 mm to 180 mm Class 5, sizes 50 mm to 110 mm Unplasticized PVC pipes, socketed pipe for solvent cement jointing Class 3, size 63 mm to 110 mm UPVC Pipes for potable water supplies, Socket Ended (Solvent Cement Jointing), Class 2, Nominal Sizes DN 63mm upto and including 315mm UPVC Pipe.Class -2, Type - Plain Ended, Size - 200 mm upto 315 mm UPVC Pipes Class-3,Type Plain Ended, Sizes -200 mm	Elephanta

Sl. No.	Firm Name & Address	State	Variety	Brand
8	ANANT EXTRUSION LIMITED ADDRESS:- PLOT NO A-3, MIDC, KALMESHWAR,,KALMESHWAR PINCODE:-441501	MAHARASHTRA	UPVC pipes for potable water supplies CLASS SIZE 1 140 and 160mm pipes with plain and socket end 2 63mm upto and including 110mm, plain ended 2 140 and 160mm OD UPVC pipes for potable water supplies 3 140 and 160 mm plain and socket ended only 4 160mm plain and socket ended only 180mm- class 1,2,3 - plain and socket ended 140mm- class 4 - plain and socket ended 125mm- class 3,4 - plain ended CLASS SIZE 3 40 and 50mm OD plain ended pipes 4 20, 25, 32, 40 and 50 OD plain ended pipes UPVC of size 200mm X 10kg of/cm class 5, both plain and socket ended. UPVC pipes for portable water supplies Group I CLASS 1 Size 90 & 110mm OD Group II CLASS 1 200, 225 and 250mm both plain and socket ended Unplasticized PVC Pipes for Potable Water Supplies for sizes: 315mm OD, Class-1, Class-2 and Class-3 with socket for solvent cement jointing CLASS 4(8.0kg/cm <sup>2</sup> ) - 200, 250, 280 & 315mm OD, CLASS 5(10.0kg/cm <sup>2</sup> ) - 250, 280 & 315mm OD, CLASS 6(12.5kg/cm <sup>2</sup> ) - 250, 280 & 315mm OD, for plain ended and	KAMAL
9	HYCOUNT PLASTICS & CHEMICALS ADDRESS:- KILIKOLLUR,,KOLLAM PINCODE:-691004	KERALA	Plain ended - Class 1,2,3 & 5 sizes upto and including 110mm.	-
10	RAJ PIPE INDUSTRIES ADDRESS:- PLOT B/20, MIDC AREA,,KUDAL PINCODE:-416550	MAHARASHTRA	63-110 mm CLASS 2 40-110 MM CLASS 3, BELL ENDED 20-110MM SOCKET ENDED, CLASS 5	raj pipe industries, RAJ PIPE INDUSTRIES

Sl. No.	Firm Name & Address	State	Variety	Brand
11	SWASTIK PIPES INDUSTRIES ADDRESS:- A-25, MIDC LOHARA, YAVATMAL,,YAVATMAL PINCODE:-445001	MAHARASHTRA	CLASS 2, SIZES 63mm UPTO AND INCLUDING 110mm plain ended CLASS 2, 140mm OD PLAIN & BELL ENDED PIPE CLASS 3, 63, 75, 90 & 110mm OD PLAIN AND BELL ENDED PIPES 63 TO 110mm (GROUP I) & 140mm (GROUP II) PLAIN & BELL ENDED PIPES (JOINT BY SOLVENT CEMENT) 63 TO 110mm (GROUP I) PLAIN & BELL ENDED PIPES (JOINT BY SOLVENT CEMENT) GROUP 1 : 90 TO 180mm ((GROUP I) PLAIN & BELL ENDED PIPES (JOINT BY SOLVENT CEMENT) GROUP 2 : 63 TO 110mm ((GROUP I) & 140mm (GROUP II) ENDED PIPES (JOINT BY SOLVENT CEMENT) GROUP 3 : 63 TO 110mm ((GROUP I) & 140, 160, & 180mm (GROUP II) PLAIN & BELL ENDED PIPES (JOINT BY SOLVENT CEMENT) 200, 225 & 250mm – WORKING PRESSURE 0.25 MPa for CLASS 1, 200, 225 & 250mm – WORKING PRESSURE 0.4 MPa for CLASS 2 AND 200, 225 & 250mm – WORKING PRESSURE 0.6 MPa for CLASS 3 WITH SOCKET FOR SOLVENT CEMENT JOINING AND PLAIN PIPES UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES FOR CLASS 4 & CLASS 5 FOR SIZES 63mm UPTO	Akashganga, Superlex, Armolex, Akashganga, Superlex, Armolex, Jackolex, Akashganga, Superflex

Sl. No.	Firm Name & Address	State	Variety	Brand
12	S.N.POLYMERS (P) LTD.,ADDRESS:- P.O & VILL-FULBARI, JALPAIGURI,,,PINCODE:-0	WEST BENGAL	Unplasticized PVC Pipes for Potable Water Supplies, Bell Ended, Class 3 - (i) DN 40 up to & including DN 110 and (ii) DN 125 up to & including DN 200. Plain ended:Class 1, 175 mm upto and including 315mm DN Class 2, 63 mm upto and including 315mm DN Class 3, 40 mm upto and including 315mm DN Class 4, 20 mm upto and including 315mm DN	SNP
13	GANGA PIPE MANUFACTURING COMPANYADDRESS:- W-24 & W-24 P MIDC, KALLAM ROAD ,,LATURPINCODE:-413531	MAHARASHTRA	class-2 63 to 110mm plain ended / class3 - 63 to 110 mm	-
14	SARAL PLASTICSADDRESS:- PANCHKUHADA, POST; BUTAL, DHANSURA AHMEDABAD HIGHWAY,,BUTALPINCODE:-0	GUJARAT	clas1 90 TO110[PLAIN AND BELL], CLASS2 63 TO110[PLAIN], CLASS3 63 TO 180[PLAIN], CLASS 2 63 TO 110 [BELL], CLASS 3 63 TO110 [BELL],	-
15	ORI-PLAST LIMITEDADDRESS:- O.T. ROAD,,BALASOREPINCODE:-756001	ODISHA	-	-
16	DURO PIPES PVT LTDADDRESS:- 51/A, SECTOR-A, ZONE-A, MANCHESWAR INDUSTRIAL ESTATE,,BHUBANESWARPINCODE:-751010	ODISHA	-	-
17	GUPTA POLYTUBES (P) LTD,ADDRESS:- CANTT. ROAD, ,,KHAGAULPINCODE:-801105	BIHAR	Class-I, Sizes 90 to 160mm Class-II, Sizes 63 to 110mm Class-II, Sizes 50 to 110mm	-

Sl. No.	Firm Name & Address	State	Variety	Brand
18	SUJALA PIPES PRIVATE LIMITED ADDRESS:- C-1, , INDUSTRIAL ESTATE BOMMALA SALRAM,,NANDYALPINC CODE:-518502	ANDHRA PRADESH	Class 2 63 to 110mm plain & bell ended Class 2 125 to 180mm bell ended Class 3 125 to 180mm bell ended Class 3 63 to 110mm plain & bell ended Class 3 40 to 50mm plain & bell ended Class 4 20 to 50 mm & 63 to 110mm plain & bell ended Class 2 4kg/sq.cm 63 to 180mm plain & socket ended for solvent cement jointing Class 3 6kg/sq.cm 40 to 180mm -do- Class 5 10kg/sq.cm 20 to 110mm -do- Class 1 2.5kg/sq.cm 90 to 280mm -do- Class 2 4kg/sq.cm 200 to 280mm -do- Class 3 6kg/sq.cm 200 to 280mm -do- Class 5 10kg/sq.cm 125 to 280mm -do- 20,25,32,40 & 50mm OD plumbing pipes Class Size NOM OD 1 125 to 630mm Socketed.pipes for elastomeric 2,3,4 & 5 355 to 630 mm sealing ring Class Size NOM OD 1,2,3, & 5 315 to 630 mm Plain & socketed end pipe 4 355 to 630 for solvent cement jointing	NANDI
19	MAHALAXMI PIPES PVT.LTD.ADDRESS:- J-16, M.I.D.C., OPP. BHARAT PETROLEUM,,JALGAONPINC CODE:-425001	MAHARASHTRA	-	monolex



Sl. No.	Firm Name & Address	State	Variety	Brand
20	V.K. POLYMERSADDRESS:- I-11, SITE C SURAJPUR INDUSTRIAL AREA, GREATER NOIDA,,,PINCODE:-0	UTTAR PRADESH	Plain ended and Socketed for cement solvent jointing for CI 2 & 3, Size 63mm to 200mm, plain ended and socketed	Super Shakti
21	SIDDARTH UDYOGADDRESS:- 38, GOPALBARI,,JAIPURPINCODE:-302001	RAJASTHAN	DN 90-315 (except DN 125mm) Class 1 plain ended and socketed with solvent cement jointing DN 63-315 (except DN 125mm) Class 1 plain ended and socketed with solvent cement jointing DN 63-315 (except DN 125mm) Class 1 plain ended and socketed with elastomeric sealing ring jointing	SIDDHARTH, KASTAKA, ANKUR, BHOOMI
22	KRISHI AGRO PRODUCTS (BAGRU)ADDRESS:- C-181, RIICO INDUSTRIAL AREA, PHASE-II, BAGRU,,PINCODE:-0	RAJASTHAN	Unplasticized PVC for Potable Water Supplies for the following varieties : (1) 90mm to 110mm & 140mm to 250mm, Class 1, Socketed for cement Solvent Joint & Plain Pipes; (2) 63mm to 110mm & 140mm to 250mm, Class 2, Socketed for cement Solvent Joint & Plain Pipes; (3) 63mm to 110mm & 140mm to 250mm, Class 3, Socketed for cement Solvent Joint & Plain Pipes; (4) 63mm to 110mm & 140mm to 250mm, Class 3, Socketed for Electrometric Sealing Ring & Plain Pipes	-

Sl. No.	Firm Name & Address	State	Variety	Brand
23	METRO UDYOGADDRESS:- A-93 & A-119, MANGOLPURI INDUSTRIAL AREA, PHASE - II,,PINCODE:-110034	DELHI	Unplasticized PVC Pipes for Solvent Cement Jointing both Plain Ended and Socket Ended for Potable Water Supplies - a)Class 2, Sizes- 63 mm to 200 mm,b)Class 3, Sizes- 50 mm to 200 mm.	Metro Gold Coin
24	AASITA INDUSTRIESADDRESS:- PLOT NO.4, SECTOR H, INDUSTRIAL AREA, ,,GOVINDPURAPINCODE:-462023	MADHYA PRADESH	Class/working pressure Sizes 2(0.40MPa) 63mm upto & including 200mm 3(0.60MPa) 63mm upto & including 110mm 4(0.80MPa) 63mm upto & including 110mm Plain ended pipes and socketed pipes for solvent cement jointing: Class 3: 125 mm upto & including 200 mm Class 5: 63 mm upto & including 110 mm	Aqua Tube
25	GANPATI PLASTIC INDUSTRIESADDRESS:- 9TH KM, BHOPA ROAD,,PINCODE:-251001	UTTAR PRADESH	Unplasticized PVC pipes for potable water supplies for solvent cement jointing for the following varieties: Class 1, Size 125-225 mm, Class 2, Size 63-225mm and Class 3, Size 40-225mm for plain and socketed ended.	GANPATI PREMIUM, MONICAL PREMIUM
26	GILL POLYMERSADDRESS:- 5TH KM MILE STONE INDUSTRIAL ESTATE, KAIRANA RAOD, SHAMLI,,PINCODE:-0	UTTAR PRADESH	Class 5, 20-110mm for plain and socket ended	GILL , GILL GOLD
27	ABS POLYTEC INDIAADDRESS:- 7.5 KM STONE, BHOPA ROAD,,,PINCODE:-251001	UTTAR PRADESH	Class 1, 90-250mm Class 2, 63-250mm Class 3, 63-250mm for plain ans socket ended	Shivam Gold/ABS Gold

Sl. No.	Firm Name & Address	State	Variety	Brand
28	THE SUPREME INDUSTRIES LIMITED ADDRESS:- K-1 TO K-4, K-8 & K-9 GHIRONGI INDUSTRIAL AREA,,MALANPUR PINCODE:-477116	MADHYA PRADESH	Class/Working Pressure      Sizes(DN) Class 1(0.25MPa)              90mm upto & including 315 Class 2(0.40MPa) 63mm upto & including 315 Class 3(0.60MPa)              40mm upto & including 315 Class 5(1.00MPa) 20mm upto & including 315 Plain ended Pipes for Plumbing in Bulidings: Nominal OD - 20 mm upto & including 50 mm.	SUPREME
29	FUSION INDUSTRIES LIMITED ADDRESS:- KHASRA NO. 356, GAGAL HEDI ROAD, RAIPUR INDUSTRIAL, BHAGWANPUR ,,ROORKEE PINCODE:-247667	UTTARAKHAND	Plain ended & Socket ended for solvent cement jointing Class 1, Size 90-315 mm Class 2, Size 63-315 mm Class 3, Size 40- 315 mm Class 4, Size 40-315 mm Class 5, Size 40-315 mm	FUSION, BRAND, fusion, fsuion

Sl. No.	Firm Name & Address	State	Variety	Brand
30	BANSAL PIPE INDUSTRIES ADDRESS:- 575/5 MG ROAD, BEHIND BANK OF INDIA,, INDORE PIN CODE:-452001	MADHYA PRADESH	Size 125 upto and including 315 mm, Class-2, Plain and Socket ended for Solvent cement joint, Class/working Pressure Sizes(DN) in mm Plumbing Pipe 20 to 50 (Plain end only) Class 2 (0.40MPa) 63 to 110 Class 3 (0.60MPa) 40 to 110, 140, 160, 180, 200, 250 315 Class 4 (0.80MPa) 32 to 110, 140, 160, 180, 200, 250 315 Class 5 (0.60MPa) 20 to 110, 140, 160, 180, 200, 250 315, Class 5 (0.60MPa) 20 to 110, 140, 160, 180, 200, 250 315 mm Plain ended, Class 4 (0.80MPa) 32 to 110, 140, 160, 180, 200, 250 315 mm Plain ended, UPVC Pipe 40mm up to and including 315mm Class-3 Socket for Elastomeric Sealing ring Jointing, UPVC Pipe 90mm up to and including 315mm Class-1 Plain End and Socket End for Solvent Cement Jointing, UPVC Pipe 63mm up to and including 315mm Class-2 Socket for Elastomeric Sealing ring Jointing, Class 2 (0.40MPa) 63 to 110 mm Plain ended, Class 3 (0.60MPa) 40 to 110, 140, 160, 180, 200, 250 315 mm Plain ended, ---Nominal Size(DN), mm	BANSAL

Sl. No.	Firm Name & Address	State	Variety	Brand
31	SAROJ POLYPLAST ADDRESS:- F-437, ROAD NO.12, V.K.I. AREA,,,JAIPUR PINCODE:-302013	RAJASTHAN	<p>i) OD 90, 110, 140 &amp; 160mm Class -1 (WP=1.25MPa) for Plain Pipe &amp; Socketted Pipe for Solvent cement jointing; ii) OD 63, 75, 90, 110, 140 &amp; 160mm Class – 2 (WP= 1.4MPa) Plain Pipe, Socketted Pipe for solvent cement jointing &amp; Socketted Pipe for Elastomeric sealing ring jointing; iii) OD 63, 75, 90, 110, 140 &amp; 160mm Class – 3 (WP=0.6MPa) Plain Pipe, Socketted Pipe for solvent cement jointing &amp; Socketted Pipe for Elastomeric sealing ring jointing a) OD 125 mm, 180 mm, 200 mm, 225, 250, 280 &amp; 315 mm Class 3 plain and socketed pipes for elastomeric sealing ring jointing b) From OD 63 mm upto and including OD 315 mm Class 4 plain and socketed pipes for elastomeric sealing ring jointing</p>	-

Sl. No.	Firm Name & Address	State	Variety	Brand
32	NEELAM PLASTICSADDRESS:- A-40, GURLAI MARG, SUMERPUR ROAD,,PALI-MARWARPINCODE:-306401	RAJASTHAN	(i) OD 90 to 200mm Class-1 (WP=1.25 MPa) for Plain pipe & Socketted Pipe for solvent cement jointing (ii) OD 63 to 200mm Class-2 (WP=0.4 MPa) Plain Pipe, Socketted Pipe for solvent cement jointing and (iii) OD 63 to 200mm Class-3 (WP= 0.6 MPa) Plain Pipe, Socketted Pipe for solvent cement jointing and Socketted Pipe for Elastomeric sealing ring jointing From 63mm upto & including 315mm, Class 4 (WP 0.8MPa) and Sizes: 225mm, 250mm, 280mm & 315mm, Class 3 (WP 0.6MPa) for Elastomeric Sealing Ring Jointing	NEELAM
33	MAKKNOW INDUSTRIESADDRESS:- RISHUB COMPLEX, ROOM NO. 317, M.G.ROAD, RAIPUR,,RAIPURPINCODE:- 492001	CHHATTISGARH	Class/Working                  Nominal OD, mm Pressure Class 1(0.25MPa)      90 upto & Including 200                                  except 125 Class 2(0.4MPa)                  63 upto & including 200                                  except 125 Class 3(0.6MPa)                  40 upto & including 200                                  except 125	-

Sl. No.	Firm Name & Address	State	Variety	Brand
34	KING TUBE INDIAADDRESS:- 117, GUPTA COMPOUND, PIPLIYAPALA, A-B, ROAD,,INDOREPINCODE:-452017	MADHYA PRADESH	a) Plain Ended Pipe & Socketed pipe for Solvent Cement Jointing: Class/Working Nominal OD,mm Pressure Class2(0.40MPa) 63 upto & including 200 except 125 Class3(0.60MPa) 63 upto & including 200 except 125 Class5(1.00MPa) 63 upto & including 200 except 125 b) Plumbing pipes: Nominal OD,mm 20 upto & including 50	KING
35	MITTAL PIPE INDUSTRIESADDRESS:- D-291,POCKET - D, SECTOR 5, DSIIDC, BAWANA,,PINCODE:-110039	DELHI	Unplasticized PVC Pipes for Potable Water - Supplies - Solvent Cement Joint Type for Class-2, Size 63 - 160 mm, Class-3, Size 50 mm to 160 mm.	

Sl. No.	Firm Name & Address	State	Variety	Brand
36	HINDUSTAN PIPES AND FITTINGS (P) LTD.ADDRESS:- E-216 & E-216-A, RIICO INDUSTRIAL AREA, SARNA DUNGAR , JHOTWARA EXT. PHASE-I,,PINCODE:-302012	RAJASTHAN	Class-3, (0.60 MPa), Nominal size 400mm with plain ends and solvent cement joint socket ends, (a) From DN 90 upto & including DN 250, Class-1 (0.25MPa) Plain Ended & Socketted Pipes for Solvent Cement Jointing (b) From DN 63 upto & including DN 110, Class-2 (0.4MPa) Socketted Pipes for Solvent Cement Jointing (c) From DN 125 upto & including DN 250, Class-2 (0.4MPa) Plain Ended & Socketted Pipes for Solvent Cement Jointing (d) From DN 63 upto & including DN 250, Class-3 (0.6MPa) Plain Ended & Socketted Pipes for Solvent Cement Jointing (e) From DN 63 upto & including DN 110, Class-4 (0.8MPa) Plain Ended & Socketted Pipes for Solvent Cement Jointing (f) From DN 63 upto & including DN 160, Class-3 (0.6MPa) Plain Ended & Socketted Pipes for Elastomeric Sealing (a)From DN 180 upto and including DN 315mm,Class 3 (0.6MPa) plain ended & Socketted pipes for elastomeric sealing ring jointing; (b) From DN 125 upto and including DN 315mm, Class 4 (0.8MPa) plain ended & Socketted pipes for solvent cement jointing. (a) DN 355mm Class	INOVA PLAST
37	HINDUSTAN AGROPLAST LLPADDRESS:- 134-135,SILVER SOIL,INDUSTRIAL PARK,NH-11 9KM FROM CHOMU ON SIKAR ROAD,ANANTPURA,,CHOMUPINCODE:-0	RAJASTHAN	(a) Nominal diameter 125mm upto & including 280mm class 1 (0.25MPa), Class 2 (0.40MPa) and Class 3 (0.6MPa) plain and socketed pipes for solvent cement jointing	Jagriti



Sl. No.	Firm Name & Address	State	Variety	Brand
38	VEETRAG POLYPLAST PVT.LTD.ADDRESS:- E-472,BHAMASHAH INDUSTRIAL AREA, RICCO-KALADWAS,,,UDAIPURPINCODE:-313003	RAJASTHAN	(i) DN 90mm and DN 110mm, Class-1 (0.25MPa) (ii) From DN 140mm upto & including DN 200mm, Class-1 (0.25MPa) (iii) From DN 63mm upto & including DN 110mm, Class-2 (0.4MPa) (iv) From DN 140mm upto & including DN 200mm, Class-2 (0.4MPa) Plain Ended and Socketted Pipes for Solvant Cement Jointing	-
39	SHREE VASUDEO INDUSTRIESADDRESS:- KHASRA NO.109, GRAM MOHAMMADPURA, RAVER ROAD, ,,BURHANPURPINCODE:-0	MADHYA PRADESH	Unplasticized PVC Pipes for Potable Water Supplies for the following varieties : ClassNominal OD, mmType of ends 340 upto & including 200Socketed pipe for solvent cement jointing 425 upto & including 200 520 upto & including 200	-
40	S S INDUSTRIESADDRESS:- GAT NO. 1708 MANJARDE TALUKA TASGAON,,PINCODE:-416312	MAHARASHTRA	UPVC pipes sizes 63 to 200 DN excluding 125 DN, class 2 & 3, plain ended and socketed pipes for solvent cement jointing	-
41	BHAGYASHREE POLYMERS PRIVATE LIMITEDADDRESS:- GAT NO. 46/3/A, UMALA, UMALA-NASHIRABAD ROAD, AT: UMALA,,POST DHANWADPINCODE:-425003	MAHARASHTRA	Sizes 63mm to 200mm, except 125mm, for Class 2, Plain and Socket Ended 1] 40 mm to 110 mm OD, Class- 3 Socket ended Pipes with solvent cement joints 2] 140 mm to 200 mm OD, Class-3 Socket ended Pipes with solvent cement joints 90 MM & 110 MM OD, CLASS - 1 PLAIN & SOCKET ENDED PIPES WITH SOLVENT CEMENT JOINT	BHAGYASHREE, KISAN KING, SUPREMO SUPER, SUPREME FORCE, SUPREME FLEX, KISAN STAR

Sl. No.	Firm Name & Address	State	Variety	Brand
42	VASANI POLYMERS PVT LTDADDRESS:- SURVEY NO 488/P-519/P, GIDC ESTATE,TALOD.,,TALODPINCODE:-383215	GUJARAT	Unplasticized PVC pipe for potable water supplies: 1.Nominal OD 90mm to 400mm (Excluding 125mm) for Class -1 for Plain ended and socketed pipe 2.Nominal OD 75mm to 400mm (Excluding 125mm) for Class -2 for Plain ended and socketed pipe 3.Nominal OD 40mm to 400mm (Excluding 63 m and 125mm) for Class -3 for Plain ended and socketed pipe 4.Nominal OD 63mm of Class -2 for Plain ended and socketed pipe for solvent cement jointing 5.Nominal OD 63mm of Class-3 for Plain ended and socketed pipe for solvent cement jointing 6.Nominal OD 20mm to 110mm of Class -5 for Plain ended and socketed pipe for solvent cement jointing and 7.Nominal OD 40mm to 400mm of Class -3 with socket for Electrometric sealing rings joints 8.Nominal OD 125mm of Class -1,2 &3 for Plain ended and socketed pipe for solvent cement jointing. 9.Nominal OD 40mm to 400 mm of Class -4 for Plain ended and socketed pipe for solvent cement jointing. 10. Nominal OD 125mm to 400 mm of Class -5 for Plain ended and socketed pipe for solvent cement	vasani and other, vasani, vasani
43	LAXMI PIPE & PROFILESADDRESS:- GAT NO. 142/1A JAMGAON (A) TALUKA BARSHI,,PINCODE:-413401	MAHARASHTRA	UPVC pipes for sizes nominal dia from 63 mm upto and including 180 mm excluding 125 mm, class 2 for plain ended and for socketed pipes for solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
44	MAHESH AGRO PLASTADDRESS:- PLOT NO. E-45-9 KURKUMBH MIDC TALUKA DAUND,,PINCODE:-413802	MAHARASHTRA	UPVC pipes nominal sizes from 63 mm upto and including 180 mm excluding 125 mm, class 2 for plain ended and for socketed pipes for solvent cement jointing, Plain ended and for socketed pipes for solvent cement jointing for following varieties: (1) 40 to 100 mm and 140 to 200 mm, Class-3, (2) 25 and 32 mm, Class-4, and (3) 20 mm, Class-5	MAPLEX
45	MAHALAXMI PLASTICADDRESS:- PLOT NO. J-33, MIDC,,JALGAONPINCODE:-425003	MAHARASHTRA	Sizes 63mm to 200mm, except 125mm, for Class 2, Plain and Socket Ended for Solvent Cement Joint SOLVENT CEMENT JOINT EXCEPT 125 mm 1] 40 mm to 110 mm OD, Class-3 2] 140mm to 200 mm OD, Class-3	SUPER AGRO
46	SABAR PVC PIPE INDUSTRIESADDRESS:- SURVEY NO 32,PLOT NO09,10,11, OPP DARGAH DHANDHA, HIMATNAGAR. ,,PINCODE:-383001	GUJARAT	Unplasticized PVC pipe for potable water supplies with Plain & socket end for solvent cement jointing for following sizes:- 1) Nominal OD 90mm to 200mm (Excluding 125mm) for Class-1, 2) Nominal OD 63mm to 200mm (Excluding 125mm) for Class-2, 3) Nominal OD 50mm to 200mm (Excluding 125mm) for Class-3 and 4)Nominal OD 20mm to 110mm (Excluding 25mm and 32mm) for Class-5, 63mm,75mm,90mm ,110mm Class-3 Elastomeric Sealing Ring Joint Pvc Pipes	NOTE :- , 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, No., Sr., SWARNIM

Sl. No.	Firm Name & Address	State	Variety	Brand
47	AMBIKA PLAST & CHEM (P) LTD ADDRESS:- GAT NO. 327/2, MOHIDA ,,SHAHADAPINCODE:-425409	MAHARASHTRA	63 mm to 110 mm class 2 and 63 mm to 110 mm class 3,plain end and socket ended pipes for solvent cement joint.	-
48	VAIBHAV AGRITECH INDUSTRIES ADDRESS:- GAT NO. 21/1B/2B BAGEWADI TALUKA MALSHIRAS,,PINCODE:-413101	MAHARASHTRA	UPVC pipes for sizes 63 to 200 ND excluding 125 ND, class 2 & 3, plain ended & for use with sockets for solvent cement jointing	vaibhav, Vaibhav
49	AVSAR POLYMERS INDUSTRIES ADDRESS:- PLOT NO.66 & 67 SABAR INDUSTRIAL PARK AT:VILLAGE: ASAL ,,BHILODAPINCODE:-383355	GUJARAT	UPVC pipe for potable water supplies with Plain & socket end for solvent cement jointing for following sizes:- 1) Nominal OD 90mm to 200mm (Except for 125mm) for Class-1, 2) Nominal OD 63mm to 200mm (Except for 125mm) for Class-2 and 3) Nominal OD 63mm to 200mm (Except for 125mm) for Class-3	-
50	BANSI INDUSTRIES ADDRESS:- PLOT NO.227/4, GIDC, AT PANOLI,,ANKLESHWARPINCODE:-0	GUJARAT	UPVC pipe for Potable Water supply with plain end and socket solvent cement jointing for following:- 1)For Class-1, Nominal Outside Diameter 90mm to 200mm (Except 125mm and 180mm) 2)For Class-2, Nominal Outside Diameter 63mm to 250mm (Except 125mm), 3)For Class-3, Nominal Outside Diameter 40mm to 250mm (Except 125mm) and 4)For Class-5, Nominal Outside Diameter 40mm to 160mm (Except 125mm)	-

Sl. No.	Firm Name & Address	State	Variety	Brand
51	AJAY INDUSTRIAL CORPORATION LTDADDRESS:- GAT NO. 381, 382 A/P WING TALUKA KHANDALA,,PINCODE:- 412801	MAHARASHTRA	UPVC pipes for potable water supplies, sizes 90 mm to 200 mm, class 1; 63 mm to 200 mm, class 2; 40 mm to 200 mm, class 3 & 32 mm to 200 mm, class 5, plain ended & solvent cement jointing ended pipes Unplasticized PVC pipes for potable water supplies Sizes 20 mm and 25 mm, Class 5, plain and socket ended for solvent cement joints, UPVC pipes for potable water supplies, size 225 mm to 315mm, class 1; 225 mm to 315 mm, class 2; 225 mm to 315mm, class 3 plain ended & socket ended for solvent cement jointing, Unplasticized PVC Plumbing pipes for potable water supplies Sizes 20 mm to 50 mm, plain and socket ended for solvent cement joints	AJAY, Ajay Agriline

Sl. No.	Firm Name & Address	State	Variety	Brand
52	SOMNATH POLY PLAST PVT LTD ADDRESS:- PLOT NO.88 NIRMAL INDUSTRIAL PARK GIDC GOZARIA TA & DIST. MEHSANA,,GOZARIAPINCODE:-0	GUJARAT	UPVC pipe for Potable Water supply with plain end and socket solvent cement jointing for following:- 1)For Class-1, Nominal Outside Diameter 90mm to 250mm (Except 125mm) 2)For Class-2, Nominal Outside Diameter 63mm to 250mm (Except 125mm), 3)For Class-3, Nominal Outside Diameter 40mm to 250mm (Except 125mm) and 4)For Class-5, Nominal Outside Diameter 20mm to 225mm (Except 125mm) UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 63 to 250mm (excluding 125mm) of Class-2 for Elastomeric sealing rings joints and 2) Nominal OD 40 to 250mm (Excluding 125mm) of Class-3 for Elastomeric sealing rings joints	-
53	GOVARDHAN INDUSTRIES ADDRESS:- PLOT NO. 104 TO 105 NEAR PARVATI CO-OP IND. ESTATE VILLAGE YADRAV TALUKA SHIROL,,PINCODE:-416121	MAHARASHTRA	Unplasticized PVC pipes for potable water supplies sizes 63, 75, 90, 110, 140, 160, 180, 200 mm, class 2 & 3, plain ended and socketed pipes for solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
54	SHAKTI INDUSTRIESADDRESS:- PLOT NO. A-56 MIDC CHINCHOLI TALUKA MOHOL,,PINCODE:-413255	MAHARASHTRA	UPVC pipes sizes 63 mm upto and including 110 mm, Class 2, plain ended and with socketed ended for solvent cement jointing Unplasticized PVC pipes for potable water supplies for sizes 140, 160, 180, 200 mm, Class 2 40, 50, 63, 75, 90, 110 mm, Class 3 & 140, 160, 180, 200 mm, Class 3 plain ended and socket ended for solvent cement joints	-
55	KANKAI PIPES & FITTINGS PVT. LTD.ADDRESS:- SURVEY NO. 97, PAIKI 4, PADHADHARI, MORBI ROAD, VILLAGE UKARADA,,,RAJKOTPINCODE:-360110	GUJARAT	uPVC PIPE FOR POTABLE WATER SUPPLIES, CLASS 2, 63 MM TO 200MM, CLASS 3, 63 MM TO 200 MM	-
56	BAJARANG PLASTICS INDUSTRIESADDRESS:- D-8, MASSURI GULAWATI ROAD INDUSTRIAL AREA, UPSIDC,,PINCODE:-0	UTTAR PRADESH	Plain ended & Socketed Class 2, Size 63- 250 mm Class 3, Size 63-250 mm Class 5, Size 63-110 mm	-
57	SWETA ENTERPRISESADDRESS:- KHASRA NO. 88/19, BHANPURI, RING ROAD NO. 2, BIRGAON,,RAIPURPINCODE:-493221	CHHATTISGARH	Class/Working Pressure: (0.25MPa), Sizes: 90mm upto & including 200mm. Class/Working Pressure:(0.4MPa), Size: 63mm upto and including 200mm. Class/Working Pressure:(0.6MPa), Size: 40mm to upto and including 200mm. Class/Working Pressure:(1.0MPa), Size: 25mm upto and including 200mm.	DURBY

Sl. No.	Firm Name & Address	State	Variety	Brand
58	SURGUJA PIPES PVT LTDADDRESS:- PLOT NO. 513, AJIRMA POST RAGHAWPUTI, TALUK SURAJPUR,,AMBIKAPURPINCODE:-497001	CHHATTISGARH	(a) Class 1, Working Pressure(PN) 0.25MPa, Size DN 90 to 200mm with socketed end for solvent cement jointing & Plain end; (b) Class 2, Working Pressure(PN) 0.4MPa, Size DN 63 to 200mm with socketed end for solvent cement jointing & Plain end (c) Class 3, Working Pressure(PN) 0.6MPa, Size DN 40 to 200mm with socketed end for solvent cement jointing & Plain end & (d) Class 5, Working Pressure(PN) 1.0MPa, Size DN 20 to 200mm with socketed end for solvent cement jointing & Plain end	phonix
59	MATERIAL MOVELL (INDIA) PVT. LTD.ADDRESS:- KHASRA NO.211, VILLAGE-RAIPUR BHAGWANPUR, ROORKEE,,HARIDWARPINCODE:-247667	UTTARAKHAND	Class-1, 90 mm to 225mm Class-2, 63 mm to 225mm Calss-3, 40 mm to 225mm Calss-4, 25 mm to 225mm Calss-5, 20mm to 225mm	N/A, Jupiter
60	NEELKANTH POLYTECH PVT LTDADDRESS:- 53/2 BADLI BAWANA ROAD, PREHLAD PUR BANGAR,,PINCODE:- 110042	DELHI	i)Class 2 size 90 to 225 mm ii)Class 3 size 63 to 225 mm iii)Class 5 size 63 to 110 mm with solvent cement jointing	EURO TECH, METRO TECH



Sl. No.	Firm Name & Address	State	Variety	Brand
61	MOHIT INDIAADDRESS:- PLOT NO.F-21D, PHASE-1ST,,,BHIWADIPINCODE:-301019	RAJASTHAN	Unplasticised PVC Pipes for potable water supplies with Plain end & Socketted Pipe for Solvent cement jointing for the following varieties 1) DN 90mm – 225mm, Class-1(WP=0.25 MPa) and (2)DN 75mm to 225 mm, Class-2(WP-0.4 MPa). UPVC Pipes for Potable Water Supplies varieties Plain ended, Socketted Pipe for Solvent Cement Jointing and Socketted Pipe for Elastomeric Sealing Ring Joints Sizes DN 63 mm-225 mm, Class–3 (WP= 0.6 MPa)	Mohit Kisan, Mohit Kisan, MOHIT
62	BORANA INDUSTRIES,ADDRESS:- E-39, BASNI 2ND PHASE, JODHPUR,,JODHPURPINCODE:-342005	RAJASTHAN	1)DN63-110mm, Class-2 Plain end Pipe & socketed pipe for Solvent Cement jointing 2)DN63-110mm, Class-3 Plain end Pipe & socketed pipe for Solvent Cement jointing DN 90 to 315 Class 1, DN 125 to 315 Class 2&3, DN 125 to 180 Class 4 for Socketted Pipe with Solvent cement jointing and Plain Pipe (a) DN 125, 180, 200, 225, 250,280 & 315mm plain & socketed pipes for elastomeric sealing ring jointing	THAR

Sl. No.	Firm Name & Address	State	Variety	Brand
63	SIGNET INDUSTRIES LIMITED ADDRESS:- PLOT NO. 462 TO 465, 476 TO 478 SECTOR III, PITHAMPUR ,,PITHAMPUR PINCODE:-452010	MADHYA PRADESH	Class/Working pressureSizeType of Jointing 1(0.25 MPa) 90 mm upto & including 250 mm Plain end and socketed end for Solvent cement jointing 2(0.40 MPa) 63 mm upto & including 250 mm Plain end and socketed end for Solvent cement jointing 3(0.60 MPa) 40 mm upto & including 110 mm Plain end and socketed end for Solvent cement jointing 3(0.60 MPa) 125 mm upto & including 250 mm Plain end and socketed end for Solvent cement jointing 5(1.0 MPa) 20 mm upto & including 250 mm Plain end and socketed end for Solvent cement jointing 2(0.40 MPa) 63 mm upto & including 200 mm Elastomeric Sealing Ring Jointing 3(0.60 MPa) 63 mm upto & including 200 mm Elastomeric Sealing Ring Jointing 4(0.8 MPa)25mm upto & including 200mmPlain ended & Solvent cement jointing 4(0.8 MPa)63mm upto & including 200mmPlain ended & Elastomeric sealing ring jointing Classes -1, 2, 3 & 5: Nom. OD - 280 mm & 315 mm, Plain ended & Socketed Pipe for Solvent Cement Jointing Class - 4, Nom. OD - 225, 250, 280 mm & 315 mm, Plain	Saurabh Shaktiman, SAURABH SHAKTIMAN

Sl. No.	Firm Name & Address	State	Variety	Brand
64	VIMIT METALS & INFRASTRUCTURE (P) LTD., (AMBABARI, JAIPUR)ADDRESS:- G-197, ROAD NO. 10, BINDAYAKA INDUSTRIAL AREA,,JAIPURPINCODE:- 302012	RAJASTHAN	1)DN90 to DN 200 Socketed Pipe for solvent Cement Jointing & for plain ended Pipe for Class-2 2)DN90 to DN200 Socketed Pipe for Elastomeric Sealing Ring Jointing & for plain ended Pipe for Class-3 i) DN 63 & 75mm, Class 2(WP=0.4 MPa) Plain & Socketted pipes for Solvent cement jointing, ii)DN 63 & 75mm, Class 3(WP=0.6 MPa) Plain & Socketted pipes for Elastomeric Sealing Rings joints and iii) DN 90 to 200mm, Class 4(WP=0.8 MPa) Plain & Socketted pipes for Elastomeric Sealing Rings joints	VIMIT
65	SURYA ROSHNI LTD.ADDRESS:- 7TH K.M. STONE, MORADABAD ROAD,,KASHIPURPINCODE:-244713	UTTARAKHAND	UPVC Pipes Plain Ended and Socket ended for solvent cement jointing, Class 3, Size 225 mm, 250 mm, 280 mm and 315mm, UPVC Pipes Plain Ended and Socket ended for solvent cement jointing, Class 2, Size 225 mm, 250 mm, 280 mm and 315mm, UPVC Pipes Plain Ended and Socket ended for solvent cement jointing, Class 1, Size 225 mm, 250 mm, 280 mm and 315mm, Plain ended & socket ended for solvent cement jointing Class 1, Size 90-200 mm Class 2, Size 63-200 mm Class 3, Size 40-200 mm Class 5, Size 40-200 mm	PRAKASH-SURYA

Sl. No.	Firm Name & Address	State	Variety	Brand
66	SAROVARAM INDUSTRIES LLPADDRESS:- KHASRA NO. 1388, LANGHA ROAD, CHARBA,,DEHRADUNPINCODE:- 248001	UTTARAKHAND	90 mm class I to 315 class I 63 mm class II to 315 class II 40 mm class III to 315 class III 25 mm class IV to 315 class IV 20 mm class V to 315 class V UPVC Pipes for potable water supplies with sockets for elastomeric sealing ring joints, Class 3, Size 63 mm to 315 mm	SFMC
67	ADINATH PRIME DEVELOPERS PVT LTDADDRESS:- INDUSTRIAL AREA, BEHIND JILA UDYOG KENDRA, NAI ABADI,,MANDSAURPINCODE:-458001	MADHYA PRADESH	Class:1(0.25 MPa), Sizes 90mm & 110mm Class:2(0.4MPa), Sizes 63mm upto & including 110mm	KALKI
68	KATYANI POLYMERSADDRESS:- INDUSTRIAL ESTATE, BEDIND KRISHNA DHARAM KANTA, KAIRANA ROAD SHAMLI,,PINCODE:-0	UTTAR PRADESH	Plain ended & Socketed for cement solvent jointing a) CI 1, Size 90-250mm, plain ended & Size 125-250mm socketed; b) CI 2, Size 63-110mm, plain ended c) CI 3, Size 40-110mm, plain ended	KATYANI, KAMALDEEP

Sl. No.	Firm Name & Address	State	Variety	Brand
69	SARNA MARBLES PVT. LTD.,ADDRESS:- PLOT NO. A 220-221,RIICO INDUSTRIAL AREA(EXTN.), IIND PHASE, BAGRU,,JAIPURPINCODE:-303007	RAJASTHAN	1)DN90 to DN250, Class-1(PN 0.25MPa), 2)DN63 to DN250, Class-2(PN 0.4MPa), 3)DN63 to DN110, Class-3(PN 0.6MPa), All above varieties for Plain ended pipe & socketted Pipe with solvent cement jointing 4)DN125 to DN250, Class-3(PN 0.6MPa), Plain ended pipe only 1)DN63 to DN200, Class-3(PN 0.6MPa), All these varieties for Plain ended pipe & socketted Pipe with Elastomeric Sealing ring joint. (i) From DN 125mm upto and including DN 250mm class 3 (0.6MPa) Socketed pipes for solvent cement jointing; (ii) From DN 40mm upto and including DN 250mm class 4 (0.8MPa) Plain and Socketed pipes for solvent cement jointing; (iii) From DN 225mm to DN 250mm class 3 (0.6MPa) Plain and Socketed pipes for Elastomeric sealing ring jointing; (iv) From DN 63mm upto and including DN 250mm class 4 (0.8MPa) Plain and Socketed pipes for Elastomeric sealing ring jointing.	Khetan

Sl. No.	Firm Name & Address	State	Variety	Brand
70	SHREE SHUBH LAXMI POLYPLAST (PVT.)LTD., (VKIA, JAIPUR)ADDRESS:- G-514, ROAD NO. 9 A, VISHWAKARMA INDUSTRIAL AREA,,,JAIPURPINCODE:- 302013	RAJASTHAN	UPVC Pipe plian & socketed pipe with Solvent Cement Jointing 1)DN90 to DN110 & DN140 to DN250, Class-1 2)DN63 to DN110 & DN140 to DN250, Class-2 3)DN63 to DN110 & DN140 to DN250, Class-3 DN 63 & DN 75, Class 3, Plain ended & Socketed Pipe with Elastomeric Sealing Ring Joint	Shree Laxmi
71	RISHABH PLAST INDIAADDRESS:- 223/2, KUNDA INDUSTRIAL AREA, KHASRA NO. 147, DELHI ROAD,,MEERUTPINCODE:-250103	UTTAR PRADESH	Class 2 - 63mm to 110mm, Plain ended & socketed Class 3 - 40mm to 110mm, Plain ended & socketed, Unplasticized PVC pipes for potable water supplies, Plain end socketed end, of Class-2, Size DN 125 mm to DN 225 mm, and Class-3, Size DN 125 mm to 225 mm, as per IS 4985:2000.	JAI KISAN, RISHABH, SUNGRACE, CROWN
72	RUPAM INDUSTRIESADDRESS:- 79/B, 80/A-2, SECTOR F, INDUSTRIAL AREA, SANWER ROAD, ,,INDOREPINCODE:- 452015	MADHYA PRADESH	Class/Working pressure Sizes (DN) 1(0.25MPa) 90mm upto & including 200mm 2(0.40MPa) 63mm upto & including 200mm 3(0.60MPa) 40mm upto & including 200mm 4(0.80MPa) 25mm upto & including 200mm 5(1.00MPa) 20mm upto & including 200mm	VISHAL

Sl. No.	Firm Name & Address	State	Variety	Brand
73	KWALITY SANITARY PRODUCTS ADDRESS:- PLOT NO: 211, INDUSTRIAL ESTATE HSIIDC, BARHI, SONIPAT,,SONIPATPINCODE:-131039	HARYANA	Unplasticized PVC Pipes for Potable Water Supplies Plain ended and Socket ended for Cement Solvent Jointing: i) Class 1, Size 90 to 200 mm, ii) Class 2, Size 63 to 200 mm, iii) Class 3, Size 50 to 200 mm. Unplasticized PVC Pipes for Potable Water Supplies Plain ended and Socket ended for cement solvent jointing i)class 1 ,size 90 to 200 mm ii) class 2, size 125 to 200 mm.iii)class 3, size 125 to 200 mm	-
74	SANSAR POLYMERS ADDRESS:- E-42,B, RIICO INDUSTRIAL AREA, KALADERA,,PINCODE:-303801	RAJASTHAN	UPVC Pipe for potable water supplies for variety i) OD 125 mm to 250mm Class-1 Plain & Socketted for solvent cement jointing ii) OD 63 mm to 250mm Class-2 Plain & Socketted for solvent cement jointing and iii) ) OD 125 mm to 250 mm Class-3 Socketted for Elastomeric sealing rings jointing. UPVC Pipes Plain ended Pipes, Socketed Pipe for Solvent Cement Jointing and Elastomeric Sealing Rings Joints DN 63 mm to 110 mm Class 3 (WP=0.6 MPa)	SANSAR

Sl. No.	Firm Name & Address	State	Variety	Brand
75	DAGAR INDUSTRIES ADDRESS:- H-1-47, OLD INDUSTRIAL AREA, BAGRU JAIPUR,,JAIPUR PINCODE:-303007	RAJASTHAN	) OD 90 mm to 250mm Class-1 Plain Ended & Socketted Pipe for solvent cement jointing ii) OD 63 mm to 250mm Class-2 Plain Ended & Socketted Pipe for solvent cement jointing iii) ) OD 40 mm to 250mm Class-3 Plain Ended & Socketted Pipe for solvent cement jointing iv) OD 90mm to 250mm Class-1 Socketted for Elastomeric sealing ring jointing and v) OD 63 mm to 250mm Class-2 & 3	DAGAR
76	JAIN IRRIGATION SYSTEMS LTD. (ALWAR) ADDRESS:- SP-1, MATSYA INDUSTRIAL AREA, ,,PINCODE:-301030	RAJASTHAN	Plain Ended Pipe & socketted Pipe with solvent Cement Jointing 1)DN63 to DN110, DN125 to DN315, Class-2 2)DN40 to DN110, DN125 to DN315, Class-3 3)DN20 to DN110, Class-5 Elastomeric Sealing Ring Size-DN 63 to 110 Class 2, DN 125 to 315 Class 2, DN 63 to 110 Class 3, DN 125 to 315 Class 3, DN 63 to 110 Class 5 and 6,	JISL, JAINS
77	BAID ROTOMOULDERS PVT. LTD. (JAIPUR) ADDRESS:- 140(2), INDUSTRIAL AREA, JHOTWARA,,PINCODE:-302012	RAJASTHAN	Plain Ended & Socketted Pipe for solvent cement Jointing - variety 63 mm to 160mm Class 3	Polycon



Sl. No.	Firm Name & Address	State	Variety	Brand
78	REX PIPES AND CABLES INDUSTRIES LIMITEDADDRESS:- B-99, RIICO INDUSTRIAL AREA, PHASE- II,,PALSANAPINCODE:-0	RAJASTHAN	i)OD 90 to 250mm except 125 mm Class-1(WP=0.25 MPa) Plain Ended & Socketted for Solvent cement jointing; ii) OD 63 to 250mm except 125 mm Class-2(WP=0.4 MPa) Plain Ended & Socketted for Solvent cement jointing; iii) OD 40 to 250mm except 125 mm Class-3(WP=0.6 MPa) Plain Ended & Socketted for Solvent cement jointing; iv)OD 25 to 110 mm Class-4(WP=0.8 MPa)& Class 5 (WP=1.0 MPa) Plain Ended & Socketted for Solvent cement jointing; v) 90 & 110 mm Class-1(WP=0.25 MPa) Socketted Pipe for Elastomeric sealing ring jointing; vi) 63 to 110 mm Class 2(WP=0.4 MPa) & Class 3(WP=0.6 MPa) Socketted Pipe for Elastomeric sealing ring jointing.	REX
79	BEST PLAST PVC PIPESADDRESS:- MAIN ROAD PARASSERY KONGAD,,PALAKKADPINCODE:-678631	KERALA	Class 2 - 63mm to 200mm Nominal OD Class 3 -40mm to 200mm Nominal OD Class 4 - 25 mm to 200 mm Nominal OD Class 5 -20 mm to 200 mm Nominal OD and Class 6 -20 mm to 200 mm Nominal OD Class 2 - 63 mm to 200 mm nominal OD Class 3 - 40 mm to 200 mm nominal OD Class 4 - 25 mm to 200 mm nominal OD Class 5 - 20 mm to 200 mm nominal OD and Class 6 - 20 mm to 200 mm nominal OD	BEST PLAST SUPER

Sl. No.	Firm Name & Address	State	Variety	Brand
80	KATAKAM PLASTIC INDUSTRYADDRESS:- PLOT NO. L - 10 INDUSTRIAL ESTATE GANDI GUNJ,,BIDARPINCODE:-585408	KARNATAKA	Upto 110mm dia Class 1, 2, 3 & 5	PREMIER
81	SWETHA PVC INDUSTRIESADDRESS:- 11-6-103, VADDAVALLI SATTENAPALLY,,GUNTURPINCODE:-0	ANDHRA PRADESH	Class-1, 90mm to 200mm Class-2, 63mm to 200mm Class-3, 40mm to 200mm Class-4, 25mm to 200mm Class-5, 20mm to 110mm	-
82	KHEMI TUBES PRIVATE LIMITEDADDRESS:- NO.820, TINDIVANAM MAIN ROAD, THELLAR POST, KODIYALAM VILLAGE ,,VANDAVASIPINCODE:-604406	TAMIL NADU	Class 2 (PN 0.4 MPa), Nominal Outside Diameter from 63 mm to 200 mm (except 125 mm); Class 3 (PN 0.6 MPa), Nominal Outside Diameter from 40 mm to 200 mm (except 125 mm); Plumbing Pipes of Nominal Outside Diameter 20 mm to 50 mm	-
83	SRI AMMAN POLYMERS PRIVATE LIMITEDADDRESS:- SF.NO.16, KALANGAL VILLAGE ROAD, SULUR, ,,COIMBATOREPINCODE:-641402	TAMIL NADU	Class 2-63 to 200 mm(except 125mm). Class 3-40 to 200(except 125mm). class4(25mm-200mm),class5(20mm-200mm),class6(20mm-110mm).	NA, AQUATUF, SAPPL PIPES, SUJAY IRRIGATION, MEGNA, ROOTS , KUNDAN
84	SOWBHAGYA PLASTICS (P) LIMITEDADDRESS:- SY.NO.123 POLLAM INDUSTRIAL ESTATE JEEDIMETLA, QUTBULLAPUR (M),,,HYDERABADPINCODE:-500055	TELANGANA	Nom.size Class of Pipe in mm(OD) 90 to 110 1 63 to 110 2 40 to 110 3 125 to 250mm 2 & 3	SOUBHAGYA
85	NIDHI PVC INDUSTRIESADDRESS:- SY NO.1578 ARJALABAVI(V),,,NALGONDAPINCODE:-508001	TELANGANA	Nom. size in mm(OD) Class 63 to 200 2 40 to 200 3 20 to 200 5	NIDHI
86	RATNA PLASTICSADDRESS:- D. NO. 90-05-47, ALCOT GARDENS,,RAJAHMUNDRYPINCODE:-533101	ANDHRA PRADESH	Sizes :40mm to 250mm, Class-2 & Class-3	RATNA



Sl. No.	Firm Name & Address	State	Variety	Brand
91	KITEC INDUSTRIES (INDIA) PVT LTD ADDRESS:- SURVEY NO. 99/2, MADHUBAN INDL AREA, MADHUBAN DAM ROAD, ROKHOLI,, SILVASSA PINCODE:-396230	DADRA & NAGAR HAVELI	63mm to 110mm, Class 2, 40mm to 110mm Class 3 & 20mm to 110mm, Class 5 -PLAIN & SOCKET ENDED PIPE WITH SOLVENT CEMENT JOINT	KITEC, HARVEL, NOBLE
92	SILICON POLYMERS ADDRESS:- M.NO. 864/2 INDUSTRIAL AREA AT & POST BAMNOLI TALUKA MIRAJ ,, PINCODE:-0	MAHARASHTRA	Unplasticized PVC pipes for potable water supplies, sizes 63 to 110 mm ,class 2 ,with solvent cement joints	-
93	AGROTECH INDUSTRIES ADDRESS:- PLOT NOS 87/88 OPP ICHALKARANJI CHEMICALS A/P YADRAV TALUKA SHIROL,, PINCODE:-416145	MAHARASHTRA	UPVC PIPES Sizes 63 to 110 mm, Class 2 Solvent cement joints and 140 to 180 mm, class 2 Solvent cement joints	-
94	JAI KISAN POLYMERS PVT LTD ADDRESS:- GAT NO. 666 A/P TARDAL TALUKA HATKANANGALE,, PINCODE:-416121	MAHARASHTRA	Sizes 63 to 110 mm, class 2, for solvent cement joint (socket ended) and 140 to 180 mm, class 2 except 125 mm for solvent cement joint (socket ended)	-
95	KISAN IRRIGATIONS AND INFRASTRUCTURE LTD .ADDRESS:- GUT NO 46, 235,236,TALUKA TULJAPUR,TAMALWADI PINCODE:-413623	MAHARASHTRA	Elastomeric sealing ring socket ended pipes for 63 to 315 mm excluding 125 mm, class 2, 40 to 315 mm excluding 125 mm, class 3, 25 mm to 315 mm, excluding 125 mm, class 4, 20 to 315 mm, excluding 125 mm, class 5 UPVC pipes Size 355 mm & 400 mm, Class 2 and 3 Elastomeric sealing ring pipes socket ended Size 355 mm and 400 mm Class 2 and 3	-
96	AAKASH POLYMER ADDRESS:- PLOT NO. N-121, MIDC, NEAR EMCO,, JALGAON PINCODE:-425003	MAHARASHTRA	Sizes 63 to 110 mm, Class 2, Plain & Socket Ended, Solvent Cement Jointing	-

<b>Sl. No.</b>	<b>Firm Name &amp; Address</b>	<b>State</b>	<b>Variety</b>	<b>Brand</b>
97	SUJAL PIPESADDRESS:- PLOT NO. C-34 MIDC AREA BARAMATI TALUKA BARAMATI,,PINCODE:-413102	MAHARASHTRA	Unplastized PVC pipes for potable water supplies of sizes 63 to 110 mm, class 2,socket ended for solvent cement joints Unplasticized pipes for potable water supplies Sizes 140, 160, 180, 200 mm, Class 2; 63, 75, 90, 110 mm, Class 3 and 140, 160, 180, 200 mm, Class 3, plain and socket ended for solvent cement jointing	NETA FLOW , sujal



Sl. No.	Firm Name & Address	State	Variety	Brand
99	MODIGOLD PIPES PVT LTD ADDRESS:- B-104, MIDC BUTIBORI INDUSTRIAL AREA BUTIBORI,,NAGPUR PINCODE:-441122	MAHARASHTRA	Unplasticized PVC Pipes for Potable Water Supplies for both Class 2 & Class 3 for Sizes 63mm, 75mm, 90mm & 110mm OD for socketed pipes for solvent cement jointing and plain ended pipes Sizes : 1) 140,160,180 & 200mm OD for Class 1, 2) 140,160,180 & 200mm OD for Class 2 & 3) 140,160,180 & 200mm OD for Class 3 with plain ended & socketed pipes for solvent cement jointing.	MODIGOLD
100	G V POLYMERS ADDRESS:- PLOT NO. D-21 MIDC ISLAMPUR TALUKA WALWA,, PINCODE:-415409	MAHARASHTRA	UPVC pipes for potable water supplies sizes 63 to 110 mm, class 2 and 140 to 180 mm ,class 2, socket ended with solvent cement joints	-
101	ESSCON PIPES & FITTINGS ADDRESS:- PLOT NO. B -242, MIDC, MALEGAON, SINNER,, MALEGAON PINCODE:-422103	MAHARASHTRA	UPVC pipes for portable watr supply with plain & socket end with solvent cement joint 1. 63 mm to 200 mm. class2 2. 63 mm to 200 mm class 3 3. 110mm and 160mm class 1	-
102	MADHAV POLYMERS ADDRESS:- SURVEY NO. 84, PAIKI 1 & PAIKI 5, PLOT NO.4, NR. SHREEYA PEANUTS, RAJKOT TO GONDAL HIGHWAY,,AT. SADAK PIPALIYA, TALUKA : GONDAL,, SADAK PIPALIYA PINCODE:-360024	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies for Class I (DN 90-110 mm), PN 0.25 Mpa and Class II, III, V (PN 0.4, 0.6, 1.0 Mpa) and DN 63 to 200mm	MADHAV

Sl. No.	Firm Name & Address	State	Variety	Brand
103	SRI GANAPATI INDUSTRIESADDRESS:- V-8, MIDC AREA, AJANTHA ROAD,,JALGAONPINCODE:-425003	MAHARASHTRA	Unplasticized PVC Pipes for potable water supplies Class-2, Nominal diameters of 63mm to 110mm and 140mm to 200mm, plain and socket ended 2] Class 3 Nominal Diameter 63mm to 110mm and 140mm to 200mm for plain & socket Ended pipe.	Sri Ganapati, Agrolex
104	SAGAR POLYTECHNIK LIMITEDADDRESS:- PLOT NO. 109 TO 111, OLD NATIONAL HIGHWAY BAMANBORE GIDC, AT VILLAGE NAVAGAM (BAMANBORE), TALUKA CHOTILA,,PINCODE:-363520	GUJARAT	Plain ended Pipes, Class 1 (90 mm - 200mm); Class 2 (63 mm -400 mm); Class 3 (40 mm - 315 mm); Class 5 (20 mm to 200 mm); Socket ended Pipes with Solvent Cement Jointing, Class 1 (90 mm - 200mm); Class 2(63 mm -200 mm); Class 3 (40 mm -200mm); Class 5 (20 mm - 200 mm) Socket ended Pipes with Elastomeric Sealing Ring Jointing, Class 2 (63 mm - 400 mm) Class-3 (63 mm - 315mm) "Plain Ended Pipes and Socket Ended Pipes for Solvent Cement Joint, Class 4, 25 mm to 315 mm; Class 5, 225 to 315 mm; Socket ended Pipes for Elastomeric Ring Joint, Class 4, 63 mm to 315 mm, Class 5, 63 mm to 315 mm"	-



Sl. No.	Firm Name & Address	State	Variety	Brand
105	CAPTAIN PIPES LTD ADDRESS:- SURVEY NO. 257, PLOT NO. 23 TO 28, NH-8B, SHAPAR(VERAVAL), TALUKA-KOTDA SANGANI,,RAJKOT PINCODE:-360002	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies plain ended and socketed pipes for solvent cement jointing for nominal O. D. for (a) 90-315mm Class 1, (b) 63-315mm Class 2, (c) 40-315 Class 3, (d) 25-315mm Class 4, (e) 20-315mm Class 5 as well as plain ended pipes for plumbing for nominal O. D. 20 to 50mm CLASS 2 63MM TO 315MM, CLASS 3 40MM TO 315MM	CAPTAIN, BHUMI

Sl. No.	Firm Name & Address	State	Variety	Brand
106	KOTHARI AGRITECH PVT LTD ADDRESS:- KUKARWADA TINTODAN ROAD KUKARWADA, TA VIJAPUR ,,KUKARWADA PIN CODE:-382830	GUJARAT	Class- 5 (PN- 1.00 MPa), Nominal size 280mm to 315mm, for plain ended and socketed for cement solvent jointing., Class- 4 (PN- 0.80 MPa), Nominal size 25mm to 315mm, for plain ended and socketed for elastomeric sealing ring jointing., Class- 5 (PN- 1.00 MPa), Nominal size 20mm to 315mm, for plain ended and socketed for elastomeric sealing ring jointing., Class- 2 (PN- 0.40 MPa), Nominal size 280mm to 315mm, for plain ended and socketed for cement solvent jointing., Class- 2 (PN- 0.40 MPa), Nominal size 63mm to 315mm, for plain ended and socketed for elastomeric sealing ring jointing., Class- 3 (PN- 0.60 MPa), Nominal size 40mm to 315mm, for plain ended and socketed for elastomeric sealing ring jointing., Class- 4 (PN- 0.80 MPa), Nominal size 25mm to 315mm, for plain ended and socketed for cement solvent jointing., Class- 3 (PN- 0.60 MPa), Nominal size 280mm to 315mm, for plain ended and socketed for cement solvent jointing., "Unplasticized PVC pipes for potable water supplies' as per IS 4985:2000 for the following varieties:	SHAKTI GOLD

Sl. No.	Firm Name & Address	State	Variety	Brand
107	AMARDEEP PIPESADDRESS:- PLOT NO 843/3, OM INDUSTRIAL ESTATE, NEAR NIKI CABLE, RAKANPUR.,,KALOLPINCODE:-382721	GUJARAT	Class 5, Nominal size 63mm to 200mm excluding 125mm, plain ended pipes, Recommended for grant of licence for 'UPVC Pipes for Potable water supplies as per IS :4985:2000 for the following varieties. Class Nom.ODType 190mm to 200mm excluding 125mmPlain ended & socketed pipe for solvent cement jointing 263mm to200mm excluding 125mmPlain ended & socketed pipe for solvent cement jointing 363mm to200mm excluding 125mmPlain ended & socketed pipe for solvent cement jointing	KESARIYA, KESHRIYA

Sl. No.	Firm Name & Address	State	Variety	Brand
108	KELVIN PLASTIC PRIVATE LIMITED ADDRESS:- SURVEY NO. 108/P, NEAR TOLL PLAZA, RAJKOT GONDAL N.H. 8-B, VILLAGE BHUNAVA, TALUKA GONDAL,,RAJKOT PINCODE:-360311	GUJARAT	UPVC Pipe for Potable Water Supply, Plain Ended & Socket Ended Pipes for Solvent Cement Joint, Class 1- 90mm to 250mm, Class 2-63mm to 250mm, Class 3- 40mm to 250mm, Class 4- 25mm to 250mm, Class 5-20mm to 250mm, Class 6- 20mm to 250mm, Plain ended plumbing pipe, 20mm to 50mm, UPVC Pipe for potable water supply, plain ended & socket ended pipes for elastomeric sealing ring joint, Class 3- 63mm to 250mm, UPVC Pipe for Potable Water Supply, Plain Ended & Socket Ended Pipes for Solvent Cement Joint, Class 1- 90mm to 250mm, Class 2-63mm to 250mm, Class 3- 40mm to 250mm, Class 4- 25mm to 250mm, Class 5-20mm to 250mm, Class 6- 20mm to 250mm, Plain ended plumbing pipe, 20mm to 50mm, UPVC Pipe for potable water supply, plain ended & socket ended pipes for elastomeric sealing ring joint, Class 2- 63mm to 250mm, Class 3- 63mm to 250mm; Class 5- 63mm to 250mm. UPVC Pipe for Potable Water Supply, Plain Ended & Socket Ended Pipes for Solvent Cement Joint, Class 1- 90 mm to 250 mm, Class 2 -	KELVIN

Sl. No.	Firm Name & Address	State	Variety	Brand
109	KAMDHENU PIPEADDRESS:- MURKHANA-PORBANDAR ROAD, VILLAGE: MURAKHADA TALUKA UPLETA,,RAJKOTPINCODE:-360490	GUJARAT	Class 1, 90 mm to 200 mm, Class 2, 63 mm to 200 mm, Class 3, 63 mm to 200 mm UPVC Pipes for Potable Water Supply, Plain Ended and Socket Ended Pipes for Solvent Cement joint, Class 1, 90 mm to 315 mm, Class 2, 63 mm to 315 mm, Class 3, 63 mm to 315 mm and Class 5, 63 mm to 315 mm Class 2, 125mm to 315mm, Class 3, 63mm to 315mm	BHIMANI
110	PARAGON IRRIGATION PRIVATE LIMITEDADDRESS:- 870/1/A & 870/20, G.I.D.C, MAKARPURA, ,,VADODARAPINCODE:-390010	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies for plain end and solvent cement jointing for following nominal sizes:- 1) 40mm to 200mm (Except for 125mm) for Class-3, 2) 63mm to 200mm (Except for 125mm) for Class-2 and 3) 90mm to 200mm (Except for 125mm) for Class-1	PARAGON

Sl. No.	Firm Name & Address	State	Variety	Brand
111	ASTRAL POLYTECHNIK LIMITED ADDRESS:- 207/1, ASTRAL HOUSE, B/H RAJPATH CLUB, ,,AHMEDABAD PINCODE:-380059	GUJARAT	Class- 2 (PN- 0.40 MPa), Nominal size 355 mm and 400mm, for plain ended and socketed for elastomeric sealing ring jointing., Class- 3 (PN- 0.60 MPa), Nominal size 355 mm and 400mm, for plain ended and socketed for elastomeric sealing ring jointing., Class 1 (PN 0.25), Nominal Size 355mm, End of pipe: plain and socketed for solvent cement joint, 2.Class 2 (PN 0.40), Nominal Size 355mm, End of pipe: plain and socketed for solvent cement joint, 3.Class 3 (PN 0.60), Nominal Size 355mm, End of pipe: plain and socketed for solvent cement joint, Unplasticized PVC Pipes for Potable Water Supplies for plain end and solvent cement jointing for following nominal sizes:- 1) 63mm to 110mm for Class-2, 2) 40mm to 110mm for Class-3 and 3) 20mm to 110mm for Class-5 Unplasticized PVC Pipes for Potable Water Supplies for plain end and solvent cement jointing for following nominal sizes:- 1) 140mm to 250mm for Class-2, 2) 140mm to 250mm for Class-3 and 3) 140mm to 250mm for Class-5, 1.Nominal Size = 25 mm to 110 mm, Class -4, Plain ended and socketed	AQUASAFE

Sl. No.	Firm Name & Address	State	Variety	Brand
112	SHRILEELA INDUSTRIESADDRESS:- RAHUL TOWERS FIRST FLOOR NEAR KARNATAKA BANK,,PINCODE:- 416416	MAHARASHTRA	Sizes 280 mm and 315 mm, Class 4 and Class 5, Plain ended and socketed for solvent cement jointing, Unplasticized PVC pipes for potable water supplies, size 63, 75, 90, 110 mm, class 2, 3, 5 & 6 and size 125, 140, 160, 180, 200, 225 & 250 mm, class 1, 2, 3 & 6, plain and socketed pipes with solvent cement joints UPVC pipes for potable water supply - plain and socketed pipe with solvent cement joints class 5, sizes 125 to 250 mm UPVC pipes, plain and socket ended pipes with solvent cement joints, sizes 125 mm, 140 mm, 160 mm, 180 mm, 200 mm, 225 mm and 250 mm, Class 4, Size = 40 & 50 mm, Class-3, plain & socket ended pipes with solvent cement joints	SANJIVANI, Sanjivani, Sanjivani, KSJ PIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
113	YASH PIPES AND FITTINGS ADDRESS:- V-74 MIDC,,PINCODE:-425003	MAHARASHTRA	DN63 TO 200, CLASS 2 PLAIN AND SOCKET ENDED FOR SOLVENT CEMENT JOINTING 63mm TO 110mm OD, CLASS 3 SOCKET FOR SOLVENT CEMENT JOINTING 140mm TO 200mm OD, CLASS 3 SOCKET FOR SOLVENT CEMENT JOINTING 20mm TO 110mm OD, CLASS 5 PLAIN & SOCKET ENDED PIPES WITH SOLVENT CEMENT JOINTS 140mm TO 200mm OD, CLASS 5 PLAIN & SOCKET ENDED PIPES WITH SOLVENT CEMENT JOINTS 90 mm to 110 mm OD, Class 1 PLAIN & SOCKET ENDED PIPES WITH SOLVENT CEMENT JOINTS 140mm to 200mm OD, Class -1 PLAIN & SOCKET ENDED PIPES WITH SOLVENT CEMENT JOINTS	-
114	ACCORD PLASTIC ADDRESS:- GIDC-II, PLOT NO 707, SABALPUR,,,JUNAGADH PINCODE:-362037	GUJARAT	Plain and with sockets for solvent cement joints, Class 2 & 3 and sizes 63 to 200mm, except 125mm for each class	-
115	VRUNDAVAN POLYMERS ADDRESS:- HALVAD ROAD, PAVAN CHAKKI DHAR, VILLAGE NAVI PIPALI, TALUKA MORBI,,MORBIPINCODE:-363642	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain ended and socket ended pipes for solvent cement joints, Class 1, 90 to 315 mm, excluding 125 mm; Class 2, 63 to 315 mm, excluding 125 mm and Class 3, 40 to 315 mm, excluding 125 mm, Class 5, 20 mm to 315 mm	-



Sl. No.	Firm Name & Address	State	Variety	Brand
116	CMR INDUSTRIESADDRESS:- 17 KHATRI APPARTMENTS JAFFERJIN PLOTS,,AMRAVATIPINCODE:-444601	MAHARASHTRA	Class-2, Sizes 63, 75, 90, 110, 140, 160, 180 & 200mm OD and Class-3, Sizes 63, 75, 90, 110, 140, 160, 180 & 200mm OD with Socket for solvent cement jointing.	-
117	HERO AGRO PLAST PVT. LTD.ADDRESS:- PLOT NO. 2309&10, G.I.D.C. METODA TALUKA LODHKA,,RAJKOTPINCODE:-360021	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies Pain With Sockets for solvet cement joints , Class 1 ,140 to 200mm, Class2 , 63 to 200mm, & Class3 ,40 To 200mm Except 125 mm For all Classes	HERO
118	ANAND POLYMERS INCORPORATIONADDRESS:- SHITAL INDUSTRIAL AREA, PLOT NO 13, OPP. JAMWADI PETROL PUMP, JAMWADI, TALUKA GONDAL,,RAJKOTPINCODE:- 360311	GUJARAT	UPVC pipes for potable water supply, plain and with sockets for solvent cement joints, Class 2, 3 & 5 and sizes 63to200, except 125mm for each class	ANAND
119	KOSAL PIPE INDUSTRIESADDRESS:- F-72, MIDC KALAMB ROAD,,PINCODE:-413531	MAHARASHTRA	UPVC pipes for potable water supplies for classes of pipes 2 & 3 and for nominal sizes 63 DN to 180 DN excluding 125 DN for plain ended and socket ended pipes for solvent cement jointing UPVC pipes 20 mm to 200 mm (excluding 125 mm), class 5 plain and socket ended for solvent cement jointing	supreme son
120	MARUTI PIPE INDUSTRIESADDRESS:- G.I.D.C. PLOT NO 15, STATE HIGHWAY NO 41, SIDDHPUR (PATAN) GUJARAT,,SIDDHPURPINCODE:-384151	GUJARAT	UPVC pipe for potable water supplies for Nominal size 63mm to 200mm (Except for 125mm) for Class-1, 2 and 3 for Plain & socket end for solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
121	SHREEJI PVC PIPEADDRESS:- NEAR MADHAV OIL MILL, PANCHASAR ROAD, WANKANER,,,MORBIPINCODE:- 363622	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, plain ended and sockets ended pipes for solvent cement joints, Class 1- 90 to 200mm, Class 2- 63 to 200mm, Class 3- 40 to 200mm & Class 5- 20 to 200mm, except 125mm for each class Unplasticized PVC Pipes for Potable Water Supplies, plain ended and sockets ended pipes for solvent cement joints, Class 2 225mm and 250mm, class 3 225mm 250mm, socket ended pipes for sealing ring joint, class 2, 140mm to 250mm class3 63mm to 250mm	-
122	DEXCEL PLAST PVT LTDADDRESS:- GAT NO. 483/2 N.H. NO. 50 MEDANKARWADI CHAKAN TALUKA KHED,,PINCODE:-410501	MAHARASHTRA	UPVC plain ended pipes for plumbing in buildings for nominal outside diameter 32, 40 and 50 UPVC pipes for potable water supplies socketed pipe for solvent cement jointing of sizes 63 mm to 110 mm, class 2 and 40 mm to 110 mm, class 3	FINOLEX

Sl. No.	Firm Name & Address	State	Variety	Brand
123	VINAYAK POLYPIPES PVT.LTD.ADDRESS:- SURVEY NO. 589, 590/2, AHMEDABAD-HARSOL HIGHWAY, NEAR PETROL PUMP, HARSOL, TAL: TALOD.,,PINCODE:- 383305	GUJARAT	Unplasticized PVC pipe for potable water supplies of: 1. Nominal OD 90 mm to 315 mm (except 125 mm) of class 1 for for Elastomeric Sealing Ring Jointing. 2. Nominal OD 125 mm of class 1,2,3,5 for plain ended, socketed pipe for solvent cement jointing and Elastomeric Sealing Ring Jointing. 3. Nominal OD 25 mm to 400 mm of class 4 for plain ended, socketed pipe for solvent cement jointing and Elastomeric Sealing Ring Jointing. 4. Nominal OD 355 mm and 400 mm of class 5 for plain ended, socketed pipe for solvent cement jointing and Elastomeric Sealing Ring Jointing. , UPVC pipe for potable water supplies with Plain & socket end for solvent cement jointing for following sizes:- 1) Nominal OD 90mm to 250mm (Except for 125mm) for Class-1, 2) Nominal OD 63mm to 250mm (except for 125mm) for Class-2 , 3) Nominal OD 40mm to 250mm (except for 125mm) for Class-3 and 4) Nominal OD 20mm to 250mm (except for 125mm) for Class-5 UPVC Pipe for Potable water supplies for Nominal OD 355 and 400mm of Class-1, 2 and 3 for Plain ended and socket for	-
124	SHRI KARMVEER INDUSTRIESADDRESS:- GAT NO. 1015 VILLAGE HATKANANGALE TALUKA HATKANANGALE,,PINCODE:-416109	MAHARASHTRA	UPVC pipes for potable water supply with socketed pipes for solvent cement jointing for size DN 63 to DN 110 mm & DN 140 to 200 mm, Class 2	-

Sl. No.	Firm Name & Address	State	Variety	Brand
125	STUTI PIPES PVT LTDADDRESS:- BLOCK NO 433, TAJPUR ORAN ROAD,,,VILLAGE & TAL. PRANTIJPINCODE:-383205	GUJARAT	UPVC pipe for potable water supplies for following sizes:- A) With Plain & socket end for solvent cement jointing for following:- 1) Nominal OD 90mm to 250mm (Except for 125mm) for Class-1, 2) Nominal OD 63mm to 250mm (Except for 125mm) for Class-2 , 3) Nominal OD 63mm to 250mm (Except for 125mm) for Class-3 and 4) Nominal OD 63mm to 250mm (except for 125 & 225mm) for Class-5 B) With Plain end only for following:- 1) Nominal OD 40mm, 50mm and 125mm for Class-3, 2) Nominal OD 20mm to 50mm for Class-5 and 3) Nominal OD 125mm for Class-2. UPVC Pipe for Potable water supplies for Nominal OD 315mm of Class-3 with socket for Elastomeric sealing rings joints	-

Sl. No.	Firm Name & Address	State	Variety	Brand
126	R C PLASTO TANKS & PIPES PVT LTD ADDRESS:- D-2/A, MIDC HINGNA, NEAR WADI TOLL PLAZA, NAGPUR,,NAGPUR PINCODE:-440028	MAHARASHTRA	1) Class 1: 90,110,125,140,160,180,200,225 & 250mm 2) Class 2 : 63,75,90,110,125,140,160,180,200,225 & 250mm 3) Class 3: 40,50,63,75,90,110,125,140,160,180,200, 225 & 250mm 4) Class 4 : 25,32,40,50,63,75,90 and 110mm Working pressure 0.80 MPa 5) Class 5 : 20,25,32,40,50,63,75,90,110,125,140,160 ,180,200,225 & 250mm 6) Plumbing Pipes: 20,25,32,40 and 50 mm 25,32,40,50,63,75,90,110,125,140,160,18 0,200,225,250mm Working Presure 0.80 MPa for Class 4	Plasto

Sl. No.	Firm Name & Address	State	Variety	Brand
127	DRIP INDIA IRRIGATION PVT LTDADDRESS:- 5TH FLOOR, GAJANAN AVENUE, NEW PANDIT COLONY,,NASHIKPINCODE:-422002	MAHARASHTRA	Unplasticized PVC pipe for potable water supplies with Plain socket end and socketed end for solvent cement jointing for following sizes:- (i) Nominal OD 125 mm to 200 mm of class 3, Unplasticized PVC pipe for potable water supplies with Plain socket end and socketed end for solvent cement jointing for sizes:- (i) Nominal OD 32 mm of class 5, (ii) Nominal OD 125 mm to 200 mm of class 2, (i) Nominal OD 32 mm of class 5, (ii) Nominal OD 125 mm to 200 mm of class 2 , DN 63 to DN 110, CLASS 2, PLAIN AND SOCKET ENDED FOR SOLVENT CEMENT JOINTING DN 63 to DN 110, CLASS 3, PLAIN AND SOCKET ENDED FOR SOLVENT CEMENT JOINTING, SIZE DN 50MM CLASS 3 PLAIN AND SOCKET ENDED FOR SOLVENT CEMENT JOINTING	drip india, neer, Drip India

Sl. No.	Firm Name & Address	State	Variety	Brand
128	FINOLEX INDUSTRIES LTD(MASAR PIPE DIVISION)ADDRESS:- BLOCK NO. 1184, 1185, 1186, 1199/P.1, 1201, 1202, 1203, 1205, 1208 & 1211, MASAR VILLAGE RD. MANSAR, PADRA,,MASARPINCODE:-391421	GUJARAT	UPVC pipe for potable water supplies with Plain end And socket end for solvent cement jointing for following sizes - Nominal OD 315 mm for Class - 1.Nominal OD 315 mm for Class - 3., UPVC pipe for potable water supplies with Plain end And socket end for solvent cement jointing for following sizes - Nominal OD 225 mm for Class -1.Nominal OD 225 mm for Class 2.Nominal OD 225 mm for Class 3., UPVC pipe for potable water supplies with Plain end & socket end for solvent cement jointing for following sizes:- 1) Nominal OD 90mm upto and including 200mm for Class-1, 2) Nominal OD 63mm upto and including 200mm for Class-2, 3)Nominal OD 63mm upto and including 200mm for Class-3, 4) Nominal OD 63mm upto and including 200mm for Class-4, 5) Nominal OD 63mm upto and including 200mm for Class-5 and Plain ended pipes for plumbing from 20mm upto and including 50mm UPVC Pipe for Potable water supplies for Nominal OD 125mm to 225mm of Class-2 with socket for Elastomeric sealing rings joints	Finolex

Sl. No.	Firm Name & Address	State	Variety	Brand
129	RAJHANS RIGID PVC PIPE INDUSTRIESADDRESS:- JUNAGADH ROAD,,DHORAJIPINCODE:-360410	GUJARAT	UPVC Pipes for potable water supply, Plain and with sockets for solvent cement joints, class 2, 63 to 200 and class 3, 40 to 200, except 125 mm, Plain Ended and Socket Ended Pipes for Solvent cement Joint, Class 1, Size - 90 mm to 200 mm, excluding 125 mm.	-
130	PAVAN POLYMERSADDRESS:- NEAR PRASHANT WEIGH BRIEDGE,JUNAGADH ROAD,,DHORAJI,DHORAJIPINCODE:-360410	GUJARAT	UPVC pipes for potable water supply, plain and with sockets for solvent cement joints, class 2 , 63 to 200 and class 3, 40 to 200 mm, except 125 mm for each class	-
131	J.K. TECHNOPLAST PVT LTDADDRESS:- PLOT NO. A- 9/1/2 ADDL MIDC PHASE I ,,PINCODE:-431203	MAHARASHTRA	Unplasticized PVC pipes for potable water supplies for Sizes 125 mm, 140 mm, 160 mm, 180 mm and 200 mm, Class 5, Plain ended and socketed pipes with solvent cement joint, UPVC pipes for sizes 63 mm to 110 mm, class 2 for socket ended for solvent cement jointing 1. 140 mm, 160 mm, 180 mm, Class 2, Socket ended for solvent cement jointing 2. 40 mm, 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 140 mm, 160 mm, 180 mm, Class 3, Socket ended for solvent cement jointing 3. 25 mm to 110 mm, Class 4, Socket ended for solvent cement jointing	J K PIPES



Sl. No.	Firm Name & Address	State	Variety	Brand
132	AROPLAST ENTERPRISEADDRESS:- B-1 AL MIZAB ESTATE NEAR DAYARAM PRINT NEAR CANAL VATVA NAROL ROAD,,NAROLPINCODE:-382405	GUJARAT	UPVC pipe for potable water supplies with Plain & socket end for solvent cement jointing for Nominal OD 63mm to 200mm (Excluding 125mm) for Class-2 and 3 UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 90 to 250mm (Excluding 125mm) of Class-1 for Plain end and socketed pipe for Solvent Cement Jointing and 2) Nominal OD 63 to 250mm (Excluding 125mm) of Class-2 and 3 for Elastomeric sealing rings joints	dekora gold
133	SURAJ AGRO PIPES PVT LTDADDRESS:- 115 C, MARKET YARD KAVA ROAD,,PINCODE:-413512	MAHARASHTRA	UPVC OVC socketed pipes for solvent cement jointing and plain ended pipes size 90m,110,,140mm,160mm,180mm Class 1 and 63 mm,75mm,90mm,110mm,140mm,160m m,180mm ,Class 2&3	-
134	IDOL PLASTO PVT. LTD.ADDRESS:- PLOT NO. 1 & 2, REVENUE SURVEY NO. 552/1/P1, GUNDA ROAD, OPP. KUVADAVA HIGH SCHOOL, RAJKOT- AHMEDABAD HIGHWAY,,AT VILLAGE & TALUKA KUVADAVA,,RAJKOTPINCODE:-360023	GUJARAT	UPVC pipes for potable water supply,plain ended pipes and socket ended pipes for solvent cement joints, Class 1, 90 to 250mm;Class 2, 63 to 250 mm;Class 3, 40 to 250 mm; Class 4, 25 mm to 250mm; Class 5, 20 to 250mm; Class 6, 20 to 250mm, Sealing Ring Joint Pipes - Class 2, 63 mm to 315 mm, Class 3, 63 mm to 315 mm UPVC Plain End Pipe for Plumbing for Sizes 20 to 50mm	IDOL

Sl. No.	Firm Name & Address	State	Variety	Brand
135	HINDUSTAN IRRIGATIONADDRESS:- PLOT NO. 228, GIDC, PHASE-2, AT VILLAGE DEDIYASAN VILLAGE: DEDIYASAN,,MEHSANAPINCODE:-0	GUJARAT	UPVC pipe for potable water supplies for Plain & socket end with solvent cement jointing for following varieties:- 1) Nominal size 90mm to 200mm (Excluding for 125mm) for Class-1, 2) Nominal size 63mm to 200mm (Excluding for 125mm) for Class-2, 3) Nominal size 63mm to 110mm (Excluding for 125mm) for Class-3 and 4) Nominal size 63mm to 200mm (Excluding for 125mm) for Class-5 1.Nominal OD 225 to 315mm of Class-2 for Plain ended and socketed pipe for solvent cement jointing. 2.Nominal OD 140 to 315mm of Class-3 for Plain ended and socketed pipe for solvent cement jointing. 3.Nominal OD 63 to 315mm (Excluding 125mm) of Class-2 for Elastomeric sealing rings joints and 4.Nominal OD 63 to 110mm (Excluding 125mm) of Class-3 for Elastomeric sealing rings joints	-
136	MAHALAXMI INDUSTRIESADDRESS:- 221, A WING FIVE STAR MIDC VILLAGE KAGAL TALUKA KAGAL ,,PINCODE:- 416216	MAHARASHTRA	Unplasticized PVC pipes for potable water supply, socketed joints suitable for solvent cement jointing for sizes 63, 75, 90, 110, 140, 160, 180 & 200 mm, Class 2 - 4 kg/cm <sup>2</sup> and 63, 75, 90, 110, 140, 160, 180 & 200 mm, class 3 - 6 kg/cm <sup>2</sup> .	-

Sl. No.	Firm Name & Address	State	Variety	Brand
137	HEDA INDUSTRIES PVT LTDADDRESS:- C/O SWASTIK METALS, INSIDE JAWAHAR GATE, AMRAVATI,,PINCODE:-444601	MAHARASHTRA	Class 1 - Nominal OD : 90 mm to 200 mm, Class 2 - Nominal OD : 63 mm to 200 mm, Class 3 - Nominal OD : 63 mm to 200 mm & Class 5 - Nominal OD : 63 mm to 200 mm. With socket for solvent cement jointing & plain ended pipes	DHARA
138	SUDARSHAN PLASTIC INDUSTRIESADDRESS:- PLOT NO. B-89 MIDC OMERGA,,PINCODE:-413606	MAHARASHTRA	Unplasticized PVC pipes for potable water supplies, Sizes 63 mm, 75 mm, 90 mm & 110 mm, class 2, socketed pipes for solvent cement jointing and plain ended pipes	SUPEEK
139	SHRI SAIRAM PLASTICS & IRRIGATIONADDRESS:- GAT NO. 2016/3, NASHIRABAD - UMALA ROAD,,NASHIRABADPINCODE:-425309	MAHARASHTRA	a) Class 2, Nominal size - DN 63mm to 200 mm (except 125mm), Plain end and Socket end Pipes for Solvent Cement Joint b) Class 3, Nominal size - DN 63mm to 200mm (except 125mm), Plain end and Socket end Pipes for Solvent Cement joint	shriram

Sl. No.	Firm Name & Address	State	Variety	Brand
140	YOGI PLASTADDRESS:- G-90, MIDC,,PINCODE:-425003	MAHARASHTRA	a) DN 63 - 110 mm, CLASS 2, SOCKET ENDED FOR SOLVENT CEMENT JOINTING; b) DN 140 - 180mm, CLASS 3, SOCKET ENDED FOR SOLVENT CEMENT JOINTING 140 MM TO 200 MM OD, CLASS -2 Socket ended Pipes with solvent cement 63 MM TO 110 MM OD, CLASS -3 Socket ended Pipes with solvent cement 200 MM OD, CLASS-3 Socket ended Pipes with solvent cement jointing 2).1)140mm to 200mm od, class-2 socket ended pipes with solvent cement,2)63mm to 110mm od, class-3 socket ended pipes with solvent cement 3) 200mm od, class-3 socket ended pipes with solvent cement. 1] 90 mm to 110 mm OD, Class - 1 Solvent Cement Joint 2] 140 mm to 200mm OD, Class 1, Solvent Cement Joint	agrilex, M Super Diamond, Sagar Deluxe
141	SELF SHINE POLYMERS INDIA PRIVATE LIMITEDADDRESS:- CORPORATE OFFICE ORGANISER, 1ST FLOOR CONVENT JUNCTION,MAIN ROAD CHELAKKARA. ,,PINCODE:-680586	KERALA	UPVC PIPES FOR POTABLE WATER SUPPLIES. Class-1, 125-200mm, Class-2, 63-250mm, Class-3, 40-250mm, Class-4, 25-250mm, Class-5, 20-250mm & Class-6, 20-110mm Only., 160mm class 6, Plain ended pipes Socketed pipes for solvent cement jointing with Class 6 - 140 mm, 160 mm, 180 mm, 200 mm, 225 mm and 250 mm, class 1 size 125-200mm	SUN SUPREME

Sl. No.	Firm Name & Address	State	Variety	Brand
142	M/S.PRISTINE PIPE INDUSTRIESADDRESS:- NO.20/A, KUMBALAGODU INDUSTRIAL AREA, MYSORE ROAD,,,BANGALOREPINCODE:-560074	KARNATAKA	40mm-200mm Class-3 63mm-200mm Class-2	pristine
143	SILVER STREAM PLASTICS &CHEMICALSADDRESS:- PLOT NO 37&38, INDUSTRIAL GROWTH CENTRE (KSIDC); VALIYAVELICHAM, MOORIYADP.O. KOOHUPARAMBA- 670643,,,KANNURPINCODE:-670643	KERALA	Plain ended & socket ended for solvent cement jointing - Class 1- 90-200mm Class 2- 63-200mm Class 3- 40-200mm Class 4- 25-200mm Class 5- 20-200mm Class 6- 20-200mm - excluding 125mm	HYCOUNT
144	SAI KRISHNA POLYMERSADDRESS:- PLOT NO.45, TASS INDUSTRIAL ESTATE SIDCO (N.P), AMBATTUR,,,CHENNAIPINCODE:-600098	TAMIL NADU	Class 2: 63 mm to 200 mm Nominal OD, Except 125 mm OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 3: 40 mm to 200 mm Nominal OD, Except 125 mm OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 20 mm to 110 mm, Plain and Socketed Pipe for Solvent Cement Jointing; Plumbing Pipes: 20 mm to 50 mm Nominal OD.	-
145	ANCHANI TUBINGSADDRESS:- VAZHOOR EAST P.O, BLDG. NO:VII/3B & 3E VAZHOOR PANCHAYAT ,,,PINCODE:-686504	KERALA	Plain ended & socket ended for solvent cement jointing - Class 2- 63-110mm & 140-200mm Class 3- 140-200mm Class 5- 20-50mm Class 3- 40-110mm - Plain ended & Socket ended for Solvent Cement jointings Class 5, 20-110mm - Plain ended & Socketted ended for Solvent cement jointing	ANCHANI , ANCHANI
146	M/S.L.G.INDUSTRIESADDRESS:- SHREE BHUVANANDRA KRIPA, HALADY ROAD,,,KOTESHWARPINCODE:-576222	KARNATAKA	UPVC Pipes for Potable Water Supplies for Class 2, sizes 63mm to 110mm and Class 3, sizes 40mm to 110mm, for plain ended sockets.	SUNRISE

Sl. No.	Firm Name & Address	State	Variety	Brand
147	ANANTHA BIOTECHNOLOGIES & ALLIED INDUSTRIES PVT. LTD ADDRESS:- D. NO.1-792/ A, RAMNAGAR EXTN., ANANTHAPUR RURAL (M) ,,ANANTHAPUR PINCODE:- 515004	ANDHRA PRADESH	S.No. Class of Pipes Nominal Size(in mmOD) 1. 90 to 200 2. 2 63 to 200 3. 3 40 to 200 4. 4 25 to 200 5 5 20 to 200	ABT
148	PRINCE SWR SYSTEMS PRIVATE LIMITED ADDRESS:- PLOT NO. 273/4, DEMNI RPAD, VILLAGE DADRA, DADRA & NAGAR HAVELI, SILVASSA PINCODE:-396191	DADRA & NAGAR HAVELI	S.No. Nom.size Class of Pipe Type in mm(OD) 1. 280 to 315mm 1, 2 & 3 355 to 400 Plain & socket ended pipes with solvent cement jointing 2. 20 to 250 mm 4,5 & 6	prince
149	SHIVA GANGA PVC PIPES ADDRESS:- SHED NO.2, OPP: APSRTC ZONAL WORKSHOP IDA, KADAPA,,KADAPA PINCODE:-516002	ANDHRA PRADESH	UPVC Pipes for Potable Water Supplies	SHIVAGANGA
150	VELMURUGAN MINERALS ADDRESS:- NO.1/177/5, MURUGAN NAGAR, ALLIKULAM,,, PINCODE:- 628103	TAMIL NADU	PET Jar: 20 L, PET Bottles: 2 L, 1 L, 500 ml, & 300 ml and Flexible PE Pouches: 250 ml	VELS, AQUA LION, AQUA FIFA
151	PRESTIGE PLASTICS ADDRESS:- B1 NO35, RS NO182, I.D.A ALUVA ERUMATHALA(P.O) ,,ALUVA PINCODE:- 683112	KERALA	Class 2- 63mm-110mm Class 3- 40mm- 110mm - all are Plain and socket ended for solvent cement jointing 20mm-50mm - plumbing pipes Class 5- 20mm - 110mm UPVC pipe with socket ended	PRESTIGE

Sl. No.	Firm Name & Address	State	Variety	Brand
152	APOLLO PIPES LIMITED ADDRESS:- PLOT NO.172-B & 173-A, ZONE-3, VASANTHAPURA INDUSTRIAL AREA, KORA,,,TUMKURPINCODE:-572138	KARNATAKA	UPVC Pipes for Potable Water Supplies for for the varieties of 90mm to 110mm Class-1 comma 125mm to 200mm Class-2 comma 63mm to 200mm Class-3 comma 20mm to 160mm Class-5 comma 20mm to 63mm Class-3 comma 63mm to 225mm Class-2 and Class-3., UPVC Pipes for Potable Water Supplies for for the varieties of a) Class 1, 0.25 MPa, 90-110(Group 1) & 125-200(Group II), b) Class 2, 0.4 MPa, 63-110(Group I) & 125-200(Group II), c) Class 3, 0.6 MPa, 40-110(Group I) & 125--200(Group II), d) Class 5, 1.0 MPa, 20-110(Group I) & 125-160(Group II), e) Class 6, 1.25MPa, 20-63(Group I) All Plain Ended pipes as per IS:4985:2000 (With Amendments No.1 to 4)	KISAN
153	M/S. CLASSIC EXTRUSION ADDRESS:- NO.73/41, DODDANNA INDUSTRIAL ESTATE, 23RD CROSS, VISHWANEDAM POST, NEAR PEENYA IIND STAGE,,,BANGALOREPINCODE:-560091	KARNATAKA	UPVC Pipes for Potable Water Spplies 63mm-200mm-Class-2 40mm-200mm-Class-3	Flowmax, Flowkem, Flowmax / Flowkem, Flowmax
154	SRINIVASA POLYMERS ADDRESS:- PLOT NO.21, IDA, A.D.B. ROAD, PEDDAPURAM,,,PINCODE:-533437	ANDHRA PRADESH	40 MM to 250 MM Class : 2&3 Class Group I Group II 2----DN 280 mm and 315 mm 3---DN 280 mm and 315 mm 5DN 20 mm to 110 mm---- 5----DN 125 mm to 315 mm	

Sl. No.	Firm Name & Address	State	Variety	Brand
155	M/S.VECTUS INDUSTRIES LIMITEDADDRESS:- PLOT NO.98/99-A, VASANTHANARASAPURA INDUSTRIAL AREA, NAGENAHALLI, KORA HOBLI IST PHASE,,TUMKURPINCODE:-572138	KARNATAKA	UPVC PIPES FOR POTABLE WATER SUPPLIES for the following varieties for Plain end and socketed end for Solvent cement jointing a) Class 1, 0.25MPa, Sizes 90 to 200mm, b) Class 2, 0.4MPa, sizes 63 to 200mm , 0.6MPa3) Class 3, 0.6MPa, 40 to 200mmm.	OTHER
156	OCEAN PIPESADDRESS:- XIV/149A,AVANOOOR, THRISSUR TALUK,,PINCODE:-680541	KERALA	Unplasticized PVC Pipes for Potable Water Supplies, Class : 4, Nominal Size : 140 to 200 mm, End of Pipes : Plain and Socketed for Solvent Cement Jointing, UPVC pipes for potable water supplies, socket ended for solvent cement jointing - Class 1- (0.25Mpa Pressure rating) 140mm, 160mm, 180mm & 200mm plain ended and socketed pipe for solvent cement jointing class 1-90 & 110mm, class iii-40-110mm,class iv-25-110mm,class v-20-110mm,class vi-20-110mm only	OCEAN
157	VIJAYA PLASTIC INDUSTRIESADDRESS:- PLOT NO.19&24, SY.NO.552(PART) INDUSTRIAL ESTATE(EXPANSION) KOTHAPALLE VILLAGE,,PRODDATUR MANDALPINCODE:-516362	ANDHRA PRADESH	S.No.Class of PipesNominal Size in mm 1263 to 250 2340 to 250 3520 to 250	Aadhaar
158	M/S.SANJIVINI PIPES & FITTINGS(P) LTDADDRESS:- D-11-120, DEVALKUNDA,HEMMADI, KUNDAPURA, KUNDAPURA TALUK,,KUNDAPURAPINCODE:-576230	KARNATAKA	UPVC Pipes for Potable Water Supplies of sizes 63mm to 200mm, Class 2 and 40mm to 200mm Class 3, Plain and Socket end for Solvent Cement Joint.	SANJIVINI



Sl. No.	Firm Name & Address	State	Variety	Brand
159	ASTRAL POLY TECHNIK LIMITED ADDRESS:- S.F.128/2B, 3B2,129, VILLAGE:ALUR,POST: PERANDAPALLI, ,,HOSUR TKPINCODE:-635109	TAMIL NADU	Class-6-12.5 kg/cm2 280mm and 315mm nominal OD Plain and socketed pipes for solvent cement jointing, Class-2-4 kg/cm2 280mm and 315mm nominal OD Plain and socketed pipes for solvent cement jointing, Class-1-2.5 kg/cm2, Nominal OD 125mm ,280mm and 315mm , Plain and socketed pipes for solvent cement jointing. Class-2-4 kg/cm2, Nominal OD 280mm and 315mm , Plain and socketed pipes for solvent cement jointing. Class-3-6 kg/cm2 ,Nominal OD 280mm and 315mm Plain and socketed pipes for solvent cement jointing. Class-4 ,8 kg/cm2, Nominal OD 280mm and 315mm , Plain and socketed pipes for solvent cement jointing. Class-5, 10 kg/cm2 Nominal OD 280mm and 315mm , Plain and socketed pipes for solvent cement jointing. Class-6, 12.5 kg/cm2 , Nominal OD 280mm and 315mm , Plain and socketed pipes for solvent cement jointing., Class-3- 6kg/cm2 280mm and 315mm nominal OD Plain and socketed pipes for solvent cement jointing, Class-1-2.5 kg/cm2 125mm comma280mm and 315mm nominal OD Plain and socketed	-

Sl. No.	Firm Name & Address	State	Variety	Brand
160	MAHALAKSHMI PIPE INDUSTRIESADDRESS:- SURVEY NO.523/2, 523/3 & 523/4, BHURANPUR VILLAGE, CHEMUDUGUNTA PANCHAYAT, KAKUTURU VILLAGE,,,NELLOREPINCODE:-524320	ANDHRA PRADESH	Class: 2&3, Working pressure (PN) 0.4 & 0.6, Group I - 63 mm to 110 mm & 40 mm to 110 mm, Group II - 125mm to 250mm & 125mm to 250mm Class 5 (Working Pressure (PN), MPa 1.0), Nominal Size Group 1 DN 40mm to 110mm	MLPI S S PIPES, MLPI S S PIPES
161	SOLVE PLASTIC PRODUCTS (P) LTDADDRESS:- THOLICODU P.O. ,,PUNALURPINCODE:-691333	KERALA	Classs 1 to 6	BALCO
162	AQUARIUS PVC PIPESADDRESS:- 7/79 (1) ARASAMARATHU THOTTAM KONDAYAMPALAYAM THENNAMANALLUR (PO) THONDAMUTHUR(VIA),,PINCODE:-641109	TAMIL NADU	a) CLASS 2-63 TO 200 mm nominal OD, Plain end and socket ended pipes for solvent cement joining. b) Class 3- 40 to 200 mm nominal OD, Plain end socket ended pipes for solvent cement joining. C) Class 5- 20 to 110 mm nominal OD, Plain end and socket end pipes for solvent cement joining. d) Plumbing-20 to 50 mm	AQUARIUS, AABLE
163	SRI JAI POLYMERSADDRESS:- 101/4,5,6A, ANNAI NAGAR, CHITHODE TO BHAVANI CHITHODE(WEST) 4 TRACK ROAD ERODE,,ERODEPINCODE:-0	TAMIL NADU	Unplasticized PVC pipes for potable water supplies : CLASS 2 – 63mm to 110mm, class 3-140mm to 200mm, class 5-20 to 110 mm and plumbing -20 to 50mm Plumbing pipes Nominal Size 75mm,class 2 and 110mm, class 3	PREMIER CLASSIC, JAI PVC PIPE, HYDRO TECH PVC PIPE, PON PLAST PVC PIPE, premier pipe

Sl. No.	Firm Name & Address	State	Variety	Brand
164	LOTUS ROOFINGS PVT LTDADDRESS:- RS NO.40/2,3 III CROSS ROAD SEDARAPET ,,PONDICHERRY PINCODE:- 605111	PONDICHERY	Class 1- Upto and including 315 mm except 280 mm nominal OD, plain ended and socketed pipe for solvent cement jointing Class 2- upto and including 315 mm except 280 mm nominal OD plain ended and socketed pipe for solvent cement jointing Class 3 - upto and including 315 mm except 280 mm nominal OD plain ended and socketed pipe for solvent cement jointing Class 5 - upto and including 250 mm nominal OD plain ended and socketed pipe for solvent cement jointing Plumbing Pipes of 20mm,25mm, 32mm, 40m and 50mm.	LotusExcel, BHAVANI, POLYTOUGH, LOTUS

Sl. No.	Firm Name & Address	State	Variety	Brand
165	ASHIRVAD PIPES PRIVATE LIMITED ADDRESS:- 4-B, ATTIBELE INDUSTRIAL AREA, HOSUR ROAD,,, BANGALORE PIN CODE:-562107	KARNATAKA	UPVC pipes of potable water supplies of Varieties- Class 1, (Pressure Rating (PN): 0.25 Mpa), Nominal Sizes: 90-315 mm, Plain ended pipes and Socketed pipes for Solvent Cement Jointing. Class 5, (Pressure Rating (PN): 1.00 Mpa), Nominal Sizes: 20-315 mm, Plain ended pipes and Socketed pipes for Solvent Cement Jointing. UPVC Plain ended pipes for plumbing in buildings, size: 20- 50mm., SIZE TO BE INCLUDED - 125,180,225 AND 280 MM /TYPE - CLASS 2 - 4KGF/CM2 - SOLVENT CEMENT SOCKET TYPE, Unplasticized PVC Pipes for Potable Water Supplies. Class 2(4kg/cm2), 63, 75,90, 110, 140,160,200,250 & 315mm, Class 3(6kg/cm2), Sizes 40,50,63,75,90,110,140,160,200,250 & 315mm, Solvent Cement Jointing., Class 3, Pressure rating(PN):0.60 MPa, Nominal Sizes: 40mm-315mm, Plain ended pipes and socket ended pipes for solvent cement jointing. Class 2, Pressure rating(PN):0.40 MPa, Nominal Sizes: 63mm-315mm, Plain ended pipes and socket ended pipes for solvent cement	-
166	RADHESH PLASTIC INDIA PRIVATE LTD ADDRESS:- SY.NO.246/4J2, SHREE KESHAVENDRA KRIPA HALADY ROAD, KONI, KOTESHWAR, KUNDAPURA TALUK,, KOTESHWAR PIN CODE:-576222	KARNATAKA	Unplasticized PVC Pipes for Potable Water Supplies, Socket Ended, Solvent Cement Jointing, Sizes 63mm to 200mm, Class 3.	Radhesh

Sl. No.	Firm Name & Address	State	Variety	Brand
167	DEVI IRRIGATION SYSTEMS PVT LTDADDRESS:- SHED NO.128, MAHIA INDUSTRIAL ESTATE,, URGANPATTY VILLAGE,,,MADURAIPINCODE:-625020	TAMIL NADU	Class 2 and Class 3 - Upto and including 110 mm nominal OD plain and socketed pipe for solvent cement jointing	BOOM PIPE
168	TRISHAKTI POLYVIN PVT.LTD.ADDRESS:- VILL.PANDWALA TEH. DERABASSI,,DERABASSIPINCODE:-140201	PUNJAB	Unplasticized PVC pipes for potable water suppliers for plain and socket ended, Class-1, sizes-90 to 225 mm, Class 2, sizes-63 to 225mm, Class-3, Sizes-50 to 225 mm, Class-4, Sizes 50 to 225 mm and class-5, Sizes-50 to 225 mm	-
169	KRISHNA PLASTIC INDUSTRIESADDRESS:- VILLAGE BHADAK PATIALA ROAD, OUTSIDE OCTROI,,RAJPURAPINCODE:-140401	PUNJAB	Unplasticized PVC Pipes for Potable Water Supplies Plain & socket ended for solvent cement jointing Class 2, Sizes 63mm to 250mm, Class 3, Sizes 50mm to 250mm	-
170	TMT POLYMERS INDIA PVT LTDADDRESS:- 614/1,PATTI JATTAN, G.T.ROAD, ,,AMBALA CITYPINCODE:-0	HARYANA	Class 1: 90to 110mm, Class2: 63 to 225mm, Class 3: 125 to 225mm	TMTPLUS
171	KIRSHNA POLYMERSADDRESS:- GATA NO. 135, VILLAGE-LOHKARERA,TEHSIL KIRAWALI,AGRA.,,AGRAPINCODE:-282007	UTTAR PRADESH	Socket Ended and Plain Ended Class - 1:Sizes:90 mm to 250 mm ND Class - 2:Sizes:63 mm to 250 mm ND Class - 3:Sizes:40 mm to 250 mm ND	SUMANJAL

Sl. No.	Firm Name & Address	State	Variety	Brand
172	LONGLAST PIPES (INDIA) PVT LTD.,ADDRESS:- VILL-JAGANNATHPUR, P.O-BAMUNARI,,PINCODE:-0	WEST BENGAL	Class 4 - DN 25mm upto and including DN 110mm (Group I) Class 4 - DN 125mm upto and including DN 315mm (Group II) UPVC Pipes for Potable Water Supplies, sizes: DN 200 upto and including DN 315, Class 5 (Group-II) Unplasticized PVC Pipes for Potable Water Supplies, Socket Ended, Class 3 of following sizes: (i) DN 40 up to & including DN 110 (Group I); (ii) DN 125 up to and including DN 180 (group II).	LONGLAST
173	FALCON TUBES PVT LTDADDRESS:- UNITY BUILDING, SEVOKE ROAD, SILIGURI,,,PINCODE:-734401	WEST BENGAL	-	FALCON, FALCON

Sl. No.	Firm Name & Address	State	Variety	Brand
174	DURGAPUR POLYMERS (P) LTD.ADDRESS:- N.N. BOSE ROAD, DURGAPUR, ,,PINCODE:-713211	WEST BENGAL	1. UPVC Socket Ended Pipes for Solvent Cement Jointing, Class 1 (PN2.5, WP 0.25 MPa), Sizes DN 90mm to upto and including DN 110mm (Group I) and DN 125mm to upto and including DN 315mm (excluding DN 180mm) (Group II). 2. UPVC Socket Ended Pipes for Solvent Cement Jointing, Class 2 (PN4, WP 0.40 MPa), Sizes DN 63mm to upto and including DN 110mm (Group I) and DN 125mm to upto and including DN 315mm (Group II). 3. UPVC Socket Ended Pipes for Solvent Cement Jointing, Class 3 (PN6, WP 0.60 MPa), Sizes DN 40mm to upto and including DN 110mm (Group I) and DN 125mm to upto and including DN 315mm (Group II). 4. UPVC Socket Ended Pipes for Solvent Cement Jointing, Class 5 (PN10, WP 1.0 MPa), Sizes DN 40mm to upto and including DN 110mm (Group I) and DN 140mm to upto and including DN 315mm (excluding DN 180mm) (Group II)., Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended: (i) DN 225 up to & including DN 315, Class 1 and (ii) DN 225 up to & including DN 315, Class 2. Class-5 (1.0 Mpa) Size: 225mm,250mm,280mm &	DUPOL

Sl. No.	Firm Name & Address	State	Variety	Brand
175	KARAN POLYMERS PVT LTDADDRESS:- VILL & P.O.- ISLAMPUR P.S. JAGATBALLAVPUR ,,PINCODE:-711401	WEST BENGAL	Plain ended: Class 1: 90-160 mm, 180 mm, 200mm, 225mm,250mm, 315mm Class 2: 63-160 mm, 180mm, 200mm, 225mm, 315mm Class 3: 40-180 mm, 200mm, 225mm, 250mm, 315mm Class 5: 50mm, 90mm, 110mm	KARAN
176	SHIVA POLYTUBES PRIVATE LIMITEDADDRESS:- SABALPUR, BEGAMPUR,,PATNA PINCODE:-800009	BIHAR	Class-1 0.25MPa,nominal outside dia 90mm upto and including 160mm (excluding socket bell end) Class-2 0.4MPa, nominal outside dia 63mm upto and including 160mm (excluding socket bell end) Class-3 0.6MPa, nominal outside dia 63mm upto and including 160mm (excluding socket bell end)	-
177	KRISHNA PLAST PIPE PVT LTDADDRESS:- INDUSRIAL ESTATE, RAILWAY STATION,,BARGARHPINCODE:- 768028	ODISHA	Class 3, DN 250 and DN 315, Plain and Socket ended for solvent Cement Jointing, UPVC Pipes for Potable Water Supplies, Class1 and Class 2, DN315 mm, Plain and Socketed for solvent Cement Jointing	-
178	LINGARAJ PIPES (P) LTD.ADDRESS:- 13A, CHANDAKA INDUSTRIAL ESTATE, PATIA,,BHUBANESWARPINCODE:- 751024	ODISHA	-	PVC PIPES
179	USHA AGRO INDUSTRIES (P) LTDADDRESS:- EAST OF NAHAR, EAST NAHAR ROAD,,SAMPATCHAKPINCODE:- 800007	BIHAR	Unplasticized PVC pipes for potable water supplies,Plain ended, Class 2 of nominal O.D, Sizes from 63mm upto and including 180mm	USHAOMNI
180	SHREE PLASTICS PVT LTDADDRESS:- ANDHAPASARA ROAD NEAR HANUMAN TEMPLE,,BERHAMPURPINCODE:-760003	ODISHA	-	-



Sl. No.	Firm Name & Address	State	Variety	Brand
181	SWASTIC INDUSTRIESADDRESS:- BELVEDERE MILL PREMISES, P.O. & VILL. SOUTH SANKARAIL, P.S. SANKARAIL,,PINCODE:-711313	WEST BENGAL	Unplasticized PVC Pipes for Potable Water Supplies, Socket Ended of following Class/Sizes: Class 3 - (i) DN 63 up to and including DN 110 (Group-I); (ii) DN 125 up to and including DN 200 (Group-II). Class 1, DN 200 to 315 mm, Bell Ended Class 2, DN 200 to 315 mm, Bell Ended Class 3, DN 200 to 315 mm, Bell Ended	-
182	GREEN POLYTUBES PVT. LTDADDRESS:- 401A, 4TH FLOOR, NARAYAN PLAZA EXHIBITION ROAD,,PATNAPINCODE:-800001	BIHAR	Class-1 Size- 125mm to 250mm Class-2, Size- 63mm to 250mm Class-3, Size- 40mm to 180mm	GREEN
183	SIMPLEX EXTRUDER PVT LTD.,ADDRESS:- DELHI ROAD, VILL & P.O-KAMDEVPUR,,PINCODE:-712102	WEST BENGAL	Unplasticized PVC Pipes for potable water supplies (Plain ended) Class 1, Nominal Sizes 90 upto and including 315 Class 2, Nominal Sizes 63 upto and including 315 Class 3, Nominal Sizes 40 upto and including 315 and Class 3, DN 63mm upto and including DN 315mm for Socket Ended pipe for Solvent Cement Jointing	Simplex
184	PATTON INTERNATIONAL LIMITEDADDRESS:- 127,N.S.C BOSE ROAD, KODALIA,,PINCODE:-700146	WEST BENGAL	CLASS-1,SIZE 140mm & 160mm DN CLASS-2,SIZE 125mm DN CLASS-3,SIZE 140mm & 160mm DN ONLY PLAIN ENDED Class 3, size: DN 315 mm	-
185	AQUEDUCT PLASTICS PVT. LTD.ADDRESS:- VILL-GOBRANDA,P.O-NANDUKA, P.S-RAGHUNATHPUR,,PINCODE:-723145	WEST BENGAL	Unplasticized PVC Pipes for Potable Water Supplies of sizes: from DN 125 upto and including DN 315, Class-3 (Group-II)	AQUAPLAST

Sl. No.	Firm Name & Address	State	Variety	Brand
186	SWASTEER PVC PIPES ADDRESS:- CHURCH ROAD NEAR OLD BUS STAND,,BERHAMPUR PINCODE:-760001	ODISHA	uPVC pipes for potable water supplies, Class 1 / 2 / 3 - nominal sizes 225mm and 250mm, plain ended and socket ended pipe for solvent cement jointing	SWASTIK
187	CHAIKA POLYMERS PVT. LTD. ADDRESS:- 133/C-3, VIDYALA MARG, ASHOKE NAGAR,, RANCHI PINCODE:- 834002	JHARKHAND	Size DN 110 mm and Class 1, Class 1 sizes DN 200 mm, Class 3: DN 90 mm up to and including DN 200 mm, Class 5: DN 90 mm up to and including DN 200 mm Unplasticized PVC pipes for potable water supplies : Socket end with Elastomeric sealing ring jointing: Class 1: DN 225 mm up to and including 250 mm. Class 2, DN 225 mm up to and including 250 mm, Class 3, DN 225 mm up to and including 250 mm, Class 5: DN 225 mm up to and including 250 mm, Unplasticized PVC pipes for potable water supply as per IS 4985 : 2000 for following varieties:- i) Socketed for solvent cement jointing, for sizes 40 mm upto and including 110 mm, Class-3. ii) Socketed for solvent cement jointing, for sizes 125 mm upto and including 315 mm, class 3 iii) Socketed for solvent cement jointing, for sizes 20 mm upto and including 110 mm, class-5 iv) Socketed for solvent cement jointing, for sizes 125 mm upto and including 315 mm, class-5., 1. 110 mm Class-2 (4 kg/cm <sup>2</sup> ) (Solvent cement Socketed) 2. 110 mm Class-2 (4 kg/cm <sup>2</sup> ) (Elastomeric Sealing Ring) 3. 160 mm Class-2 (4	Chaika, Chaika

Sl. No.	Firm Name & Address	State	Variety	Brand
188	RANI SATI PIPE INDUSTRIESADDRESS:- GIRLS SCHOOL ROAD P.O. JUGSALAI,,JAMSHEDPURPINCODE:-831006	JHARKHAND	Class 1 DN 110,Class 2 DN 75, Class 3 DN 50, Class 4 DN 40, Class 5 DN 40 and Class 6 DN 50	MARUTI, JINDAL
189	NEELPLAST POLYMERS PRIVATE LIMITEDADDRESS:- PLOT NO-1-A. CHANDAKA NUCLEUS COMPLEX SECTOR-B,PATIA,,BHUBANESWARPINCODE:-751024	ODISHA	-	NEELPLAST
190	SHREE TEL-FAB INDUSTRIES PVT. LTD.,ADDRESS:- C-38,40,41, INDUSTRIAL ESTATE,,,HAJIPURPINCODE:-844101	BIHAR	unplasticized PVC pipes for potable water supplies, Class 1 sizes DN 90 upto and including DN 200, Class 2 sizes DN 63 upto and including DN 200,Class 3 sizes DN 40 upto and including DN 200, Class 4 sizes DN 40 upto and including DN 200 and Class 5 sizes DN 40 upto and including DN 200	upvc pipe
191	USHA POLYTUBES,ADDRESS:- KHAJEPURA,,,PATNAPINCODE:-800014	BIHAR	unplasticized PVC pipes for potable water supplies, Class 1 - Nominal sizes from DN 90 upto and including DN 200 except DN 180, Class 2 - Nominal sizes from DN 63 upto and including DN 110 and Class 3 - Nominal sizes from DN 40 upto and including DN 110	USHA

Sl. No.	Firm Name & Address	State	Variety	Brand
192	OM SREE PRODUCTS ADDRESS:- 496, LOKHRA ROAD SAWKUCHI,,GUWAHATI PINCODE:-781034	ASSAM	Unplasticized PVC Pipes for Potable Water Supplies (Socketed end for Solvent Cement jointing and plain end pipe) Class-1, Sizes: 90mm and 110mm , Class-2, Sizes: 63mm, 75mm, 90mm 110mm, 140mm,160mm, 180mm & 200mm & Class-3 , Sizes: 40mm, 50mm, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm and 200mm to 315mm, Unplasticized PVC Pipes for potable water supplies Socketed pipes for Solvent Cement Jointing and Plain ended Pipe of Following Nominal sizes and Classes A) Class2- 125mm,225mm,250mm,280mm,315mm B)Class4- 125mm,140mm,160mm,180mm,200mm, 225mm,250mm,280mm,315mm C)Class 5- 125mm,140mm,160mm,180mm,200mm, 225mm,250mm,280mm,315mm	-

Sl. No.	Firm Name & Address	State	Variety	Brand
193	G.K.PLASTICS PRIVATE LIMITEDADDRESS:- RAJHAT, DELHI ROAD,,PINCODE:-712123	WEST BENGAL	1. UPVC Pipes for Potable Water Supplies, Group I, Sizes DN40 to upto and including DN DN110, Class 3 (PN-WP 0.6 MPa), Socketed for Solvent Cement Jointing. 2. UPVC Pipes for Potable Water Supplies, Group II, Sizes DN125 to upto and including DN DN315, Class 3 (PN-WP 0.6 MPa), Socketed for Solvent Cement Jointing., Plain Ended PVC-U Pipe, Class 1, DN 90 to 110 mm and DN 200 to 315 mm Plain Ended PVC-U Pipe, Class 2, DN 63 to 110 mm and DN 200 to 315 mm UPVC pipes, plain ended,Class -3 ,size 125 mm upto and including 315 mm for solvent cement joint	IGRO
194	HARI UDYOG PVT LTDADDRESS:- KHANNAGAR, KURUDA,,PINCODE:-0	ODISHA	Class-3, Nominal Sizes-280mm & 315mm for Both Plain Ended Pipes & Socket Ended Pipes for Solvent Cement Jointing	HARIPLAAST

Sl. No.	Firm Name & Address	State	Variety	Brand
195	SURAJ LOGISTIX PRIVATE LIMITED ADDRESS:- 706, NEW SITARAMDERA P.O. AGRICO,,JAMSHEDPUR PINCODE:- 831009	JHARKHAND	uPVC pipes for potable water supplies, socketed pipes for solvent cement jointing, Class 1- Nominal sizes DN 90 and DN 110, DN 125 upto and including DN 200, DN 225 upto and including DN 315, Class 2- Nominal sizes DN 75 upto and including DN 110, DN 125 upto and including DN 200, Class 3 - Nominal Sizes- DN 75 upto and including DN 110, DN 40 upto and including DN 63, DN 125 upto and including DN 200, DN 225 upto and including DN 315	TUFF PLAST

Sl. No.	Firm Name & Address	State	Variety	Brand
196	PRABHU POLY PIPES LTD.ADDRESS:- DHULAGARI INDUSTRIAL PARK,MOUZA;KANDUAH,P.S.SANKRAIL,,PINCODE:- 711302	WEST BENGAL	1. UPVC Socketed pipes for solvent cement jointing, sizes from DN 40 mm upto and including DN 110 mm Class 3, PN6, 0.6 MPA and 2. UPVC Socketed pipes for solvent cement jointing, sizes from DN 125 mm upto and including DN 315 mm Class 3, PN6, 0.6 MPA, Unplasticized PVC Pipes for Potable Water Supplies, Class/Size: Class 1 - DN 125 mm to DN 200 mm Unplasticized PVC Pipes for Potable Water Supplies of class/sizes: (i) DN 63 up tp & including DN 110, Plain Ended, Class 2, and (ii) DN 125 up tp & including DN 200, Plain Ended, Class 2 Class-3, Sizes from 225mm OD up to and including 315mm OD Unplasticized PVC Pipes for Potable water supplies; Plain ended for Solvent Cement Jointing Class-1, Sizes from DN 225 upto and including 315mm. Class-2, Sizes from DN 225 upto and including 315mm.	-
197	BAIDYANATH POLYTUBES PVT. LTDADDRESS:- DUMKA ROAD, ,,DEOGHARPINCODE:-814112	JHARKHAND	uPVC pipes for potable water supplies, plain ended for solvent cement jointing, class 3, nominal sizes outside diameter from 63mm upto and including 200mm Class 2, nominal outside diameter from 63 mm up to & including 200 mm, plain ended for solvent cement jointing	NATRAJ

Sl. No.	Firm Name & Address	State	Variety	Brand
198	B N INTERNATIONAL PVT. LTD.ADDRESS:- GODHAR P.O. KUSUNDA,,PINCODE:-828116	JHARKHAND	uPVC pipes for potable water supplies, plain ended and bell ended for solvent cement jointing, Class 1- Nominal outside diameter DN 90 upto and including DN 200; Class 2 and 3- Nominal outside diameter DN 63 upto and including DN 200.	Mittal
199	NIRMALA ROTOPLAST PVT. LTDADDRESS:- VILLAGE:CHUTU P.O. NEORI VIKASH ,,RANCHIPINCODE:-835217	JHARKHAND	uPVC pipes for potable water supplies, plain ended & bell ended for solvent cement jointing, Class 1- Nominal outside diameter DN 125 upto and including DN 200, Class 2- Nominal outside diameter DN 63 upto and including DN 200,Class 3- Nominal outside diameter DN 40 upto and including DN 110	Sinter Himgiri
200	AQUA FLOW POLYMERSADDRESS:- KABARPARA, BANKRA, ,,PINCODE:-0	WEST BENGAL	Unplasticized PVC Pipes for Potable water supplies; Plain ended for sizes as under Class 1: Sizes from DN 90 upto and including 315 Class 2: Sizes from DN 63 upto and including 315 Class 3: Sizes from DN 40 upto and including 315 Socket ended pipes, Class 3, DN 40 to 315 mm	Aqua Flow



Sl. No.	Firm Name & Address	State	Variety	Brand
201	MEGHAA MOULDINGSADDRESS:- SILASUNDARIGUPHA , NH-31 ,KOROIBARI , CHANGSARI,AMINGAON,GUWAHATIPINCODE:-781101	ASSAM	Class-2, Size-63mm upto and including 110mm and Class-3, Size-50mm upto and including 110mm socketed end for solvent cement jointing and plain end pipe UPVC Pipes for potable water supplies for plain end and socketed end for solvent cement jointing, class - 3, Size - from 125 mm upto and including 315 mm, , as per IS 4985:2000 UPVC pipe for Potable water Supplies socketed endfor solvent cement jointing and plain end Class-2 from 140 mm upto including 315 mm	UJALA
202	CALCUTTA POLY PRODUCTS INDUSTRIES (UNIT 2)ADDRESS:- ISSUBATI, JESHORE ROAD, DUTTAPUKUR,,PINCODE:-743248	WEST BENGAL	Class 1 DN 90 upto & including DN 110mm (Group I) Class 2 DN 63 upto & including DN 110mm (Group I) Class 3 DN 40 upto & including DN 110mm (Group I) UPVC Pipes for Potable Water Supplies, Plain Ended: i) Plain Ended, DN 125 up to and including DN 200 - Class 1; ii) Plain Ended, DN 125 up to and including DN 200 - Class 2; iii) Plain Ended, DN 125 up to and including DN 200 - Class 3;	CALCUTTA GOLD, CALCUTTA GOLD AKD

Sl. No.	Firm Name & Address	State	Variety	Brand
203	SIDHI VINAYAK POLYPLAST PVT LTD ADDRESS:- C/O- PANSARI TRADERS AT/PO- KHETRAJPUR,,SAMBALPUR PINCODE:-768003	ODISHA	-	MONTH, Jul-17, Aug-17, Sep-17, Oct-17, Nov-17, Dec-17, Jan-18, Feb-18, Mar-18, Apr-18, May-18, Jun-18, Total Kg, master plast ,Tuffex, JULY-2012, AUGUST-2012, SEPTEMBER - 2012, OCTOBER-2012, NOVEMBER-2012, DECEMBER-2012, JANUARY-2013, FEBUARY-2013, MARCH-2013, APRIL-2013, MAY-2013, UPTO 30th JUNE-2013
204	KHANDELWAL (AKSHAY) PVC PIPES PVT. LTD ADDRESS:- S-3/67, SECTOR-A, ZONE-B, MANCHESWAR INDUSTRIAL ESTATE,,BHUBANESWAR PINCODE:-751010	ODISHA	Class-4, Nominal Size-200mm, Socketed Pipes for Solvent cement jointing	KHANDELWAL(AKSHAY)PVC PIPES PVT LTD
205	VALENTINA PIPES ADDRESS:- A-22,23,24,RASULGARHIND.ESTATE, RASULGARH,,,BHUBANESWAR PINCODE:-751010	ODISHA	-	Valentina Pipes, VALENTINA PIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
206	SKIPPER LIMITED.ADDRESS:- VILL:MADHABPUR, P.O.MAHISHREKHA,ULUBERIA,,,PINCODE:-711303	WEST BENGAL	Plain ended pipes and Socket ended pipes for solvent cement jointing for : (i)Class 4, DN 25mm up to and including 32 mm and (ii)Class 5, DN 20 mm up to and including 32 mm., Class 1 DN 90 upto and including DN 110(Group I) DN 125 upto and including DN 200(Group II) Class 2 DN 63 upto and including DN 110(Group I) DN 125 upto and including DN 200(Group II) Class 3 DN 40 upto and including DN 110(Group I) DN 125 upto and including DN 200(Group II) UPVC Pipes , Socket ended, Class 1, DN 125 to 180 mm UPVC Pipes , Socket ended, Class 2, DN 125 to 180 mm UPVC Pipes , Socket ended, Class 3, DN 125 to 180 mm Class 4, DN 225 to 315 mm Plain and Grooved socket Class 5, DN 225 to 315 mm Plain and Grooved socket	Skipper Pipes, skipper bansal

Sl. No.	Firm Name & Address	State	Variety	Brand
207	POLO PVC PVT LTDADDRESS:- PALITPUR ROAD DEWANDIGHI, MIRJAPUR,,,PINCODE:-713102	WEST BENGAL	Class 1: DN 90 upto and including DN 110(Group-I) DN 125 upto and including DN 200(Group-II) Class 2: DN 63 upto and including DN 110(Group-I) DN 125 upto and including DN 200(Group-II) Class 3: DN 40 upto and including DN 110(Group-I) DN 125 upto and including DN 200(Group-II) Size DN 225mm 250mm 280mm 350mm Class1 Class2 & Class3	LEO
208	ORISON PLASTIC (P) LTDADDRESS:- PLOT NO.F/3, IID CENTRE KHURDA INDUSTRIAL ESTATE,,PINCODE:- 752055	ODISHA	Class-2 - 160 mm, 200 mm, 250 mm Class 3 - 200 mm Plain and socket ended for solvent cement jointing	Orision
209	DAYAL PRODUCTS PVT LTDADDRESS:- OPP CIPET, INDUSTRIAL AREA, HAZIPUR,,PINCODE:-844101	BIHAR	1 Liter PET Bottle and 20 Liter PET Jar only 2 Liter PET Bottle 250ml Cup 500ml Pet Container	SUDHA NEER
210	GANAPATI PIPES & INDUSTRIES (P) LTD.ADDRESS:- AT: GAHIRA SIMILIA PO: DANDIKA, N.H. - 60 VIA: BASTA,,PINCODE:-756029	ODISHA	-	Karnani

Sl. No.	Firm Name & Address	State	Variety	Brand
211	BRAHMAPUTRA UDYOG (P) LTD ADDRESS:- STATUE CHILARAI N.H. WAY - 31, AMINGAON,,GUWAHATIPINCODE:-781031	ASSAM	Unplasticized PVC Pipes for Potable water supplies, plain ended and socketed for solvent cement jointing, Class 5 ,DN 50,63,75,90,110,125,140,160,180,200,225,250, UPVC Socketed pipes for Solvent Cement Jointing and Plain ended pipes - (i) Class-3 (0.6 MPa) of Nominal outside diameter from 40mm upto and including 200mm and 250mm only & (ii) Class-1 (0.25 MPa) of Nominal outside diameter of 90mm and 110mm only	brahmaputra
212	BHAGIRATHI PIPES PVT. LTD. ADDRESS:- F/8, F/8/1 AND F/10 IID CENTRE, MUKUND PRASAD,,PINCODE:-0	ODISHA	Class-3, Nom Size-200mm, Plain Ended Pipes & Socketed Pipes for Solvent Cement Jointing	-
213	CHARU TECHNOLOGY (P) LIMITED ADDRESS:- THAKURIA INDUSTRIAL COMPLEX HAJOBARI CHANDRAPUR,,GUWAHATIPINCODE:-781050	ASSAM	Nominal Size: From 500mm upto and including 110mm Class-3 (0.60 Mpa), Socketed Pipes for Solvent Cement Jointing and Plain Ended 125,140,160,180,200 ,225,250,280,315mm Class-3, Unplasticized PVC pipe for potable water supplies, Class 5 of Nominal Size 140mm,160mm,200mm,250mm socketed for solvent Cement Jointing	BHAGYASHREE/CHANDRANI
214	SUDHAKAR PVC PRODUCTS PRIVATE LIMITED ADDRESS:- PLOT NO.3081-3106,2849,50,52,57,58 528/231, PITATALI (V),,PINCODE:-0	ODISHA	-	SUDHAKAR

Sl. No.	Firm Name & Address	State	Variety	Brand
215	ORIPLAST LIMITED ADDRESS:- KHADINAN, BAGNAN, ,,PINCODE:-711303	WEST BENGAL	-	-
216	M.S.PLASTO MOULD (P) LTD ADDRESS:- ARGORI,P.O:ANDUL MOURI, P.S.SANKRAIL,JANGALPUR, ,,PINCODE:-711302	WEST BENGAL	Class-3,Nominal Outside Diameter from DN 40mm upto and including DN 200mm Plain ended pipes and Socket ended pipes for Solvent Cement Jointing. Class-1, Sizes from DN 90 upto and including 200mm. Class-2, Sizes from DN 63 upto and including 200mm, Plain and Socket ended for Solvent Cement Jointing , UPVC Pipes for Potable Water Supplies of Class-1, 2 and 3 Nominal Outside Diameter DN 225mm and DN 250 mm Plain ended and Socket ended pipes for Solvent Cement Jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
217	UPENDRA PLASTO PACK INDUSTRIESADDRESS:- 50/C/2,2ND MOLLAH PARA SARANI, NADIBHAG, P.O: BADU, ,,PINCODE:-700128	WEST BENGAL	Plain Ended Pipes Class-1, from DN 90mm upto & including DN 200mm Class-2, from DN 63mm upto & including DN 200mm Class-3, from DN 40mm upto & including DN 200mm Socket Ended Pipes Class-2, sizes from DN 63mm upto & including DN 200mm Class-3, sizes from DN 40mm upto & including DN 200mm Socket ended pipes : Class 1 - 225, 250, 280 and 315 mm Class 2 - 225, 250, 280 and 315 mm Class 3 - 225, 250, 280 and 315 mm UPVC Pipes Class 1, DN 225 to 315 mm UPVC Pipes,Class 2, DN 225 to 315 mm UPVC Pipes, Class 3 DN 225 to 315 mm	-
218	CHARU ENGINEERING INDUSTRIESADDRESS:- THAKURIA INDUSTRIAL AREA HAJOBARI, CHANDRAPUR,,GUWAHATIPINCODE:-781050	ASSAM	Nominal Sizes: From 50mm upto and including 200mm, Class- 3(0.6Mpa) Plain ended and Socketed pipe for Solvent Cement Jointing	CHARU
219	A-ONE POLYPIPES & FITTINGS PVT. LTD.,ADDRESS:- VILL: GOTU POST: SUGANDHYA P.S. POLBA,,PINCODE:- 712102	WEST BENGAL	Unplasticized PVC Pipes for Potable water supplies; Plain and Socket ended for Solvent Cement Jointing for sizes as under: Class-1, Sizes from DN 90mm upto and including DN110mm and DN 125mm upto and including DN 200mm. Class-2, Sizes from DN 63mm upto and including DN110mm. Class-3, Sizes from DN 125mm upto and including DN 200mm	A-ONE

Sl. No.	Firm Name & Address	State	Variety	Brand
220	WEMAK PLASTIXADDRESS:- 20, GANESWARPUR INDUSTRIAL ESTATE, JANUGANJ ,,BALASOREPINCODE:-756019	ODISHA	-	Neo Tubes, NEO TUBES
221	ATLAS PVC PIPES (PVT) LTDADDRESS:- AT-PATAPUR PO: BRAHMANIGAON PS: BARANGA,,CUTTACKPINCODE:-754005	ODISHA	-	ATMAN
222	SCM PLASTIC ENGINEERING PVT. LTDADDRESS:- NEW COLONY, 2ND LANE AUROBINDO NAGAR JEYPORE,,JEYPORE PINCODE:-764001	ODISHA	-	xyz
223	OHM PIPES PVT LTDADDRESS:- BLOCK-D.S.P.A. COMPLEX POLICE LINE SQUARE,,PINCODE:-756001	ODISHA	-	OHM PIPES
224	ACCURATE POLYMERS PVT LTD.ADDRESS:- VILL+P.O-KANDUA. P.S SANKRALI DIST- HOWRAH,,PINCODE:-711302	WEST BENGAL	UPTO 200 MM DIA FOR CLARES 1,2,3,& 4 Class 1 (DN 90 to 110, 125 to 200 mm) and Class 4 DN 25 to 110 and 125 to 200 mm" plain and socekt ended pipes for sovent cement jointing Class 2, Plain and socket ended, DN 125 mm Class 3, Plain and socket ended, DN 125 mm	ORIPLAST
225	YOGENDRA INTERNATIONALADDRESS:- VILL: KHARIYAL, P.O. DANKUNI, DISTT: HOOGLY, PIN - 712310,,PINCODE:-712310	WEST BENGAL	Plain ended, Class-3, Size DN 40mm up to and including 200mm	Yogplast, YOGPLAST
226	SHRI HARDEO INDUSTRIESADDRESS:- SHREE HARDEO HOUSE RATHORE CHOWCK, RAMSAGAR PARA,,,RAIPURPINCODE:-492001	CHHATTISGARH	1. Class: 1, Sizes: 140, 160, 180 & 200mm. 2. Class: 2, Sizes: 63, 75, 90, 110, 140, 160, 180 & 200mm. 3. Class: 3, Sizes: 140, 160, 180 & 200mm.	-
227	UUTKARSH INDIA LIMITEDADDRESS:- 23A N. S. ROAD 5TH FLOOR .SUIT NO.22 ,,PINCODE:-700001	WEST BENGAL	-	UTKARSH



Sl. No.	Firm Name & Address	State	Variety	Brand
228	KELACHANDRA PIPE INDUSTRIESADDRESS:- CHINGAVANAM,,KOTTAYAMPINCODE:-686531	KERALA	Plain and Socket ended - Class 2- 63-110mm Class 3- 40-110mm Class 4- 20-110mm Plain ended and Socket ended - Class 2, 63-110mm Plain ended - Class 3, 40-110mm, Class 5, 20-110mm 63mm-110mm nominal OD for Class 3 & 5 - Socketted for solvent cement jointing. GR II-CLASS I,II,III & V -140mm TO 250mm OD	KELACHANDRA PIPES , KELACHANDRA PIPES, KELACHANDRA PIPE INDUSTRIES

Sl. No.	Firm Name & Address	State	Variety	Brand
229	KAMAL PIPES PVT. LTD ADDRESS:- VII/720 B, UDAYATHUMVADIL PANANGAD,,,PANANGAD PINCODE:- 682506	KERALA	UPVC pipes, socket end - Class 2- 63 - 110mm Class 3- 40 - 110 mm Class 4- 16 - 110 mm Plain and Socket end - Socket end Class-1 90-110mm Class-2 63-110mm and 125-180mm Class-3 40-110mm and 125-180mm Class-4 16-110mm and 125- 180mm Plain ended and Socket ended & Socket ended Class -1 90-110mm Class -2 63-110mm, 125-180mm Class -3 40- 110mm, 125-180mm Class -5 20-110mm, 125-180mm Plain ended and socket (suitable for solvent cement jointing) ended - Class 1- 90-110mm Class 2- 63- 180mm Class 3- 40-180mm Class 5- 20- 180mm Plain and Socket ended for solvent cement jointing Class 1- 90-110, 140-250 Class 2- 63-250 Class 3- 40-250 Class 4- 25-250 Class 5- 20-250 Class 6- 20- 250 Plain ended and socket ended (suitable for solvent cement jointing) Class 2- 200mm, 250mm Class 3- 200mm, 250mm Class 5- 200mm, 250mm	KPPL

Sl. No.	Firm Name & Address	State	Variety	Brand
230	FLOW TECH POWER ADDRESS:- 114-E, KEERANATHAM PIRIVU,SATHY ROAD, SARAVANAMPATTY,,,COIMBATOREPINCODE:-641035	TAMIL NADU	1. Potable water supply class 2, sizes 63 to 110mm 2. Class 2-125mm, 140mm,160mm&180mm nominal OD Plain and Socketed end 2.Class 3-40mm,63mm,75mm,90mm,110mm,125mm, 140mm, 160mm&180mm nominal OD Plain and socketed end , PVC resin ( K 6701) - Raw material., UPVC PIPES For Potable Water Supplies- Socket Ended. Diameter : 20 - 110 mm, Pressure : 1.0 MPa, Class : 5 Group - 1, Nominal Size - 20 mm upto & including 110 mm, Class - 5, Plain Ended & Socket end for Solvent Cement Joining., PVC resin ( K 6701) - Raw material., UPVC PIPES For Potable Water Supplies- Socket Ended. Diameter : 20 - 110 mm, Pressure : 1.0 MPa, Class : 5 Group - 1, Nominal Size - 20 mm upto & including 110 mm, Class - 5, Plain Ended & Socket end for Solvent Cement Joining.	FLOWTECH

Sl. No.	Firm Name & Address	State	Variety	Brand
231	ESSORKE INDUSTRIESADDRESS:- UNIT II: MADRAS-BANGALORE HIGHWAY, S.NO.67/4D& 4E, THANDALAM,,SRIPERUMBUDURPINCODE:-602105	TAMIL NADU	Class 2: 63 mm to 110 mm Nominal OD, Plain and Socketed Pipes for Solvent Cement Jointing; Class 2: 140 mm to 160 mm & 200 mm Nominal OD, Plain and Socketed Pipes for Solvent Cement Jointing; Class 3: 40 mm & 50 mm Nominal OD, Plain Pipes; Class 3: 63 mm to 110 mm Nominal OD, Plain and Socketed Pipes for Solvent Cement Jointing; Class 3: 140 mm, 160 mm and 200 mm Nominal OD, Plain and Socketed Pipes for Solvent Cement Jointing; Class 5: 20 mm to 50 mm Nominal OD, Plain Pipes; Class 5: 63 mm to 110 mm, Nominal OD, Plain and Socketed Pipes for Solvent Cement Jointing; Plumbing Pipes: 20 mm to 50 mm Nominal OD	VARUN
232	MAHESH EXTRUSIONS LTDADDRESS:- NO.2A, KIADB INDUSTRIAL AREA MUNDARGI VILLAGE BELLARY 583102,,BELLARYPINCODE:-583102	KARNATAKA	CLASS 2 - 63MM -180MM DIA SOCKET ENDED PIPES FOR SOLVENT CLASS 3 - 40MM - 180MM DIA CEMENT JOINTING CLASS 5 - 16MM - 110MM DIA CLASS 2 - 200MM - 315MM DIA PLAIN ENDED PIPES CLASS 3 - 200MM - 315MM DIA CLASS 5 - 200MM - 315MM	MAHESH
233	DHARANI PIPES PVT LTDADDRESS:- DADEGAL VILLAGE, KOPPAL 583231,,KOPPALPINCODE:-583231	KARNATAKA	CLASS 2 - 63MM TO 110MM OD PLAIN & SOCKET ENDED PIPES CLASS 3 - 63MM TO 110MM OD FOR SOLVENT CEMENT JOINTING	DHARANI



Sl. No.	Firm Name & Address	State	Variety	Brand
235	NAGARJUNA FERTILIZERS & CHEMICALS LIMITED ADDRESS:- SY NO.643,645 & 646 NANDIKANDI VILLAGE SADASIVAPET MANDAL ,,SADASIVAPET MANDAL PINCODE:-502306	TELANGANA	Class Size Type 1 90 to 250mm Plain and bell ended 2 63 to 250mm -do- 3 40 to 250mm -do- 4 16 to 250mm -do- 2 280 to 315mm plain ended pipe 2 280 to 315mm -do- 5 10kg/sq.cm 280 & 315mm Plain & Socket (for solvent cement jointed ended) 1 2.5kg/sq.cm 90 to 250mm Plain & Socket (for solvent cement jointing) ended 2 4kg/sq.cm 63 to 315mm -do- 3 6kg/sq.cm 40 to 315mm -do- 5 10kg/sq.cm 20 to 250mm -do-	Nagarjuna, Nagarjuna, Nagarjuna
236	SUDHAKAR PLASTICS PRIVATE LIMITED ADDRESS:- BALARAM THANDA NEAR INDUSTRIAL ESTATE ,,SURYAPET PINCODE:-508214	TELANGANA	Class Pressure Rating(kg/sq.cm) Size(OD) 1 2.5 90 to 250 mm 2 4.0 63 to 250 mm 3 6.0 40 to 250 mm 5 10.0 20 to 250 mm 90mm of Class -4 and 160mm of Class-4	Finolex Plasson, EPC Irrigation, SKIPPER METZER, FINOLEX, SUDHAKAR
237	SURYA PIPE COMPANY ADDRESS:- 1-A, RAMAIYANPATTI ROAD, THACHANALLUR,, PINCODE:-627358	TAMIL NADU	Class 2: 63 mm to 180 mm Nominal OD, Except 125 mm OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 3: 40 mm to 180 mm Nominal OD, Except 125 mm OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 20 mm to 110 mm, Plain and Socketed Pipe for Solvent Cement Jointing; Plumbing Pipes: 20 mm to 50 mm Nominal OD.	ISHWARYA, SELSON

Sl. No.	Firm Name & Address	State	Variety	Brand
238	INTEGRATED THERMO PLASTICS LTD ADDRESS:- SY.NO. 375, MANOHARABAD TOOPRAN MANDAL ,,HYDERABAD PINCODE:-0	TELANGANA	Class 2 - 63 to 180mm except 125mm Plain & bell ended CI 3 - 40 to 180mm -do- CI 4 20 to 110mm -do- CI 1 2.5kg/sq.cm 90 to 315mm plain & socket ended CI 3 6kg/sq.cm 200 to 315mm -do- CI 5 10kg/sq.cm 125 to 180mm -do- CI 10 10kg/sq.cm 200 to 315mm only plain ended CI 2 4kg/sq.cm -do- -do- CI 2 NOD 400mm plain ended CI 3 NOD 90,110,140,160,200 & 250mm socket ended for elastometric sealing ring joint CI 3 NOD 63,75,125,180,225,280 & 315mm socket ended for elastometric sealing ring joint Class 3 of Size 355 & 400mm plain & soc.ended Class 6 of Size 125 to 315mm elastomeric sealing ring joint Size NOM.OD(in mm) Class Type 355 to 630 1,2 Plain & socket ended pipes for 450 to 630 3,4,5 solvent cement jointing 355,450,500,560 & 630 1 socket ended pipes for elastomeric 450,500,560 & 630 2,3,4,5 sealing ring jointing	ITL, Nandi, Monarch

Sl. No.	Firm Name & Address	State	Variety	Brand
239	SUDHAKAR POLYMERS PRIVATE LIMITED ADDRESS:- BALARAM THANDA NEAR INDUSTRIAL ESTATE ,,SURYAPET PINCODE:-508214	TELANGANA	<p>CLASS SIZE FOR PLAIN &amp; BELL ENDED 01 125 TO 180 MM OD &amp; 200 TO 250, 280 MM OD &amp; 315 MM OD 02 63 TO 180 MM OD &amp; 200 TO 250, 280 MM OD &amp; 315 MM OD &amp; 400 MM OD 03 40 TO 180 MM OD &amp; 200 TO 250, 280 MM OD &amp; 315 MM OD 4 40 TO 110 MM OD &amp; 125 TO 315 MM OD -----</p> <p>----- CLASS PRESSURE/RATING SIZE(OD IN MM) ALL PLAIN &amp; SOCKET ENDED(FOR SOLVENT CEMENT JOINTING) 1 2.5 KG/SQ.CM 125 TO 280 MM &amp; 315 &amp; 400 MM 2 4 KG/SQ.CM 63 TO 280 MM &amp; 315 MM 3 6 KG/SQ.CM 40 TO 280 MM &amp; 315 MM 4 10 KG/SQ.CM 40 TO 315 MM -----</p> <p>----- UPVC PIPES FOR POTABLE WATER SUPPLIES FOR PLAIN END PIPE FOR PLUMBING IN BUILDINGS OF NOMINAL OD 20 MM TO 50 MM ONLY Size NOM.OD Class Type in mm) 355 2 Plain &amp; socket ended pipes for solvent cement jointing 355mm &amp; 400mm 2 Plain &amp; socket ended pipes for solvent cement jointing</p>	SUDHAKAR



Sl. No.	Firm Name & Address	State	Variety	Brand
240	TUNGA PVC PIPES PVT LTDADDRESS:- NO.134, BOMMASANDRA INDUSTRIAL AREA, HOSUR ROAD, BANGALORE 562158.,,BANGALOREPINCODE:-562158	KARNATAKA	20mm to 50mm Plain ended Plumbing Pipe Class 1 – 90mm TO 315mm OD Except 125mm PLAIN AND SOCKET ENDED Class 2 – 63mm TO 400mm OD Except 125mm PIPES FOR SOLVENT CEMENT Class 3 – 40mm TO 315mm OD Except 125mm JOINTING Class 4 – 25mm TO 315mm OD Except 125mm Class 5 – 20mm TO 315mm OD Except 125mm Class 6 – 20mm TO 315mm OD Except 125mm	Avonplast, TUNGA
241	SRI VASAVI POLYMERS PVT. LTD.ADDRESS:- ANTHAKAPALLI VILLAGE,,RAJAMPINCODE:-532127	ANDHRA PRADESH	Class Working Pressure MPa Size Type of Ends 2 0.4 63 to 180mm Plain ended and socket ended for cement solvent jointing 3 0.6 63mm to 180mm Plain ended and socket ended for cement solvent jointing	SRI VASAVI

Sl. No.	Firm Name & Address	State	Variety	Brand
242	A-ONE POLYMERSADDRESS:- IV/405 MURIYAD P.O.,,IRINJALAKUDAPINCODE:-680694	KERALA	Class 2- 63mm - 110mm & 140mm Class 3- 40mm - 110mm & 140mm - all are plain and bell end Class 4- 20-110mm plain end. Class 2- 63-110, 140-180 Class 3- 40-110, 140-180 - Plain ended and Socket ended for solvent cement jointing. Class 5- 20-110 - Plain ended Class 1- 90-110, 140-200 Class 2- 200 Class 3- 200 Class 4- 25-110 Class 5- 140-180 Class 6- 20-110 - all are Plain ended and Socket ended for solvent cement jointing. Class 5- 20-110 - Socket ended for solvent cement jointing. 20-50 - Plumbing pipes PLAIN ENDED AND SOCKET ENDED FOR SOLVENT CEMENT JOINTING - Class 1- 90-110, 140-200 Class 2- 63-110, 140-200 Class 3- 40-110, 140-200 Class 4- 25-110 Class 5- 20-110, PLUMBING PIPES - 20-50 PLAIN ENDED AND BELL ENDED - Class 2- 160mm and 180mm Class 3- 160mm and 180mm	Aone, A ONE

Sl. No.	Firm Name & Address	State	Variety	Brand
243	MATHURA POLYMERS PRIVATE LTD.ADDRESS:- B-18E, SIPCOT INDUSTRIAL COMPLEX, ,,GUMMIDIPOONDIPINCODE:-601201	TAMIL NADU	Class 2: 63 mm to 180 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 3: 40 mm to 180 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 40 mm to 110 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 2: 200, 225 and 250 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 3: 200, 225 and 250 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 140,160 and 180 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing.	MATHURA
244	ASSOCIATED PIPES INDUSTRIESADDRESS:- KP VII-1812 A&B KOTTAMKARA PANCHAYAT ALUMMOODU (POST),,MUKHATHALAPINCODE:-691577	KERALA	Plain ended pipe - Class 1- 90-110mm Class 2- 63-110mm Class 3- 40-110mm Class 4- 20-110mm Plain & Socketted Pipes for Solvent Cement Jointing - Class 1- 125-250mm Nominal OD Class 2- 125- 250mm Nominal OD Class 3- 125-250mm Nominal OD Class 5- 125-250mm Nominal OD Class 4- 25-250mm Nominal OD Class 6- 20-250mm Nominal OD	ASSOCIATED PIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
245	KAVITHA PIPE PVT LTDADDRESS:- 6, IRUMBULI VILLAGE, (VIA) ACHARAPAKKAM,,MELMARUVATHURPINCODE:- 603301	TAMIL NADU	Class 2: 63 mm to 180 mm Nominal OD, Except 125 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing Class 3: 40 mm to 225 mm Nominal OD, Except 125 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing Class 5: 20 mm to 110 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing Plumbing Pipes: 20 mm to 50 mm Nominal OD Class 1: 90 mm to 250 mm Nominal OD, Except 125 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing Class 2: 200 mm to 250 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing Class 3: 250 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing Class 5: 140 mm to 250 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing Class 4: 63 mm to 250 mm Nominal OD, Except 125 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing Class 6: 40 mm to 250 mm Nominal OD, Except 125 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing	VANI,VIMAL,INDICO,POLYBO RE

Sl. No.	Firm Name & Address	State	Variety	Brand
246	THANGAM PIPES PVT LTD ADDRESS:- NO. 32 THE SALEM INDUSL CO-OP ESTATE LTD ,,UDAYAPATTY PINCODE:-636140	TAMIL NADU	Class 1: 90 mm to 180 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 2: 63 mm to 200 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 3: 40 mm to 200 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 4: 25 mm to 200 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 20 mm to 200 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 6: 20 mm to 110 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Plumbing Pipes: 20 mm to 50 mm Nominal OD.	THANGAM FLEX

Sl. No.	Firm Name & Address	State	Variety	Brand
247	SHARON EXTRUSIONSADDRESS:- IX/615 KOOTTUPATHA,,MUNDUR P.O.PINCODE:-678592	KERALA	Plumbing Pipes - 20mm, 25mm, 32mm, 40mm and 50mm - Plain ended pipes, Class -2 63mm OD to 110mm OD Plain and bell end Class -3 40mm OD to 75mm OD plain end and Class -4 20mm OD to 63mm OD plain end Plain ended and Socket ended for solvent cement jointing - Class 1- 90mm-110mm Class 2- 63mm-160mm Except 125mm Class 3- 40mm-160mm Except 125mm Class 4- 20mm-110mm Class 5- 20mm-110mm Class 6- 20mm-110mm Plain and Socketted end UPVC pipes - Class 2- Sizes 180mm & 200mm Class 3- Sizes 180mm & 200mm Plain and bell ended - Class 2- 63-110mm Class 3- 40-75 Plain ended Class 4- 20-63 - Plain ended Plain Ended - Class -3 90-110mm Class -4 75-110mm Class 3- 40mm-110mm, Socket ended Class 4- 25mm-110mm Socket ended, Class 6- 20mm-110mm Plain ended Class 3- 40mm-110mm - Socket ended 63mm-110mm Class2, Plain and Bell ended 40mm-110mm Class 3, Plain ended & socket ended 20mm-110mm Class 4, Plain ended & socket ended 20mm-110mm Class 5, Plain ended and 20mm-110mm Class 6,	-

Sl. No.	Firm Name & Address	State	Variety	Brand
248	LAXMI POLYCHEM INDIA LTDADDRESS:- PLOT NO.46, THE GADAG CO-OP INDUSTRIAL ESTATE, HUBLI ROAD GADAG-582103,,GADAGPINCODE:-582103	KARNATAKA	CLASS 2 - 63MM TO 110MM,140MM TO 180MM,200MM TO 250MM Plain And Socket Ended Pipes with Solvent Cement Jointing CLASS 3 - 63MM TO 110MM,140MM TO 180MM,200MM TO 250MM Plain And Socket Ended Pipes with Solvent Cement Jointing CLASS 5 - 20MM TO 110MM,140MM TO 180MM Plain And Socket Ended Pipes with Solvent Cement Jointing	AGROFLEX, , MODIFLEX, AGROFLEX, fainoflex
249	SHAND PIPE INDUSTRY PVT LTDADDRESS:- 209/394, CHANDAPURA VILLAGE, ATTIBELE HOBLI, ANEKAL TALUK, BANGALORE 562145,,BANGALOREPINCODE:- 562145	KARNATAKA	CLASS 1 - 90MM TO 200MM OD PLAIN ENDED & SOCKET ENDED FOR CLASS 2 - 63MM TO 200MM OD SOLVENT CEMENT JOINTING CLASS 3 - 40MM TO 200MM OD CLASS 4 - 25MM TO 180MM OD CLASS 5 - 20MM TO 110MM OD	DUROPLAST, MEGHA, RAKSHA

Sl. No.	Firm Name & Address	State	Variety	Brand
250	ARIYA HI-TECH PIPE AND COMPONENT PRIVATE LIMITED ADDRESS:- PLOT NO. J1, NORTHERN PART SIPCOT INDUSTRIAL ESTATE ,,PERUNDURAI PINCODE:- 638052	TAMIL NADU	Class 1-90 mm nominal outside diameter to 110mm nominal OD Plain and bell end, Class 2-63 mm nominal outside diameter to 180mm nominal OD Plain and bell end, Class 3-40mm nominal OD to 180mm nominal OD Plain and bell end, Class 5-20 mm nominal outside diameter to 110mm nominal OD Plain and bell end & Plumbing - 32 mm Class-1- 140mm,160mm,180mm,200mm&225mm nominal OD Plain and Socketed end class 5-140mm,160mm,180mm,200mm & 225mm nominal OD Plain and socketed end Plumbing-20mm,25mm,40mm &50mm nominal OD Plain ended	JAWAN, ARYA
251	MEERAKUNJ POLYMERS PVT LTD ADDRESS:- 32/4 SILAIMAN KONTHAGAI ROAD PASIYAPURAM,,KEELADI PINCODE:-630611	TAMIL NADU	Class 1: 90 mm and 110 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 2: 63 mm to 160 mm Nominal OD, Except 125 mm OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 3: 40 mm to 160 mm Nominal OD, Except 125 mm OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 20 mm to 110 mm, Plain Pipes; Plumbing Pipes: 20 mm to 50 mm Nominal OD.	POLYSUN, MEERAKUNJ



Sl. No.	Firm Name & Address	State	Variety	Brand
252	WIN PIPESADDRESS:- NEW NO.VII/580, POOKKOTTUR PANCHAYAT PULLARA,,VALLUVAMBARAM P.O.PINCODE:-673651	KERALA	Class 2 - 63mm to 110mm plain and bell end Class 2 - 140mm to 160mm plain and bell end Class 3 - 40mm to 110mm plain and bell end Class 4 - 20mm plain end and Class 4 - 32mm to 110mm plain end. Class 2 - 63-110mm, 140-160mm - Plain ended and Bell ended Class 3 - 40-110mm - Plain ended and Bell ended Class 5 - 20-110 - Plain ended Class 3 - 140mm to 180mm, Plain ended pipes Socketed pipes for solvent cement jointing with Class 1 - 110 mm and 90 mm , Plain ended Plumbing pipe - 32 mm, 25 mm, 20 mm	winchester

Sl. No.	Firm Name & Address	State	Variety	Brand
253	NIRMAL PLASTIC INDUSTRIES ADDRESS:- SF NO. 162/1-A, K.R. THOOPPUR, KONAGAPADI(POST),,SALEMPINCODE:-636502	TAMIL NADU	Class 2: 63 mm to 200 mm Nominal OD, Except 125 mm OD, Plain and Socketed Pipe for Solvent Cement Jointing Class 3: 40 mm to 200 mm Nominal OD, Except 125 OD, Plain and Socketed Pipe for Solvent Cement Jointing Class 5: 20 mm to 200 mm Nominal OD, Except 125 OD, Plain and Socketed Pipe for Solvent Cement Jointing Class 2: 225 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing Class 3: 225 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing Class 5: 225 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing , 250mm OD, Class 3 Nominal size 250 mm with plan ended and socket end for solvent cement joint.	NIRMAL, NIRMAL PIPE

Sl. No.	Firm Name & Address	State	Variety	Brand
254	MUTHU PIPES PVT LTDADDRESS:- SNO. 123/1 MUTHUMARIAMMAN AGRO GARDEN VILAR (PO),,THANJAVURPINCODE:-613006	TAMIL NADU	Class 2: 63 mm to 250 mm Nominal OD (Except 125 mm OD), Plain and Socketed Pipe for Solvent Cement Jointing; Class 3: 40 mm to 250 mm Nominal OD (Except 125 mm OD), Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 140 mm to 250 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 2: 280 mm and 315 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 3: 280 mm and 315 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 280 mm and 315 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 20 mm to 110 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5: 63 mm up to and including 315 mm Nominal OD (except 125 mm OD), Socketed Pipes for Elastomeric Sealing Ring Joints.	MUTHU, BEST PIPES, MUTHU PIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
255	CHERAAN PLASTADDRESS:- SF NO.137, UTHUKULI ROAD VIJAYAMANGALAM,,PINCODE:-638056	TAMIL NADU	IS 4985 UPVC pipes, Class 2 ? (63 to 110) mm Plain end pipes, Class 2 ? (140,160,180,200) mm Plain and Socketed end pipes for solvent cement jointing. Class 3 ? (40 to 110) mm Plain end pipes Class 3 ? (140,160,180,200) mm Plain and Socketed end for solvent cement jointing. Plumbing pipes ? 32mm	CHERAAN

Sl. No.	Firm Name & Address	State	Variety	Brand
256	VAHINI IRRIGATION PVT LTDADDRESS:- NO.17, NEAR KPTCL SUBSTATION,HONNUDIKE VILLAGE AT POST, GULUR HOBLI, TUMKUR TALUK, TUMKUR 572122.,TUMKURPINCODE:-572122	KARNATAKA	Class 1 (Pressure Rating (PN): 0.25 MPa), Nominal Sizes: 125mm 225mm, Plain ended pipes , Socketed pipes for Elastomeric Sealing Ring Jointing and Socketed pipes for Solvent Cement Jointing. , Class 3 (Pressure Rating (PN): 0.60 MPa), Nominal Sizes: 125mm 225mm , Plain ended pipes , Socketed pipes for Elastomeric Sealing Ring Jointing and Socketed pipes for Solvent Cement Jointing., Class 5 (Pressure Rating (PN): 1.00 MPa), Nominal Sizes: 125mm 225mm , Plain ended pipes , Socketed pipes for Elastomeric Sealing Ring Jointing and Socketed pipes for Solvent Cement Jointing., Class 2 (Pressure Rating (PN): 0.40 MPa), Nominal Sizes: 125mm 225mm , Plain ended pipes , Socketed pipes for Elastomeric Sealing Ring Jointing and Socketed pipes for Solvent Cement Jointing., UPVC pipes for potable water supplies for Class-4 (Pressure Rating (PN): 0.80 MPa) Nominal Sizes :125mm-315mm, Plain ended pipes and Socketed pipes for Solvent Cement Jointing, CLASS 1 - 90MM TO 315MM OD (EXCEPT 125MM AND 225 MM) PLAIN AND	VAHINI, VAHINI , VARIN, SURYAMUKHI
257	RUNGTA IRRIGATION LTDADDRESS:- T.S.NO. F-3-2-1, ,,ADAVIPOLAM, YANAMPINCODE:-533464	PONDICHERY	ClassNominal OD 263 mm to 110 2140 mm to 180 340 mm to 110 3140 mm to 180 190 mm to 110	RUNGTA

Sl. No.	Firm Name & Address	State	Variety	Brand
258	SUPERSHINE INDUSTRIESADDRESS:- PLOT NO. 79, KSIDC IGC, VALIYAVELICHAM, MOORIYAD P.O., KANNUR,,MOORIYADPINCODE:-670643	KERALA	Plain ended UPVC pipes - Class 2- 63-110mm, Class 3- 40-110mm, Class 5- 20-110mm Plain & Socket ended UPVC pipes- Class 6- 32 to 90mm	EVERSHINEPLAST, EVERSHINEPLASE
259	MANGALORE PIPE INDUSTRIESADDRESS:- NO.3-25(B), KAIRANGALA VILLAGE KAMBLAPADAV NEAR MANGALORE UNIVERSITY KONAJE P.O.KURNAD BANTWAL TALUK DAKSHIN KANNADA-574153,,BANTWALPINCODE:-574153	KARNATAKA	CLASS 2 - 63MM TO 110MM NOMINAL OD PLAIN ENDED AND SOCKETED PIPE FOR SOLVENT CEMENT JOINTING CLASS 3 - 63MM TO 110MM NOMINAL OD PLAIN ENDED AND SOCKETED PIPE FOR SOLVENT CEMENT JOINTING	MANGALORE PIPES
260	SUDHAKAR IRRIGATION SYSTEMS (P) LTDADDRESS:- BALRAM THANDA NEAR INDL.ESTATE SURYAPET ,,SURYAPETPINCODE:-508214	TELANGANA	Class 1 90 to 315mm NOD Class 2 63 to 315mm NOD Class 3 40 to 315mm NOD Class 4 25 to 110mm NOD Class 5 20 to 315mm NOD Class 6 20 to 110mm NOD --- ----- Class 2,3,4&5 Size 63 to 315mm NOD, Socket ended for elastometric sealing ring joints Class 4, Size 125 to 315mm NOD, Plain ended and socket ended for solvent cement jointing Plumbing pipes of NOD 20 to 50mm	SUDHAKAR
261	PIONEER PLASTICSADDRESS:- 2/127-A, MAIN ROAD ,,VIJAYAMANGALAMPINCODE:-638056	TAMIL NADU	Class 2-63mm, 75mm, 90mm & 110mm nominal OD Class 3-40mm, 50mm, 63mm, 75mm, 90mm & 110mm nominal OD Class 5- 20mm,25mm,32mm,40mm,50mm,63mm ,75mm,90mm and 110mm nominal OD,plain end and socket ended pipes for solvent cement joining	PIONEER

Sl. No.	Firm Name & Address	State	Variety	Brand
262	MARK PVC PRODUCTS ADDRESS:- IX/672, PERINAD PANCHAYAT CHITTUMALA BLOCK,,, CHANDANATHOPE P.O. PINCODE:-691014	KERALA	Class 1 - 90 mm to 200 mm nominal OD except 125 mm nominal OD. Class 2 - 63 mm to 200 mm nominal OD except 125 mm nominal OD Class 3 - 40 mm to 110 mm nominal OD Class 5 - 20 mm to 110 mm nominal OD - all are Plain ended and socketted pipe for solvent cement jointing. Class 3 - 140-200mm Class 5 - 140-200mm - Socketted for solvent cement jointing. Class 4 - 25-200mm Class 6 - 20-200mm - All are Plain ended. Class 4 - 25-200mm Class 6 - 20-200mm - All are socketted	-
263	SWATHISRI PLASTIC INDUSTRIES (INDIA) PVT. LTD. ADDRESS:- SURVEY NO 62/1&2 BESIDE SANGHAMITRA HOSPITAL NEAR SOUYH BYE PAS ROAD JUNCTION,, ONGOLE PINCODE:-523001	ANDHRA PRADESH	Class 3 and Class 5: Size 40 mm up to and including 315mm, End of Pipes: Plain ended pipes and socketted for solvent cement jointing, Class 2 : Size 63 mm up to and including 315mm, End of Pipes: Plain ended pipes and socketted for solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
264	ANANTHA PVC PIPES PVT. LTD.,ADDRESS:- SY.NO.26 C, NH-7, BANGALORE ROAD HAMPAPURAM VILLAGE ANANTHAPUR DISTRICT - AP,,HAMPAPURAM VILLAGEPINCODE:-515721	ANDHRA PRADESH	CLASS SIZE OF NOD IN MM 1 90 TO 315 MM PLAIN AND SOCKET ENDED PIPES FOR SOLVENT CEMENT JOINTING 2 63 TO 315 MM - D0 - 3 40 TO 315 MM - DO - 4 25 TO 110 MM - DO - 5 20 TO 315 MM - DO - 2 355 TO 400 MM PLAIN ENDED ONLY Class 4, 125 to 315 mm of Plain & Socketed end pipe for solvent cement jointing; Class 6, 20 to 315 mm of Plain & Socketed end pipe for Solvent Cement Jointint.	NANDI, MONARCH
265	MAZ POLYMERSADDRESS:- IV/276 AVANUR PANCHAYATH, INDL.DEV. PLOT ATHANI,,P.O. PERINGANDOORPINCODE:-680581	KERALA	Class 6- 20-110mm - Plain ended and Socketted ended for solvent cement jointing Plain and socketted end for solvent cement jointing - Class 1, 90- 110mm nominal OD & Class 2, 63-110mm nominal OD Plain ended only - Class 3, 40- 110mm nominal OD & Class 5, 20-32mm nominal OD Class-3, 40-110mm & Class- 5, 20-110mm - Socketted for solvent cement jointing Plain ended - Class 5, 40- 110mm Plain ended & Socketted end for solvent cement jointing - Class 4, 25- 110mm & Class 5, 140-200mm Class 2- 140-200, Class 1- 140-200mm - Plain ended & socketted ended pipes for solvent cement jointing	MAZ



Sl. No.	Firm Name & Address	State	Variety	Brand
266	VASAVI PLAST INDUSTRIES LTD ADDRESS:- PLOT NO. E-2, IDA GOOTY ROAD GUNTAKAL,,GUNTAKALPINCODE:-515801	ANDHRA PRADESH	Class 2, NOD upto 110 & 140,160,180,200 mm Class 3, NOD upto 110 & 140,160,180,200 mm Class 5, NOD 25 to 110 mm; and Plain ended plumbing pipes of NOD upto 50 mm only Class - 1 of 90, 110,140,160,18 & 200 mm nominal OD	VASAVIPLAST, VASAVI
267	SPINNER EXTRUSIONS PRIVATE LIMITEDADDRESS:- XIII/181(NEW) 8/181(OLD) THEKKUMKARA TALAPPILLY TALUK,,POOMALA P.O.PINCODE:-680581	KERALA	Plain ended pipe and socketed pipe for solvent cement jointing - Class 2- 63mm-110mm nominal OD Class 3- 40mm - 110mm nominal OD and Class 5- 20mm-110mm nominal OD Plain and socketed pipes for solvent cement jointing - Class 2, 140mm-250mm nominal OD Class 3, 140mm-250mm nominal OD Class 4, 140mm-250mm nominal OD Class 5, 140mm-250mm nominal OD Class 6, 20mm-110mm nominal OD Class 6, 140mm- 250mm nominal OD Class 4, 32mm to 110mm Nominal OD UPVC pipes, plain and Socketted	UNPLASTICIZEDPVCPIPEFORPOTABLEWATERSUPPLIERS-, UNPLASTICIZEDPVCPIPEFORPOTABLEWATERSUPPLIERS-, upvcpipe
268	SADGURU POLYMERS PVT. LTD.,ADDRESS:- SURVEY NO 573 NEAR INDUSRIAL ESTATE ,,NARKETPALLYPINCODE:-508254	TELANGANA	Class Size 1 90 to 110 mm 2 63 to 250 & 315 3 40 to 250 & 315 4 125 to 250 & 315 5 125 to 250 & 315	SADGURU
269	AISHWARYA POLYMERSADDRESS:- PLOT NO.2, BESIDE NH 9 PILLAMARRI VILLAGE SURYAPET MANDAL,,PILLAMARRIPINCODE:-508213	TELANGANA	Size Class 63 to 110mm 2 40 to 110mm 3	AISHWARYA

Sl. No.	Firm Name & Address	State	Variety	Brand
270	PLUMBERS CHOICE PLASTICS PVT LTDADDRESS:- IV/231C,MEPRATHUPADY NEAR ARACKAPADY,,VENGOLA P.O.PINCODE:-683554	KERALA	Class 1- 90mm - 110mm nominal OD Class 2- 63mm - 110mm nominal OD Class 3- 40mm - 110mm nominal OD Class 4- 25mm - 110mm nominal OD Class 5- 20mm - 110mm nominal OD Class 6- 20mm - 110mm nominal OD - all are For plain ended pipe and socketted pipe for solvent cement jointing.	PLUMBERS CHOICE
271	SRI AMBAL PIPESADDRESS:- D.NO 6/175, UTHUKULI ROAD, PAGALAYUR VIJAYAMANGALAM (P.O) PERUNDURAI,,PERUNDURAI PINCODE:-638056	TAMIL NADU	Class 2-63mm to 225mm, Class 3-40mm to 225mm Class 5- 140mm, 160mm, 180mm,200mm,225mm,nominal OD	Ambal Gold, AMBAL GOLD
272	SRI SAPTHAGIRI POLYMERSADDRESS:- PLOT NO J19 & J20, SIPCOT, PERUNDURAI 638052,,ERODE PINCODE:- 636052	TAMIL NADU	CL 2: 63 TO 180 mm (EXCEPT 125 mm); CL 3: 40 TO 180 mm (EXCEPT 125 mm); CL 5: 20 mm TO 110 mm ; PLAIN ENDED AND SOCKETED PIPES FOR SOLVENT CEMNT JOINTING AND PLUMBING PIPES 20 TO 50 mm NOMINAL OD	EPC IRRIGATION, MARUTHI
273	STAR PIPESADDRESS:- CHOOISSERY P.O.,THRISSUR PINCODE:-680541	KERALA	Class 1 to 6 - 140mm - 315mm - Plain & Socket ended for Solvent Cement Jointing. Plain and socket ended for solvent cement jointing: Class 1- 90mm to 200mm, except 125mm Class 2- 63mm to 200mm, except 125mm Class 3- 40mm to 200mm, except 125mm Class 4- 25mm to 200mm, except 125mm Class 5- 20mm to 200mm, except 125mm Class 6- 20mm to 200mm, except 125mm	STAR

Sl. No.	Firm Name & Address	State	Variety	Brand
274	D.D.PACKAGED DRINKING WATERADDRESS:- NO 1.SUNDARA SOLAVARAM, THIUVERKADU VILLAGE PLOT NO 115 GREEN PARK ,,CHENNAIPINCODE:-600077	TAMIL NADU	PET JAR 20L	-
275	SUDHAKAR POLYMERS LIMITEDADDRESS:- UNIT II, PLOT NO. 193 TO 196 PHASE III KIADB INDUSTRIAL AREA BELLARY,,BELLARYPINCODE:-583102	KARNATAKA	355 mm OD class 2 and class 3 400 mm OD class 2 and class 3, Class 2 - 63mm to 315mm OD Plain and socket ended pipes Class 3 - 40mm to 315mm OD for solvent cement jointing Class 5 - 20mm to 110mm OD	SUDHAKAR, EPC IRRIGATION, FINOLEX PLASSION
276	SUN PLASTICSADDRESS:- D.NO.6/11,D1, MAIN ROAD PALLAGOUNENPALAYAM PERUNDURAI TALUK ,,ERODE PINCODE:-638056	TAMIL NADU	Class 2-63 to 180mm nominal OD, Class 3- 40 to 180mm nominal OD	SUN WIN

Sl. No.	Firm Name & Address	State	Variety	Brand
277	ARUN POLYMERSADDRESS:- RS NO.63/11, 63/12, 64/5A, 64/5B, 64/9, 64/10, THRUMANGALAM RAJAPALAYAM HIGHWAYS, T. PUDUPATTI POST,,MADURAI PINCODE:-625704	TAMIL NADU	(i) CI-2, 63 mm to 110 mm & 140 to 180 Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing; (ii) CI-3, 40 mm to 110 mm & 140 to 180 Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing; (iii) CI-5, 20 mm to 110 Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing; (iv) Plumbing pipes; (v) CI-2, 200 & 250 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing; (vi) CI-3, 200 & 250 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing; (vii) CI-5, 140 to 250 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing; (ix) CI-2, 225, 280 & 315 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing; (x) CI-3, 225, 280 & 315 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing; (xi) CI-5, 225, 280 & 315 mm Nominal OD, Plain & Socketed Pipe for Solvent Cement Jointing, Class 4 125 to 315 mm plain and socket ended for solvent cement Jointing., Class 4 Size 25 mm to 125 mm Plain and socket for cement joint, 4 Group-I (25mm-110mm)	Arun Gold, Arun gold, ARUN GOLD

Sl. No.	Firm Name & Address	State	Variety	Brand
278	MADRAS PLASTICSADDRESS:- 12, PALLIAGARAM VILLAGE & POST,SALAVAKKAM VIA, UTHIRAMERUR ROAD, ,,MADURANTHAGAM TKPINCODE:-0	TAMIL NADU	Class 2: 63 mm to 250 mm Nominal OD (Except 125 mm), Plain and Socketed Pipe for Solvent Cement Jointing; Class 3: 40 mm to 250 mm Nominal OD (Except 125 mm), Plain and Socketed Pipe for Solvent Cement Jointing; Plumbing Pipes.	TRUWELL
279	P.N.K. PIPE PRODUCTS (P) LTDADDRESS:- RS 42, KETHANAKONDA IBRAHIMPATNAM MANDAL,,IBRAHIMPATNAMPINCODE:-0	ANDHRA PRADESH	CLASS 2(0.4 MPa) OF SIZE 63 to 110 mm & Class 3(0.6 MPa) of Size 40 to 110 mm Plain & Socket ended with solvent cement Jointing	VIJAYA
280	THOMSON PIPESADDRESS:- ELINJIPRA P.O.,,CHALAKUDY (VIA)PINCODE:-680721	KERALA	Class 2 - 63 to 110 mm plain and socket ended for solvent cement jointing. Class 3 - 40 to 110 mm plain ended. Class 5 - 20 to 110 mm plain ended.	sep 17 to aug 18, PVC PIPES
281	MOHIT INDUSTRIESADDRESS:- M.B.NO 915/452 SURVEY NO.6/10,KINNAL ROAD,,KOPPALPINCODE:-583231	KARNATAKA	Class 2 - Sizes 63mm to upto & including 110mm OD Class 3 - Sizes 40mm to upto & including 110mm OD	JAI KISAN, FINOFLUX, MOHIT

Sl. No.	Firm Name & Address	State	Variety	Brand
282	STAR PVC PIPES & FITTINGS (P) LTDADDRESS:- 135, POONAMALLEE ARAKKONAM ROAD, ULUNDAI, SRIPERUMBUDUR (TK), „ULUNDAIPINCODE:-602105	TAMIL NADU	Class 1, 90 mm to 200 mm Nominal OD except 125 mm Nominal OD, Plain Ended and Socketed Pipe for Solvent Cement Jointing Class 2, 63 mm to 200 mm Nominal OD except 125 mm Nominal OD, Plain Ended and Socketed Pipe for Solvent Cement Jointing Class 3, 40 mm to 200 mm Nominal OD except 125mm Nominal OD, Plain Ended and Socketed Pipe for Solvent Cement Jointing Class 4, 25 mm to 200 mm except 125mm Nominal OD, Plain Ended and Socketed Pipe for Solvent Cement Jointing Class 5, 20 mm to 110 mm Nominal OD, Plain Ended and Socketed Pipe for Solvent Cement Jointing Class 6, 20 mm to 110 mm Nominal OD, Plain Ended and Socketed Pipe for Solvent Cement Jointing Plumbing Pipes, 20 mm to 50 mm Nominal OD. Class 2 - Sizes 225, 250, 280 & 315mm Class 3 - Sizes 225, 250, 280 & 315mm	-
283	SENTHIL PIPES INDUSTRIESADDRESS:- P.M.S COMPLEX, 21-E, MANGALAM ROAD, „PALLADAMPINCODE:- 641664	TAMIL NADU	Class 2- 63 to 200mm, Class 3- 40 to 200mm	MODERN

Sl. No.	Firm Name & Address	State	Variety	Brand
284	GOODWILL POLYMERSADDRESS:- PLOT NO.1, KINFRA PARK ST. XAVIER`S COLLEGE P.O.,,THUMBAPINCODE:-695586	KERALA	Class 1 - 200 mm Class 2 - 200 mm Plain and socketted end UPVC Pipes Class 1 - 90-110 mm, 140 mm, 160 mm Class 2 - 63-110 mm, 140 mm, 160 mm Class 3 - 40-110 mm, 140 mm, 160 mm Class 5 - 20-110 mm - Plain and socket ended for solvent cement jointing.	GOODWILL, GOODWILL
285	WELLWORTH POLYMERSADDRESS:- THEKKEKARA, MANAKKAPPADY IRINGOLE P.O.,,PERUMBAVOORPINCODE:-683548	KERALA	Class 1 - 90-110mm, lass 2 - 63-110mm, Class 3 - 40-110mm, Class 4 - 25-110mm, Class 5 - 20-110mm, Class 6 - 20-110, all are Plain and socket ended for solvent cement jointing.	WELLWORTH SLENDER
286	JAIN IRRIGATION SYSTEMS LIMITEDADDRESS:- S.NO.587 & 588 BIBI NAGAR MANDAL,,KONDAMADUGU VILLAGEPINCODE:-508126	TELANGANA	Class 1,2, & 3 of 20 mm to 315 mm Class 2 of size 125 to 315 mm Class 3 of size 125 to 315 mm Plain & Socketed end with sockets for solvent cement jointing as per IS 4985:2000 Class 4 of size 25 to 315 Class 5 of size 20 to 315	JAIN PVC
287	ADITHYAA POLYMERSADDRESS:- 55/1A, ANTHIYUR ROAD, PATTANCHAVADI AMMAPETTAI, ,,ANTHIYUR (T.K)PINCODE:-638311	TAMIL NADU	Class 2 : 63 to 110mm, 140mm, 160mm & 180mm OD)Plain and Socketed End pipes Class 3 : 40 to 110mm, 140mm, 160mm & 180mm OD)For Solvent Cement Jointing Class 2 : 20 to 110mm and ,Plumbing pipes : 20 to 50mm Nominal OD,20 TO 50MM	MAHINDRA EPC IRRIGATION, EPC IRRIGATION, ADITHYAA PIPE

Sl. No.	Firm Name & Address	State	Variety	Brand
288	VAISHNAVI ENTERPRISESADDRESS:- 3/363-2 METTU VELLALAR STREET KONDALAMPATTI,,SALEMPINCODE:- 636010	TAMIL NADU	Class 2: 63 to 200 mm (except 125 mm) OD, Plain and Socketed end Pipes for Solvent Cement Jointing; Class 3: 40 to 200 mm (except 125 mm) OD, Plain and Socketed end Pipes for Solvent Cement Jointing; Class 5: 20 to 110 mm OD, Plain and Socketed end Pipes for Solvent Cement Jointing; Plumbing Pipes: 20 to 50 mm OD.	Vajjeramplast, VAJERAM PLAST
289	TOMS PIPES PRIVATE LIMITEDADDRESS:- XI /649 H,VAZHAPPALLY PANCHAYAT, PANCHAYATH,VEROOR INDUSTRIAL ESTATE, IE NAGAR PO,CHANGANACHERRY, KOTTAYAM ,,KOTTAYAMPINCODE:-686106	KERALA	Class 1- 90-110mm,140mm, 160mm, 200mm Class 2- 63-110mm, 140mm, 160mm, 180mm, 200mm Class 3- 40- 110mm, 140mm, 160mm, 180mm, 200mm Class 4- 25-110mm, 140mm, 160mm, 200mm Class 5- 20-110mm, 140mm, 160mm, 200mm Class 6- 110mm, 140mm, 160mm, 200mm - all are Plain and socket ended for solvent cement jointing Class 1,2,3 & 5- 250mm - Plain and socket ended pipes	TOMS



Sl. No.	Firm Name & Address	State	Variety	Brand
290	VIJAY AQUA PIPES (P) LTD.ADDRESS:- NO.F/37, SIPCOT INDUSTRIAL COMPLEX, ,,GUMMIDIPOONDIPINCODE:- 601201	TAMIL NADU	Class 2: 63 to 110 mm, Plain Ended and Socket Ended for Solvent Cement Jointing; Class 3: 40 mm to 110 mm, Plain Ended and Socket Ended for Solvent Cement Jointing; Class 2: 140 mm & 160 mm Nominal OD, Plain Ended and Socket Ended for Solvent Cement Jointing; Class 3: 140 mm & 160 mm Nominal OD, Plain Ended and Socket Ended for Solvent Cement Jointing; PN 0.4 MPa, Class 2, 125 – 200 mm; PN 0.6 MPa, Class 3, 125 – 200 mm; Class 5: 63 mm to 200 mm Nominal OD, Plain and Socketed Pipes for Solvent Cement Jointing; Plumbing Pipes : 20 to 50 mm, Nominal OD; Class 2: 225 & 250 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 3 :225 & 250 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing; Class 5 : 225 & 250 mm Nominal OD, Plain and Socketed Pipe for Solvent Cement Jointing.	VIJAY AQUA

Sl. No.	Firm Name & Address	State	Variety	Brand
291	VAJRA PLASTICSADDRESS:- XI/140A IDA ERUMATHALA,,ALUVAPINCODE:-683105	KERALA	Plain & Socket ended pipes for following class & sizes: 1. Class 2, 63 -110mm & 140-200mm Nom. OD 2. Class 3, 40 -110mm & 140-200mm Nom. OD 3. Class 5, 20 -110mm Nom. OD Plumbing pipes, Plain ended pipes Socketed pipes for solvent cement jointing with Class 3 - 250 mm and 315 mm, Plain ended pipes Socketed pipes for solvent cement jointing with Class 4 - 140 mm, 160 mm, 180 mm, 200 mm, 250 mm and 315 mm. Plain ended pipes Socketed pipes for solvent cement jointing with Class 5 - 140 mm, 160 mm, 180 mm, 200 mm, 250 mm and 315 mm., Class 2- 250mm , 315mm - Both Plain and Scket Ended Pipes for solvent cement jointing., Plain ended pipes Socketed pipes for solvent cement jointing with Class 4 - 25mm, 32mm, 40mm, 50mm, 63mm, 75mm, 90mm, 110 mm, Plain ended pipes Socketed pipes for solvent cement jointing with Class 6 20mm, 25mm, 32mm, 40mm, 50mm, 63mm, 75mm, 90mm,110 mm	Aizar super, Aizar Super, AIZAR

Sl. No.	Firm Name & Address	State	Variety	Brand
292	S S INDUSTRIESADDRESS:- NEAR VALIYANNUR VILLAGE OFFICE VALIYANNUR,,VALIYANNUR, VARAM P.O.PINCODE:-670594	KERALA	Class 2 - 63 mm to 110 mm OD and 140 mm to 200 mm OD - Class 3 - 63 mm to 110 mm OD and 140 mm to 200 mm OD - Plain and socketted pipes for solvent cement jointing. 40 mm & 50 mm CLASS III (Plain and socketted for solvent cement jointing). Class 5 (Plumping pipes) - 20 mm to 110 mm & 20 mm to 50 mm - Plain ended. Class 5 - 20 mm to 110 mm - with socket ended.	SURYA SUPER
293	SHRI BALAJI INDUSTRIESADDRESS:- PLOT NO E 10, MIDC HINGNA ROAD,,NAGPURPINCODE:-440028	MAHARASHTRA	SIZE 63 TO 110mm CLASS 2 PLAIN ENDED CLASS 2 : 125, 140 & 160mm PLAIN ENDED PIPES CLASS 3 : 63 TO 110mm PLAIN ENDED PIPES CLASS 4 – 63, 75, 90 & 110mm OD PLAIN & BELL ENDED PIPES CLASS 3 – 63, 75, 90 & 110mm OD PLAIN & BELL ENDED PIPES CLASS 2 – 63, 75, 90, 110, 125, 140 & 160mm BELL ENDED PIPES CLASS 3 – 125, 140, 160 & 180mm OD PLAIN & BELL ENDED PIPES CLASS 1 90 TO 110MM (GROUP I) AND 125 TO 200MM (GROUP II)BELL ENDED PIPES CLASS 2 63 TO 110MM (GROUP I) AND 125 TO 200MM (GROUP II)PLAIN AND BELL ENDED PIPES CLASS 3 40 TO 110MM (GROUP I) 125 TO 200MM (GROUP II)PLAIN AND BELL ENDED PIPES CLASS 5 20 TO 110MM (GROUP I) 125 TO 200MM (GROUP II) PLAIN AND BELL ENDED PIPES	PIKUL, RAJ, VINAYAK, SUN, KAVERI

Sl. No.	Firm Name & Address	State	Variety	Brand
294	HEERA PLASTICSADDRESS:- 155/2 B/1, OPP. S.T.DEPOT WORKSHOP COLONY, BHUSAWAL ROAD,,JALGAONPINCODE:-425001	MAHARASHTRA	UPVC PIPES FOR POTABLE WATER SUPPLIES - 63 mm TO 110 mm SIZE, CLASS 2, PLAIN ENDED63 mm to 110 mm, CLASS 2, BELL ENDED 140 mm to 180 mm, CLAS 2, PLAIN BELL ENDED83 mm to 180 mm EXCEPT 125 mm- CLASS 3, PLAIN AND BELL ENDED, Unplasticized PVC pipe for potable water supplies with Plain socket end and socketed end for solvent cement jointing for following sizes:- Nominal OD 200 mm, 225 mm and 250 mm of class 2 and class 3.	HEERA

Sl. No.	Firm Name & Address	State	Variety	Brand
295	NARMADA PIPESADDRESS:- SURVEY NO. 211, RAJKOT-GONDAL NATIONAL HIGHWAY, VIA. BHAKTINAGAR STATION (RAJKOT), VERAVAL (SHAPAR), ,,RAJKOTPINCODE:-360024	GUJARAT	Unplasticized PVC Pipes for Potable water supply Plain Ended Pipes – CLASS 2, 63mm TO 180mm, CLASS 3, 40mm TO 110mm, CLASS 2, 200mm TO 250mm, CLASS 3, 140mm TO 180mm, CLASS 3, 125mm TO 180mm, CLASS 3, 300mm BELL END, CLASS 4, 125mm TO 180mm PLAIN END, CLASS 1, 200mm BELL END AND PLAIN END, CLASS 3, 125 mm to 250 mm, CLASS 2, 63mm UPTO AND INCLUDING 250mm, CLASS 3, 40mm UPTO AND INCLUDING 110mm, CLASS 4, 125mm UPTO AND INCLUDING 250mm, CLASS 5, 40mm UPTO AND INCLUDING 180mm, CLASS 5, 125mm UPTO AND INCLUDING 250mm, BELL ENDED CLASS 5, 200mm UPTO AND INCLUDING 250mm, PLAIN ENDED CLASS 5, 200mm UPTO AND INCLUDING 250mm, SOCKETED FOR ELASTOMERIC RING JOINTS CLASS 6, 20mm UPTO AND INCLUDING 110mm, PLAIN ENDED CLASS 6, 20mm UPTO AND INCLUDING 110mm, BELL ENDED CLASS 1, 90mm TO 110mm, 0.25MPA CLASS 2, 180mm TO 315mm, CLASS 2, 225mm TO 315mm, CLASS 2, 280mm TO 315mm, Class 1 - 90 mm to 200 mm, Class 2 – 63	-

Sl. No.	Firm Name & Address	State	Variety	Brand
296	OMKAR POLYMERS PVT. LTD.,ADDRESS:- SURVEY NO. 10 - 10/1A, P. H. NO. 11, VILLAGE - MOGRA, TAH. - NARKHED, DIST.- NAGPUR,,MOGRAPINCODE:-441304	MAHARASHTRA	CLASS 2: 63 TO 110mm, 140, 160mm PLAIN & SOCKET ENDED AND 180 & 200mm OD PLAIN ENDED (JOINT BY SOLVENT CEMENT) CLASS 3: 63 TO 110mm, 140, 160, 180 & 200mm OD PLAIN ENDED (JOINT BY SOLVENT CEMENT) Class 4: 63 to 110mm, 140 to 200mm OD SOCKET ENDED CLASS 5: 63 TO 110mm and 140 to 200mm OD PLAIN ENDED (JOINT BY SOLVENT CEMENT) UPVC pipes for potable water supplies 12.5 Kg class 6 from 125mm to 250mm socketed pipes for solvent cement jointing., Class 2 for Nominal sizes 225 and 250 mm plain and socket ended for solvent cement jointing, Class 3 for Nominal sizes 225 and 250 mm plain and oscket ended for solvent cement jointing	TARA, chetak

Sl. No.	Firm Name & Address	State	Variety	Brand
297	OLYMPIC PLASTIC PVT. LTD.ADDRESS:- N.H. 8-B, SHAPAR INDUSTRIAL AREA. ,,RAJKOTPINCODE:-360002	GUJARAT	UPVC PIPE Class-2 63mm upto and including 250mm, class 3- 63 mm upto and including 110mm, 125mm up to including 180mm class 3 , Class 3 200mm up to end including 250 mm , Class2 0.40 (4.0)Kg/cm2, Size 63 to 250mm, Palin Ended, Class 3 0.60 (6.0)Kg/cm2, Size 63 to 250mm, Palin Ended, class 4- 63 mm upto and including 200mm, class 3- 125 mm upto and including 200mm, Class 2- 63 mm upto and including 250mm, class 3- 63 mm upto and including 110mm, Class 2 Size 63mm to 250mm -Bell Ended Class 3 Size 63mm to 250mm -Bell Ended Class 4 Size 63mm to 200mm -Bell Ended 63 mm to 200 mm Class-4 -Socketed for elastomeric Sealing Ring Jointing	-
298	MAHAVEER POLYCHEM PVT LTDADDRESS:- C - 7, MIDC,,NANDEDPINCODE:-431603	MAHARASHTRA	Class2- 63 to110 140 to180 Plain & Bal ended Class3- 63 to 110 140 to 180 Class 2 Plain & Bal ended	MAHAVEER

Sl. No.	Firm Name & Address	State	Variety	Brand
299	MAYFAIR POLYMERS PVT LTD.ADDRESS:- MAYFAIR COMPOUND NATIONAL HIGHWAY NO.8,,,HIMATNAGARPINCODE:-383001	GUJARAT	CLASS1 90 TO 250[PLAIN], CLASS2AND3 63 TO180[PLAIN AND BELL],CLASS5 63TO250 [PLAIN],CLASS 2 200 TO 250[BELL],200TO 250 ELASTOMERIC,315[PLAIN]; CLASS3 40,50,200 TO250[BELL],200TO 250[ELASTOMERIC]; CLASS5 20 TO50,[PLAIN]; CLASS2 90 TO 180[EXCEPT125] [ELASTOMERIC],; CLASS 3 90 TO 180[EXCEPT 125] [ELASTOMERIC TYPE]; CLASS5 90 TO 250[EXCEPT 125] [ELASTOMERIC TYPE];Class Sizes (OD)Types 3315mm(6 kgf/ cm2)Socked pipe for Elastomeric Sealing Ring Jointing 3125mm(6 kgf/ cm2)Socked pipe for Elastomeric Sealing Ring Jointing UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 315mm of Class-2 for socketed pipe for solvent cement jointing and 2) Nominal OD 280mm of Class-3 for Elastomeric sealing rings joints " UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 280mm of Class-2 for plain and socketed pipe for solvent cement jointing, 2)Nominal OD 315mm of Class-2 for socketed pipe for solvent	MAYFAIR



Sl. No.	Firm Name & Address	State	Variety	Brand
300	KIRAN PIPE INDUSTRIESADDRESS:- M-84, ADDITIONAL M.I.D.C. AREA, BEHIND KHEDI PETROL PUMP,,JALGAONPINCODE:-425003	MAHARASHTRA	Unplasticized PVC pipe for potable water supplies with Plain socket end and socketed end for solvent cement jointing for following sizes:- Nominal OD 225 mm and 250 mm of class 2, class 3 and class 5, UPVC PIPES OF CLASS - II FOR GROUP - I 63 MM TO 110 MM PLAIN ENDED FOR SOLVENT CEMENT JOINTS 2] 63 TO 110 MM CLASS 2, BELL END & 63 TO 110MM CLASS 3, BELL END 3] CLASS 2, SIZE 125-180MM, PLAIN & SOCKET ENDED & CLASS 3, SIZE 125-180MM, PLAIN & SOCKET ENDED 4] CLASS 2, 63 TO 180MM PLAIN AND SOCKET ENDED & CLASS 3, SIZE 63 TO 180MM, PLAIN & SOCKET ENDED 5]63 TO 200MM, CLASS 2 & 3 PLAIN & SOCKET ENDED PIPES WITH SOLV ENT CEMENT JOINT 6] CLASS III 40 & 50 MM PLAIN & SOCKET END PIPES WITH SOLVENT CEMENT JOINTS & CLASS V -20 TO 50 MM PLAIN & SOCKET END PIPES WITH SOLVENT CEMENT JOINTS , PVC RESIN, 1)63 mm to 110 mm OD, Class-2 SOCKETS FOR USE WITH ELASTOMERIC SEALING RINGS 2)125 mm to 200mm OD,Class-2 SOCKETS FOR USE WITH ELASTOMERIC SEALING RINGS , 8)125 mm to 200mm	Kiran, SUPREME SAGAR, AGRO LEADER, KIRAN

Sl. No.	Firm Name & Address	State	Variety	Brand
301	AGRICULTURE POLYMERSADDRESS:- PLOT NO D-41, MIDC, II ND PHASE,,,AKOLAPINCODE:-441104	MAHARASHTRA	Class 3 / 40mm 50 mm / 0.60MPa / Group 1, Class 1: 90 to 110mm (group I) plain socket ended pipe. (joint by solvent cement)Class 2: 63 to 110mm (group I) plain socket ended pipe. (joint by solvent cement)Class 3: 63 to 110mm (group I) plain socket ended pipe. (joint by solvent cement)Test pressure 3.6MPa, From 20 to 50 mm nominal dia upvc pipes plain ended plumbing in building as per table 2 of IS 4985:2000, Class 4 / 140mm to 200mm / 0.80MPa / Group 2, Class 4 / 25mm to 110mm / 0.80MPa / Group 1, Class 5 - 1.0MPa - 140mm to 200mm - Group II, Class 5 - 1.0MPa - 20mm to 110mm - Group I, Class 3 - 0.6MPa - 140mm to 200mm - Group II, Class 1 - 0.25MPa - 140mm to 200mm - Group II, Class 2 - 0.4MPa - 140mm to 200mm - Group II	-
302	SUNFLEX PIPES PVT LTDADDRESS:- PLOT NO 31 TO 38, B - SECTOR PARVATI,CO OP INDL ESTATE LTD P O YADRAV TAL SHIROL,,PINCODE:-416145	MAHARASHTRA	UPVC pipes 63 to 110 mm OD ,Class 2 & Class 3 plain and socket ended only 140 to 200 mm OD, Class 5 ,pipes with plain end and Sockets for Solvent Cement jointing	VARSHA DELUXE, VIMAL GOLD, SUPERFLEX, SUNFLEX, LAXMI

Sl. No.	Firm Name & Address	State	Variety	Brand
303	BOTHARA AGRO EQUIPMENTS PVT LTD ADDRESS:- PLOT NO. B-16 MIDC ,,AHMEDNAGAR PINCODE:-414111	MAHARASHTRA	UPVC PIPES for potable water supplies of class 2, Size 63 to 110 mm plain and socket ended Class 2 ,140 to 180 mm, OD plain and socket ended Sizes 63 to 110 mm Od, plain and socket ended Class 3, UPVC pipes 20 mm to 50 mm OD, UPVC pipes for plumbing	PARAS
304	LADDHA AGRO PLAST INDUSTRIES PRIVATE LTD. ADDRESS:- G-125 & 126, MIDC, ,,JALGAON PINCODE:-425003	MAHARASHTRA	UPVC PIPES CLASS 2 SIZE 63 TO 110 mm PLAIN ENDED ONLY 63 to 110 mm OD, BELL ENDED, CLASS 2 63 to 110 mm OD, PLAIN AND BELL ENDED CLASS 3 140 MM, 160 MM, 180 MM PLAIN AND BELL ENDED CLASS 2 140MM, 160MM, 180MM, PLAIN AND BELL ENDED CLASS 3 63 to 180 mm OD, PLAIN AND SOCKET ENDED CLASS 2 63 to 180 mm OD, PLAIN AND SOCKET ENDED CLASS 3 90 mm & 110 mm SOCKET ENDED FOR SOLVENT CEMENT JOINT CLASS 1	-

Sl. No.	Firm Name & Address	State	Variety	Brand
305	DUTRON POLYMERS LTDADDRESS:- N.H. NO. 8, BLOCK NO. 642, AT HARIYALA, TAL : MATAR,,HARIYALAPINCODE:-387411	GUJARAT	CLASS1 90 TO315[PLAIN AND BELL]; CLASS2 63 TO 315[PLAIN AND BELL];CLASS 340TO315[PLAIN AND BELL];CLASS 4 120 TO180 [PLAIN AND BELL]; CLASS4 200 TO 315[PLAIN];20 TO50MM PLUMBING PLAINENDED; CLASS 3 63 TO315MM ELASTOMERIC TYPE. Unplasticized PVC Pipes for Potable Water Supplies for plain end and socketed pipe for solvent cement jointing for nominal sizes 355mm and 400mm for Class-1 & 2 UPVC Pipe for Potable water supplies for Nominal OD 355mm to 400mm of Class-3 for Plain ended and socketed pipe for solvent cement jointing.	DUTRON
306	FINE FLOW PLASTIC INDUSTRIESADDRESS:- SURVEY NO.185/3, PLOT NO.20/21,PANCHAL UDYOGNAGAR BHIMPORE DAMAN,,DAMANPINCODE:-396210	DAMAN & DIU	CLASS1 90 TO180 [EXCEPT125]PLAIN/BELL END;CLASS2 63 TO 180 [EXCEPT125]PLAIN AND BELLEND; CLASS 3 40 TO180 [EXCEPT125] PLAIN/BELLEND;CLASS 5 20 TO 110[PLAIN AND BELL]	zenith , vishal, zenith , vishal , noble, zenith
307	ADVANCE EXTRUSION PVT LTDADDRESS:- 90-94, BARSHI CO-OP INDL ESTATE NO. 2 BARSHI ,,PINCODE:-413401	MAHARASHTRA	UPVC pipes 63 to 110 mm OD, Class 2, Plain as well as bell ended only UPVC pipes 140 mm to 200 mm OD, class 2 & 3, plain ended and socket ended pipes with cement solvent joints	-

Sl. No.	Firm Name & Address	State	Variety	Brand
308	PARVATI AGRIO PLAST (UNIT II)ADDRESS:- GAT NO. 11/1 BAMNOLI TALUKA MIRAJ,,PINCODE:-0	MAHARASHTRA	UPVC pipes for potable water supply Sizes 90 mm upto and including 315 mm, class 1, plain ended and socket for solvent cement jointing Sizes 63 mm upto and including 315 mm, class 2, plain ended and socket for solvent cement jointing Sizes 40 mm upto and including 315 mm, class 3, plain ended and socket for solvent cement jointing Sizes 25 mm upto and including 315 mm, class 4, plain ended and socket for solvent cement jointing Sizes 20 mm upto and including 315 mm, class 5, plain ended and socket for solvent cement jointing Sizes 20 mm upto and including 315 mm, class 6, plain ended and socket for solvent cement jointing Sizes 140 mm upto and including 315 mm, class 2, pipes with socket for elastomeric sealing rings Sizes 140 mm upto and including 315 mm, class 3, pipes with socket for elastomeric sealing rings Sizes 140 mm upto and including 315 mm, class 4, pipes with socket for elastomeric sealing rings Sizes 140 mm upto and including 315 mm, class 5, pipes with socket for elastomeric sealing rings Sizes 140 mm upto and including	PARVATI AGRO PLAST

Sl. No.	Firm Name & Address	State	Variety	Brand
309	KOTHARI AGRITECH PVT LTD ADDRESS:- 3RD FLOOR, SUN PLAZA 8516/11, SUBHASH CHOWK MURARAJI PETH ,,PINCODE:-413001	MAHARASHTRA	UPVC pipes for potable water supplies for the sizes 63 mm OD to 110 mm OD Class 2 plain ended and bell ended pipes UPVC pipes for potable water supplies with sockets for elastomeric sealing ring joints size upto 315 mm class 2, 3, 4 and 5 UPVC Pipes of nominal diameter 125mm, class 2 & Class 3 Plain ended and socketed pipe for Solvent Cement Jointing UPVC pipes 20 mm to 315 mm Class 6 (12.5 kgf/cm <sup>2</sup> ) plain ended and with spigot and socket end	KOTHARI
310	JEEVAN POLYMERS ADDRESS:- M-168, MIDC AREA, KHEDI BKII,,,JALGAON PINCODE:-425003	MAHARASHTRA	UPVC PIPE FOR POTABLE WATER SUPPLIES FOR THE VARIETIES OF 63 to 110 mm , CLASS 2 PLAIN AND BELL ENDED CLASS 2 125-180mm PLAIN & SOCKET ENDED CLASS 3 40 -180mm PLAIN & SOCKET ENDED CLASS 2 & 3 - 200 mm PLAIN & SOCKET ENDED FOR SOLVENT CEMENT JOINTS	JEEVAN/JALDHARA
311	VISHAL PLASTO-CHEM ADDRESS:- G-93, M.I.D.C.,,,JALGAON PINCODE:-425003	MAHARASHTRA	-	vishal
312	HARSHAL AGRO PLAST ADDRESS:- PLOT NO.M-97, MIDC AREA, BEHIND KHEDI PETROL PUMP,,,JALGAON PINCODE:-425003	MAHARASHTRA	UPVC PIPES FOR POTABLE WATER SUPPLY OF 63 MM TO 110 MM NOMINAL SIZE CLASS 2 PLAIN & BELL END 2] CLASS 2, 125-180 MM, PLAIN & SOCKET END & CLASS 3 40-180 MM, PLAIN & SOCKET END	HARSHAL, TIRUPATI, JALSAGAR, NEELKAMAL, PRINCE GOLD, PREMIER FLOW, MOONLEX, KRUSHILEX

Sl. No.	Firm Name & Address	State	Variety	Brand
313	SOMANI AGRO PLAST ADDRESS:- PLOT NO. 69/A6 GATACHIWADI BARSHI TALUKA BARSHI,,PINCODE:- 413401	MAHARASHTRA	UPVC Pipes class 2 plain ended ball ended for sizes of 63 mm to 110 mm OD Sizes 140 to 180 mm OD, Class 2 &3 plain and bell ended UPVC pipes	-
314	SHOBHA POLYMERS PVT. LTD.ADDRESS:- B 7 MIDC LOHARA ,,YAVATMALPINCODE:-445001	MAHARASHTRA	class 2 63,75,90 and 110 mm plain and bell ended class 3 63,75,90 and 110 mm plain and bell ended CLASS 1 90, 110, 140, 160 & 180mm OD PLAIN/BELL ENDED & 200mm PLAIN ENDED UPVC PIPES CLASS 2 63, 75, 90, 110, 140, 160 & 180mm OD PLAIN/BELL ENDED & 200mm PLAIN ENDED UPVC PIPES CLASS 3 63, 75, 90, 110, 140, 160 & 180mm OD PLAIN/BELL ENDED & 200mm PLAIN ENDED UPVC PIPES CLASS 4 63, 75, 90, 110, 140, 160 & 180mm OD PLAIN/BELL ENDED UPVC PIPES & 200mm PLAIN ENDED UPVC PIPES CLASS 1 : 90 TO 110mm (GROUP I), 140 TO 180mm (GROUP II) PLAIN AND BELL ENDED PIPE & 200mm (GROUP III) PLAIN ENDED PIPE. (JOINT BY SOLVENT CEMENT) CLASS 2 : 63 TO 110mm (GROUP I) PLAIN AND BELL ENDED PIPE, 140 TO 180mm (GROUP II) PLAIN AND BELL ENDED PIPE & 200mm (GROUP III) PLAIN ENDED PIPE. (JOINT BY SOLVENT CEMENT) CLASS 3 : 63 TO 110mm (GROUP I) PLAIN AND BELL ENDED PIPE, 140 TO 180mm (GROUP II) PLAIN AND BELL ENDED PIPE & 200mm (GROUP III) PLAIN ENDED PIPE. (JOINT BY	BJ PVC PIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
315	PARAS PVC PIPES & FITTINGS PVT LTDADDRESS:- 191/192/193, 10TH MILE STONE NAGAR- KALYAN ROAD POST BHALWANI TALUKA PARNER,,PINCODE:-0	MAHARASHTRA	Sizes 200, 225, 250, 280 & 315 mm, Class 1, 2, 3 UPVC Pipes with socket ended for Solvent Cement Jointing UPVC pipes for potable water supplies of nominal size a) 40 mm & 50 mm, class 3; b) 20 mm, 25 mm, 32 mm, 40 mm & 50 mm, class 5 socket ended for solvent cement jointing; and plumbing pipe of nominal size 32 mm Plumbing pipes of sizes 20 and 25 mm	PARAS
316	SARITA KRUSHI INDUSTRIES LLPADDRESS:- GAT NO. 25 BEHIND ALFONSA SCHOOL YADRAV (ICHALKARANJI) TALUKA SHIROL ,,ICHALKARANJIPINCODE:-416121	MAHARASHTRA	UPVC PIPES OF CLASS, SIZE 63 MM TO 110 MM OD, PLAIN AND BELL ENDED AND SIZES FROM 140 MM TO UPTO AND INCLUDING 200 MM OD, CLASS 2 AND 3, PLAIN ENDED AND SOCKETS FOR SOLVENT CEMENT JOINTING	-
317	SWARAJ PVC PIPES PVT LTDADDRESS:- S.NO. 79/2D VILLAGE KOLKI TALUKA PHALTAN,,PINCODE:-415523	MAHARASHTRA	90 mm and 110 mm class I socket ended pipes with solvent cement joints Sizes 63,75,90 and 110 mm class 5 plain and socket ended UPVC pipes for solvent cement joint	-
318	PARAG PVC INDUSTRIES PVT LTDADDRESS:- 32/1/1, PHARANDWADI TALUKA PHALTAN,,PINCODE:-415523	MAHARASHTRA	UPVC pipes for plain and bell end Class 2&3 of 63 mm to 110 mm OD and 140 mm to 160 mm OD	-
319	TIRUPATI AGRO PLASTADDRESS:- GUT NO.1257,RAVER- PAL BYE-PASS ROAD,,RAVERPINCODE:-425508	MAHARASHTRA	-	Dharati , Dharati



Sl. No.	Firm Name & Address	State	Variety	Brand
320	FINOLEX INDUSTRIES LTD ADDRESS:- AT GHOLAP VILLAGE, RANPAR PAWAS ROAD, ,,RATNAGIRI PINCODE:- 415616	MAHARASHTRA	UPVC PIPES FOR :- Class 1-90&110 mm OD Plain end and Bell end Class-2,3,4-63 to 110 mm OD Plain end and Bell end Class 1, Class 2, and Class 3 - 140mm to 315mm Class 4-140 mm to 180 mm for Plain and Bell end PVC Pipes with Elastomeric joints as given below :- 63-315 mm, Cl II, 4kg/cm <sup>2</sup> 40-110mm-CL III, 6 kg/cm <sup>2</sup> 125-315 mm, CL IV, 8 kg/cm <sup>2</sup> 40-315 mm, CL V, 10 kg/cm <sup>2</sup> 63-315 mm, Cl II, 4kg/cm <sup>2</sup> 40-315 mm-CL III, 6 kg/cm <sup>2</sup> 125-315 mm, CL IV, 8 kg/cm <sup>2</sup> 40-315 mm, CL V, 10 kg/cm <sup>2</sup> 125-315 mm, Cl IV, PLAIN & BELL ENDED 125-315 mm, Cl V, PLAIN & BELL ENDED UPVC Pipes with PLAIN & SPCLET EMDED SOLVENT CEMENT JOINTS FOR :- 63-110, Class 4 355 & 400mm Class 2 40&50mm, Class 3 40& 50mm Class 5 Plumbing pipe with plain end for 40&50mm Class 6-40 to 200mm & 250 & 315 mm Plain and Socket end, solvent cement joint Class 4, 25 to 50mm Plain and Socket end, solvent cement joint Class 5, 20 to 32mm Plain and Socket end, solvent cement joint 20,25 & 32 mm, nominal outside dia, Plumbing Plain End 1] 355 mm , 400 mm	FINOLEX

Sl. No.	Firm Name & Address	State	Variety	Brand
321	GODAVARI PIPES PVT. LTD.ADDRESS:- SURVEY NO.27, PLOT NO.6/7, BEHIND, KRISHI UDHYOG CORPN, NH-8-B, SHAPAR(VERAVAL), ,,RAJKOTPINCODE:-360002	GUJARAT	UPVC PIPES FOR POTABLE WATER SUPPLY of following range, size and class : 1.Class 2, 63mm upto and including 110mm plain ended 2.Class 2, 63mm upto and including 110mm bell ended 3.Class 3, 40mm upto and including 110mm plain ended 20mm upto and including 50mm plumbing pipe 4.Class 3, 63mm upto and including 110mm bell ended 5.Class 4, 25mm upto and including 110mm plain ended and bell ended 6.Class 3, 40 & 50mm- bell ended 7.Class 5, 20mm upto and including 110mm plain ended 8.Class 5, 20mm upto and including 110mm bell ended 9.Class 6, 20mm upto and including 110mm plain ended 10.Class 3, 20mm upto and including 110mm bell ended 11.Class 2, 63mm upto and including 110mm 12.Class 3, 40mm upto and including 110mm 13.Class 4, 25mm upto and including 110mm 14.Class 5, 20mm upto and including 110mm 15.Class 2,3,4 & 5, 125mm to 315mm upvc pipes-plain ended, socketed for elastomeric sealing ring jointing and socketed for solvent cement jointing 16. 90mm TO 315mm, CLASS 1,BELL END AND PLAIN END.	GODAVARI
322	SHREE VENKATESHWARA POLYMERSADDRESS:- A-16/2, MIDC CHINCHOLI,,,PINCODE:-413006	MAHARASHTRA	-	SAIKISAN

<b>Sl. No.</b>	<b>Firm Name &amp; Address</b>	<b>State</b>	<b>Variety</b>	<b>Brand</b>
323	BHAVNA PLASTIC INDUSTRIESADDRESS:- JUNAGADH ROAD, P.B. NO.82, DHORAJI,,RAJKOTPINCODE:-360410	GUJARAT	UPVC PIPES FOR POTABLE WATER SUPPLIES Class 2, 63mm upto and including 200mm Class 3, 40mm upto and including 200mm 40mm to 100mm DN, PN: 0.6 MPA(Class 3), 63mm to 110 mm DN, PN: 0.4 MPA(Class 2), 125mm to 200mm DN, PN: 0.6 MPA(Class 3), 4125mm to 200mm DN, PN: 0.4 MPA(Class 2), 400mm to 200mm DN (Class 4 & 5)	BHAVNA

Sl. No.	Firm Name & Address	State	Variety	Brand
324	KISAN MOULDINGS LIMITED ADDRESS:- TEX CENTRE, K WING, 3RD FLOOR, NR. HDFC BANK, CHANDIVLI ROAD, ANDHERI (E), MUMBAI,, MUMBAI PIN CODE:- 400072	MAHARASHTRA	CLASS 1 90,110,140,160,180,200, [PLAIN AND BELL END],+ CLASS 1 125,225,250,280,315, [PLAIN END] CLASS 2 63,75,90,110,140,160,180,200,[PLAIN AND BELL ENDED CLASS 2 125,225,250,280,315 [PLAIN ENDED]; CLASS 3 63,75,90,110,140,160,180,200,[PLAIN AND BELL END] CLASS 3 - 40,50,125,225,250,280,315[PLAIN END]; CLASS 5 - 32,40,50,63,75,90,110,125,140,160,180,200,225,250,280,315 [PLAIN ENDED] CLASS 4 63,75,90,110 PLAIN ENDED CLASS 4 125,140,160,180,200,225,250,280,315,[PLAIN ENDED] CLASS 1 125,225,250,280,315 SOCKETED PIPE FOR SOLVENT CEMENT JOINT CLASS 2 125,225,250,280,315 SOCKETED PIPE FOR SOLVENT CEMENT JOINT CLASS 3 40,50,125,225,250,280,315, SOCKETED PIPE FOR SOLVENT CEMENT JOINT CLASS 5 32 TO 315 SOCKETED PIPE FOR SOLVENT CEMENT JOINT CLASS 2 140,160,&200 MM SOCKETED PIPE FOR ELASTOMERIC	Trimurti, KISAN, KML CLASSIC
325	BAFNA PVC PIPES ADDRESS:- GAT NO. 1088, P.B. NO. 9 NAGAR-BEED ROAD ,,JAMKHED PIN CODE:-0	MAHARASHTRA	Class 2, plain and bell ended for sizes 63 to 110 mm od sized 140mm to 180 mm od, class 2 & 3 sizes 63 to 110mm od class 3 with plain end and sockets for solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
326	PRINCE PIPES AND FITTINGS LIMITED ADDRESS:- SURVEY NO 53 JAYANT DESAI MARG VAGHDARA ROAD,DADRA,,DADRAPINCODE:-396191	DADRA & NAGAR HAVELI	CLASS2 63 TO 315 PLAIN AND BELL END,63 TO280 ELASTOMERIC, CLASS340 TO 315 PLAIN AND BELL END, 63 TO 280 ELASTOMERIC,CLASS1 90 AND 110 PLAIN AND BELL , CLASS 5 63 TO 280 PLAIN AND BELL END,CLASS 5 250 ELASTOMERIC PLUMBING PIPES OF SIZES: 20 MM TO 50 MM	PRINCE AND TRUBORE, PRINCE AND TRUBORE, TRUBORE, PRINCE

Sl. No.	Firm Name & Address	State	Variety	Brand
327	SUMO POLYPLAST PVT. LTD.ADDRESS:- PLOT NO G-924,G-925, G- 907 AB,G-908 AB AND G-513 LODHIKA GIDC, KISHAN GATE, KALAWAD ROAD, AT: METODA, DISTRICT-RAJKOT GUJARAT-360021 ,,RAJKOTPINCODE:-0	GUJARAT	SR NO. 1, CLASS OF PIPE CLASS -1 PRESSURE RATING IN PMA (KGF/CM) 0.25 (2.5), GROUP SIZE COVERED (IN MM) 90 TO 200, TYPE OF PIPE PLAIN ENDED SR NO. 2, CLASS OF PIPE CLASS -2 PRESSURE RATING IN PMA (KGF/CM)0.40 (4.0), GROUP SIZE COVERED (IN MM) 63 TO 200, TYPE OF PIPE PLAIN ENDED SR NO. 3, CLASS OF PIPE CLASS -3 PRESSURE RATING IN PMA (KGF/CM)0.60 (6.0), GROUP SIZE COVERED (IN MM) 40 TO 200, TYPE OF PIPE PLAIN ENDED SR NO. 4, CLASS OF PIPE CLASS -4 PRESSURE RATING IN PMA (KGF/CM)1.0 (10.0), GROUP SIZE COVERED (IN MM) 40 TO 180, TYPE OF PIPE PLAIN ENDED UPVC PIPES FOR POTABLE WATER SUPPLIES: 90MM TO 200MM, CLASS 1 UPVC PIPES - SOCKETED FOR SOLVENT CEMENT JOINTING 63MM TO 200MM, CLASS 2 UPVC PIPES - SOCKETED FOR SOLVENT CEMENT JOINTING 40MM TO 200MM, CLASS 3 UPVC PIPES - SOCKETED FOR SOLVENT CEMENT JOINTING 40MM TO 110MM, CLASS 5 UPVC PIPES - SOCKETED FOR SOLVENT CEMENT JOINTING 63MM TO 200MM, CLASS 2 UPVC PIPES - SOCKETED	SURYA, JAY

Sl. No.	Firm Name & Address	State	Variety	Brand
328	RAJ PLASTIC INDUSTRIESADDRESS:- PLOT NO.44-45,GIDC INDUSTRIAL ESTATE,RAMAN GAMADI,POR,,,PORPINCODE:-391243	GUJARAT	CLASS2 63 TO200[PLAIN AND SOCKETED],CLASS3 40 TO200[PLAIN AND SOCKETED],CLASS5; 40 , 50,63,75,90,110 [PLAIN] ClassNominal OD Type 190 & 110mmPlain & Socketed Pipe for solvent cement jointing 1140 to 200mmPlain & Socketed Pipe for solvent cement jointing	-
329	SARDAR IRRIGATION SYSTEMADDRESS:- SURVEY NO.38/1, PLOT NO.12, BHESAN ROAD, BAMANGAM (JUNAGADH),,JUNAGADHPINCODE:-0	GUJARAT	CLASS 1 90mm UPTO INCLUDING 180mm CLASS 2 63mm UPTO INCLUDING 180mm CLASS 3 40mm UPTO INCLUDING 180mm CLASS 4 40mm UPTO INCLUDING 110mm BELL ENDED & PLAIN ENDED CLASS 1 200mm UPTO INCLUDING 250mm CLASS 2 200mm UPTO INCLUDING 250mm CLASS 3 200mm UPTO INCLUDING 250mm CLASS 4 40mm UPTO INCLUDING 180mm CLASS 2 63mm TO 200mm CLASS 3 63mm TO 200mm	SARDAR
330	SUFALA AGRO PIPES PVT LTDADDRESS:- GAT NO. 36 BARSHI-LATUR ROAD JAMGAON(A) BARSHI,,PINCODE:-413401	MAHARASHTRA	UPVC PIPE for potable water supplies sizes from 63 mm to 110 mm and 140 to 180 mm OD all class 2 with plain end and socketed for solvent cement jointing 63 to 110 mm OD & 140 to 180 mm OD,Class 3 UPVC pipes with plain end and sockets for solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
331	SUPREME GOLD IRRIGATIONS LTD ADDRESS:- GUT NO. 51 AT POST GUNDEGAON TQ & DIST NANDED,,PINCODE:-0	MAHARASHTRA	63 to 110 mm OD Class2 63 to 110 mm OD class-3 & 140 to 180 mm OD, class 2&3 pipes with plain end and sockets for solvent jointing 63 to 110 mm OD & 140 to 180 mm OD, class 5 Unplasticized PVC pipes for potable water supplies sizes 200 mm, 225 mm & 250 mm, Class 3, socket ended and 20 mm, 25 mm, 32 mm, 40 mm & 50 mm, Class 5, socket ended	-
332	ACTIVE POLYMERS PVT. LTD.ADDRESS:- PLOT NO. 327, GIDC-II, SABALPUR, ,,JUNAGADHPINCODE:-362001	GUJARAT	UPVC PIPES FOR POTABLE WATER SUPPLIES. 63mm upto & including 200mm plain ended Class 2 40mm upto & including 200mm plain ended Class 3 63mm to 200mm class 2 63mm to 110mm class 3 63mm to 110mm class 5 125mm upto & including 200mm class 5 125mm to 200 mm class 3	ACTIVE AQUA LION
333	SHREE SADGURU ENTERPRISESADDRESS:- S.NO. 233/2 AT POST HINJWADI TALUKA MULSHI,,PUNEPINCODE:-411027	MAHARASHTRA	-	Prince



Sl. No.	Firm Name & Address	State	Variety	Brand
334	SWASTIK KRUSHI POLY PIPES PRIVATE LTDADDRESS:- 314,VILLAGE ZAK,DAHEGAM,,DAHEGAMPINCODE:- 382305	GUJARAT	CLASS 2 DN 63 TO 200 EXCEPT 125 (PLAIN AND SOCKETED FOR SOLVENT CEMENT JOINTING) CLASS 3 DN 40 TO 180 EXCEPT 125 (PLAIN AND SOCKETED FOR SOLVENT CEMENT JOINTING) CLASS 5 DN 20 TO 110 EXCEPT 125 (PLAIN AND SOCKETED FOR SOLVENT CEMENT JOINTING) UPVC pipes for pottable water supplies Plain & Socketted for Solvant Cement Jointing Class 1(0.25 MPa)Sizes 90mm, 110mm,140mm to 250mm, Class 2(o.4MPa) Sizes 225 & 250 mm Class 3(o.6MPa) Sizes 200mm to 250mm Class % (1.0MPa) Sizes 140 to 200mm class 3 - 63&75 mm - socketed pipe for elastomeric sealing ring jointing.	-
335	KHANDVIKAR AGRO PLAST INDUSTRIESADDRESS:- GAT NO. 33-A/2 JAMGAON LATUR ROAD BARSII,,PINCODE:- 413401	MAHARASHTRA	63 to 110mm,Class 2 63 to 110 mm OD,Class 3& 140 to 180 mm OD, Class 2	-
336	G.B.EXTRUSIONS PVT LTD.ADDRESS:- V-12, M.I.D.C.,AJINTHA ROAD,JALGAONPINCODE:-425003	MAHARASHTRA	UPVC Pipes, Socket end for Group OD of Pipe 63-110mm and Gropup II pipes of size /OD from 125mm to 200mm of Class 2 63mm to 110 mm Class 3 Socket end 125mm to 250 mm Class 3 Socket end 90mm to 250 mm Class 1 Plain & Socket end UPVC Pipes, Plain & Socket ended for solv ent cment joints for sizes :- 63-110mm -Class 4 & 63-250 mm Class 5	, Modilex, modilex

Sl. No.	Firm Name & Address	State	Variety	Brand
337	SHIV PIPESADDRESS:- SURVEY NO. 29, DABHA, YAVATMAL ROAD,,AMRAVATIPINCODE:-444701	MAHARASHTRA	CLASS PRESSURE RATING SIZE 2 0.4 MPa 63-250 mm 3 0.6 MPa 40-250 mm FOR PLAIN AND SOCKET ENDED PIPES FOR SOLVENT CEMENT JOINING.	Supreme Jal
338	AGRO POLYMERSADDRESS:- ESKA GARDEN , POST VIJAPUR,R.S.NO.173/P,,VIJAPURPINCODE:-382870	GUJARAT	Class- 2 (PN- 0.40 MPa), Nominal size 63mm to 110mm, for plain ended and socketed for cement solvent jointin, CLASS2 140 TO 180 [PLAIN AND BELL END];CLASS3 40 TO 180 [EXCEPT 125] [PLAIN AND BELLENDED]	-
339	MAHARAJA PLASTICSADDRESS:- GIDC, PLOT NO.4, AT:PADDHARI, ,,RAJKOTPINCODE:-360110	GUJARAT	Class 1, sizes 90 mm upto and including 250 mm except 125 mm, plain ended and socket ended for solvent cement jointing, UPVC PIPES FOR POTABLE WATER SUPPLIES. Class 2,63mm up to and including 200mm - Palin Ended & bell Ended Class 3,40mm up to and including 200mm - Palin Ended & bell Ended	RAJESBHAI

Sl. No.	Firm Name & Address	State	Variety	Brand
340	VARDHAMAN POLYEXTRUSIONADDRESS:- A-24/1, MIDC CHINCHOLI,,PINCODE:-413255	MAHARASHTRA	UPVC pipes for potable water supplies for sizes 63 to 110mm,OD,class 2& 3with plain end and sockets for solvent cement jointing UPVC pipes 140, 160, 180, 200 mm dia class I, II and II plain and socket for solvent cement jointing UPVC pipes sizes 63 mm to 200 mm OD except 125 mm OD, Class 4 & 5, plain ended & socket ended for solvent cement jointing, UPVC pipes sizes 225 to 315 mm, Class 2 and 3, plain and socket ended for solvent cement jointing	-
341	ASIAN PLASTICS INDUSTRIESADDRESS:- DHORAJI, JUNAGADH ROAD, DHORAJI.,,DHORAJIPINCODE:- 360410	GUJARAT	Class-2 63mm upto and including 200mm - Plain & Socket Ended Class-3 40mm upto and including 200mm - Plain & Socket Ended Class-5 20mm upto and including 110mm - Plain & Socket Ended	ASIAN & AJANTA

Sl. No.	Firm Name & Address	State	Variety	Brand
342	GAJANAN PIPE INDUSTRIESADDRESS:- S.S. NO 59/1, NEAR HINDUSTAN LIVER GODOWN, POST RIDHORA, TALUKA-BALAPUR,,PINCODE:-444302	MAHARASHTRA	UPVC pipes for potable water supplies for SIZE 20-110mm class-5 10kgf/cm2comma plain and socket ended for use with solvent cement jointing.group class size-1 20comma25 comma32comma40comma50comma63co mma75comma90 AND 110 mm OD only group-1, UPVC pipes for potable water supplies for SIZE 125-200mm class 4 8kgf/cm2comma plain and socket ended for use with solvent cement jointing.group class size-2 125comma140comma160comma180 AND 200 mm OD only group-2, UPVC pipes for potable water supplies for SIZE 125-200mm class-5 10kgf/cm2comma plain and socket ended for use with solvent cement jointing.group class size-2 125comma140comma160comma180 AND 200 mm OD only group-2, UPVC pipes for potable water supplies for SIZE 25-110mm class 4 8kgf/cm2comma plain and socket ended for use with solvent cement jointing.group class size-1 25 comma32comma40comma50comma63co mma75comma90 AND 110 mm OD only group-1, UPVC pipes for potable water	SATYAM, SUPREME PLUS, SUPREME SUPER, UNIK PLAST, KRUSHI DHARA

Sl. No.	Firm Name & Address	State	Variety	Brand
343	PARIXIT IRRIGATION LIMITED ADDRESS:- SURVEY NO. 214/1 & 214/2 PO IYAVA, TAL: SANAND DISTT :AHMEDABAD,,AHMEDABAD PINCODE:-382445	GUJARAT	CLASS1 90 TO110 PLAIN AND BELL; CLASS2 63 TO110 PLAIN AND BELL;CLASS3 50 TO 110 PLAIN AND BELL,CLASS5 50 TO110 PLAIN AND BELL UPVC pipes(Both plain ended & socketed pipe for solvent cement jointing)(1)Class 1,0.25 Mpa,125mm to 200mm(2)Class 2,0.06 Mpa,125mm to 200mm(3) Class 3,0.6 Mpa,125mm to 200mm (Socketed pipe for class to meric sealing ring jointing )Class 3,0.6 Mpa,63mm to 200mm , Socket type - Plain ended and socket type pipe for solvent cement jointing / Diameter 32mm / Class 5 / Working Pressure 10.0 kg/cm2, UPVC Pipe for Potable water supplies for Nominal OD 25 of Class-5 for Plain ended and socketed pipe for solvent cement jointing	PARIXIT
344	SWASTIK POLYMERS ADDRESS:- PLOT NO. 6 TO 10, SECTOR B PARVATI CO-OP INDL ESTATE LTD YADRAV TALUKA SHIROL ,,PINCODE:-416145	MAHARASHTRA	UPVC PIPES FOR POTABLE WATER SUPPLIES, SIZES 63 TO 110 MM OD, CLASS 2 AND 3, WITH PLAIN END AND SOCKETS FOR SOLVENT CEMENT JOINTING	NAV KISAN, , NAV KISAN
345	AJIT POLYMERS ADDRESS:- 121/1/B, SHINGANAPUR ROAD VILLAGE KOLKI TALUKA PHALTAN ,,PINCODE:-415523	MAHARASHTRA	63 DN up to and including 110 mm, DN, Class 2, Pressure rating 0.4 MPa with plain end and sockets for solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
346	POLYSIL PIPESADDRESS:- 507, EMBASSY CENTRE,,SILVASAPINCODE:-400021	DADRA & NAGAR HAVELI	a) 90 mm to 315 mm, Class -1,Plain & socket ended pipes with solvent cement joint. b) 63 mm to 315mm, Class-2, Plain & socket ended pipes with solvent cement joint & with elastomeric sealing rings joint. c) 40 mm to 315 mm, class-3, Plain & socket ended pipes with solvent cement joint. d) 63 mm to 315 mm, Class -3, Plain & socket ended pipes with elastomeric sealing ring joints. e) 20 mm to 315 mm, Class-5, Plain & socket ended pipes with solvent cement joint. f) 63 mm to 315 mm, class -5, Plain & socket ended pipes with elastomeric sealing ring joint. 1] 355 mm To 450 mm - 4 Kg/cm2, Class -2 - Plain & Solvent Cement JOint 2] 355 mm To 450 mm - 4 Kg/cm2, Class -2 - Elastoeric Ring Joint A] 355 mm to 450 mm , Class 1 - Plain & Solvent cement Joint & Elastomeric Ring Joint B] 355 mm to 450 mm, Class 3 -Plain & Solvent cement Joint & Elastomeric Ring Joint C] 355 mm to 450 mm, Class 4 - Plain & Solvent cement Joint & Elastomeric Ring Joint D] 355 mm to 450 mm, Class 5 Plain & Solvent cement Joint & Elastomeric Ring Joint	POLYSIL, POLYSIL, IRRILINK

Sl. No.	Firm Name & Address	State	Variety	Brand
347	PRINCE SWR SYSTEMS PVT. LTD ADDRESS:- SURVEY NO.245/5/1,3 & 4, VILLAGE; DADRA, DEMNI ROAD,,SILVASSAPINCODE:-396230	DADRA & NAGAR HAVELI	SIZES 63 mm TO 110 mm (SIZE GROUP -1), CLASS 2 1) Class 1,2,3,5 & Class 6, DN 280mm & DN 315mm. Plain & Socket end for Solvent joint. 2) Size 20 to 50mm plumbing Pipe 1] 280 MM & 315 MM, CLASS 2, FOR ELASTOMERIC SOCKET JOINTS 2] 280 MM & 315 MM, CLASS 3, FOR ELASTOMERIC SOCKET JOINTS	PRINCE GLOBAL
348	PRINCE SWR SYSTEM LTD.ADDRESS:- SURVEY NO. 100/1/3, VILLAGE SAYALI, POST BOX NO.104,,SILVASSAPINCODE:-396230	DADRA & NAGAR HAVELI	Size 90 to 110 mm. Group 1, Class 1 Unplasticized PVC Pipes for Potable Water Supplies for Plain & Socket end for solvent cement joint of sizes 140DN, 160DN & 200DN of Class-1 1) 180DN & 250DN of Class-1 for Plain & Socket end for solvent cement joint. 2)250DN of Class-2 for Plain & Socket end for solvent cement joint.	PRINCE GLOBAL

Sl. No.	Firm Name & Address	State	Variety	Brand
349	REASELACK POLYMERS PVT. LTD.,ADDRESS:- PLOT NO A-37, MIDC AREA,,,WARDHAPINCODE:-442006	MAHARASHTRA	63mm TO 110mm, Class : 2 Plain Ended & Bell Ended Pipes (For solvent cement) 40mm TO 110mm, Class : 3 Plain Ended & Bell Ended Pipes (For solvent cement) Class 1, 90-110mm Socketed for solvent cement jointing Class 2, 125-200mm Socketed for solvent cement jointing 225 & 250 Plain Ended only. Class 3, 125-200mm Socketed for solvent cement jointing 225 & 250 Plain Ended only. UPVC Pipes for potable water supplies with Socket End, Class:5 (10 kgf), Sizes : 140,160,180,200mm OD , Class 5 Nominal Size OD 20 to 110mm	Krishna Classic, BAJAJ, Reaselack, Supreme Deluxe, bajaj, bajaj
350	VIVEK POLYMERSADDRESS:- C-12, MIDC, ,,JALGAONPINCODE:-425001	MAHARASHTRA	Unplasticized PVC Pipes for Potable Water Supply for plain & socket end with solvent cement joint for sizes 63mm to 200mm (except 125mm) for plain & socket end with solvent cement joint	-



Sl. No.	Firm Name & Address	State	Variety	Brand
351	SATNAM PIPE INDUSTRIESADDRESS:- DHARMANGA ESTATE, PLOT NO. 4,5,6, MORBI-RAJKOT HIGHWAY, AT: SANALA ,,MORBIPINCODE:-0	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies of following sizes except 125mm. 1 Class:1 (0.25MPa) 90 to 200 mm (Plain and Bell End) 2 Class:2 (0.4MPa) 63 to 200 mm (Plain and Bell End) 3 Class:3 (0.6MPa) 40 to 200mm (Plain and Bell End) 4 Class: 5 (1.0MPa) 20 to 200 mm ( Plain and Bell End) 5 Plumbing Pipe 20 to 50 mm (Plain) UPVC Pipes for Potable Water Supplies- Class - 3, Size 63 to 200 mm (except 125mm), & with sockets for elastomeric sealing ring jointing	-
352	SUN SHINE PIPESADDRESS:- PLOT NO. B-49 MIDC SHIROLI,,PINCODE:-416122	MAHARASHTRA	Class 2 63 to 110 mm 140 to 180 mm Class 3 63 to 110 mm plain and socket ended pipes with socket for solvent cement jointing	-
353	VARDHMAN INDUSTRIESADDRESS:- PLOT NO. A-24/2 MIDC, CHINCHOLI TALUKA MOHOL,,PINCODE:-413255	MAHARASHTRA	63 to 180 mm class 2 except 125 mm, plain ende and with solvent cement joints Size 63 to 110 mm OD Class 3 solvent cement joint and 140 to 180 mm OD class 3 with solvent cement joint	-
354	MALI PIPE INDUSTRIESADDRESS:- PLOT NO. 67, 68, 69, 83, 84 SANGOLA INDL CO-OP ESTATE KAMLAPUR TALUKA SANGOLA,,PINCODE:-413307	MAHARASHTRA	63 to 180 mm class 2 except 125 mm and 63 to 110 mm class 3	-
355	AMBICA PLASTIC INDUSTRIESADDRESS:- BLOCK NO. 794/1, POST: VADSAR, TA: KALOL,,PINCODE:-382721	GUJARAT	-	-

Sl. No.	Firm Name & Address	State	Variety	Brand
356	JALDHARA AGRO PLAST PVT LTDADDRESS:- A-19/1, MIDC CHINCHOLI TALUKA MOHOL,,PINCODE:-413006	MAHARASHTRA	63 mm - 180mm except 125 mm class 2 and 3 socket ended with solvent cement joints As per Annexure A	LINGE PIPES
357	FINOLEX INDUSTRIES LTDADDRESS:- (URSE PIPE DIVISION) GAT NO. 399 VILLAGE URSE TALUKA MAVAL ,,PINCODE:-410506	MAHARASHTRA	a)Class 3 - 40 mm, 50 mm, b) Class 4 - 25 mm, 32 mm, 40 mm, 50 mm, c)Class 5 - 20 mm, 25 mm, 32 mm, 40 mm, 50 mm, d) Class 6 - 20 mm, 25 mm, 32 mm, 40 mm, 50 mm, Plain ended and socket ended pipes for solvent cement jointing e)Plumping pipes 20 mm, 25 mm, 32 mm, 40 mm, 50 mm, UPVC PIPES Class 1 - 90 to 400 mm solvent cement joint Class 2 - 63 to 400 mm solvent cement joint and elastomeric sealing ring Class 3 - 63 to 400 mm solvent cement joint and elastomeric sealing ring Class 4 - 63 to 315 mm solvent cement joint and elastomeric sealing ring Class 5 - 63 to 315 mm solvent cement joint and elastomeric sealing ring	Finolex
358	PRINCE PIPES AND FITTINGS LIMITEDADDRESS:- GAT NO. 96 (1-9) DEVERWADI VILLAGE TALUKA CHANDGAD,,PINCODE:-416507	MAHARASHTRA	UPVC pipes of size 90 to 315 mm class 1 except 125 mm 63 to 315 mm class 2 except 125 mm 40 to 315 mm class 3 except 125 mm 25 to 315 mm class 4 except 125 mm 20 to 315 mm class 5 except 125 mm for solvent cement joint and plumbing pipe of size 20 to 50 mm	PRINCE AND TRUBORE

Sl. No.	Firm Name & Address	State	Variety	Brand
359	TIRUPATI STRUCTURALS LTD.ADDRESS:- A-6/5, SITE-4, INDUSTRIAL AREA, SAHIBABAD, DISTT. GHAZIABAD (U. P.),,GHAZIABADPINCODE:-201010	UTTAR PRADESH	UPVC Pipes for potable water supplies Plain ended Class 1, Size 90 - 200 mm; Class 2, Size 63 - 315 mm; Class 3, Size 40-315 mm; Class 4, 25-315 mm; Class 5, Size 20-200 mm Socket ended for solvent cement jointing Class 2, Size 63-315 mm;Class 3, Size 40-315 mm; Class 5, Size 125-200 mm Socket ended for elastomeric sealing ring joints Class 2, Size 200-315 mm;Class 3, Size 63-315 mm; Class 5, Size 63-110 mm & 200 mm	TSL Tirupati, , , , TSL-PADMAVATI
360	RITURAJ PIPES & PLASTICS PRIVATE LIMITEDADDRESS:- F-116-118, RIICO INDUSTRIAL AREA GUDLI,,UDAIPURPINCODE:-313024	RAJASTHAN	1)90 to 180 Class 1, plain and socket ended pipe for solvent cement jointing 2)63 to 180 Class 2, plain and socket ended pipe for solvent cement jointing 3)40 to 180 Class 3, plain and socket ended pipe for solvent cement jointing 4)200 Class 1 plain ended pipe for solvent cement jointing 5)200 Class 2 plain ended pipe for solvent cement jointing a)225-250 OD Class 1 plain and socket ended pipe for solvent cement jointing b)200-250 OD Class 3 plain and socket ended pipe for solvent cement jointing c)63-250 OD Class 3 plain and socket ended pipe for elastomeric sealing jointing	RITURAJ

Sl. No.	Firm Name & Address	State	Variety	Brand
361	AJAY INDL. CORPORATION LTDADDRESS:- 20/11, SITE IV, SAHIBABAD INDL. AREA DISTT. GHAZIABAD,,GHAZIABADPINCODE:-0	UTTAR PRADESH	Plain ended, Class 2, Size 63-110 mm Class 3, Size 40-110 mm (excluding 50 mm) Pressure Class 2, Size 125mm to 250mm, plain ended Pressure Class 3, Size 50mm as well as 125mm to 250mm, plain ended	-
362	PARAM PRODUCTS PRIVATE LIMITEDADDRESS:- PLOT NO.F-699, ROAD NO. 14 V.K.I. AREA,,JAIPURPINCODE:-302013	RAJASTHAN	90mm to 110mm OD Class 1 (WP 0.25MPa) - With Plain & Bell Ends 63mm to 110mm OD Class 2 (WP 0.4MPa) - With Plain & Bell Ends 50mm to 110mm OD Class 3 (WP 0.6MPa) - With Plain & Bell Ends 125mm to 180mm OD Class 1,2,3 - With Plain & Bell Ends 200mm to 315mm OD Class 3 (WP 0.6MPa) - Socketed Pipe for Elastometric Sealing Ring Jointing DN63 to DN315, Class-4, (WP 0.8MPa) - Plain ended Pipe & Socketed Pipe with Elastometric Sealing Ring Jointing	SHAKTI, Shakti, Shakti
363	RUNGTA IRRIGATION LTD.ADDRESS:- C-165, BULANSHAHAR ROAD, INDUSTRIAL AREA, GHAZIABAD,,GHAZIABADPINCODE:-201010	UTTAR PRADESH	Plain ended UPVC Pipes Class 1, 125 mm to 315 mm Class 2, 63 mm to 315 mm Class 3, 50 mm to 315 mm Class 5, 50 mm to 110 mm & 200 mm to 315 mm Socketed UPVC Pipes for Solvent Cement Jointing Class 2, 63 mm to 315 mm Class 3, 50 mm to 315 mm	RUNGTA

<b>Sl. No.</b>	<b>Firm Name &amp; Address</b>	<b>State</b>	<b>Variety</b>	<b>Brand</b>
364	PIONEER PLASTIC INDUSTRIESADDRESS:- A 135 OKHLA INDL AREA PHASE II,,DELHIPINCODE:-110020	DELHI	Unplasticised PVC Pipe for potable water supplies class 3, size 50 mm to 315 mm with Elastomeric sealing ring joints. Unplasticized PVC Pipes for Potable Water Supplies- Size63 mm X Class-2	PIONEER

Sl. No.	Firm Name & Address	State	Variety	Brand
365	KRITI INDUSTRIES (INDIA) LTD ADDRESS:- 75-86 SECTOR II ,,PITHAMPURPINCODE:-0	MADHYA PRADESH	<p>UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES having Class 4 with sizes from 125 mm upto and including 250 mm, with Plain ended pipes and Socketed for solvent cement jointing ,</p> <p>UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES having Class 5 with sizes from 20 mm upto and including 110 mm, with Plain ended pipes and Socketed for solvent cement jointing , UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES having Class 2 with sizes from 125 mm upto and including 315 mm, with Plain ended pipes and Socketed for solvent cement jointing , CLASS 2 (0.4 MPa), (63MM UPTO &amp; INCLUDING 315MM EXCLUDING 125MM) CLASS 3(0.6MPa) SIZE:40MM TO 315MM Bell End CLASS 3((0.6MPa)SIZE:200 MM TO 315MM) Plain End CLASS 4 (0.8 MPa), (63MM UPTO &amp; INCLUDING 315MM EXCLUDING 125MM) CLASS 6 (1.25 MPa), (140MM UPTO &amp; INCLUDING 315MM) Inclusion of New Varieties for following varieties:</p> <p>Sl.No. Description of Items 01. 20mm UPVC Plumbing pipes (Plain End) 02. 32mm UPVC Plumbing pipes (Plain End)</p>	KASTA

Sl. No.	Firm Name & Address	State	Variety	Brand
366	GWALIOR POLY PIPES LTD.ADDRESS:- PLOT NO.A-170-171, ROAD NO.6, INDRAPRASTHA INDUSTRIAL AREA,,,KOTAPINCODE:-0	RAJASTHAN	Unplasticized PVC Pipes for Potable Water Supplies 63,75,110, 125 to 315mm OD Class 2(WP 0.4 MPa) With Plain Ends 63 to 315mm OD Class 2(WP 0.4 MPa) With Bell Ends 63 to 315mm OD Class 3(WP 0.6 MPa) With Plain & Bell Ends 90 to 315mm OD Class 1(WP 0.25 MPa)With Plain & Bell Ends	GP
367	KOTHARI FINOLEX LTDADDRESS:- B-117,PITHAMPUR INDUSTRIAL AREA, SECTOR I, PITHAMPUR,,PITHAMPURPINCODE:-0	MADHYA PRADESH	Class 1(0.25MPa) Size 140,180 & 200mm Type Plain end and Bell end Class 2(0.4MPa) Size 140,160 & 180mm Type Plain end and Bell end Class 3(0.6MPa) Size 140,160 & 200mm Type Plain end and Bell end Class 5(1.0MPa) Size 160,180 & 200mm Type Plain end and Bell end	KOTHARI, NARMADA, KOTHARI
368	M/S KISAN IRRIGATIONS AND INFRASTRUCTURE LTD., (UNIT - II)ADDRESS:- PLOT NO.91-110, SECTOR NO.3, PITHAMPUR, ,,PITHAMPURPINCODE:-0	MADHYA PRADESH	Nominal Size 355 mm and 400 mm class-2 ,Socket Ended (Solvent Cement Joints) and Elastomeric Sealing Ring Joint Type,Plain end Type, CLASS 1 SIZE 90MM TO 110MM TYPE BELL END CLASS 2 SIZE 63MM TO 110MM TYPE BELL END CLASS 3 SIZE 40MM TO 110MM TYPE BELL END CLASS 4 SIZE 20MM TO 110MM TYPE BELL END	KISAN BOMBAY, KISAN

Sl. No.	Firm Name & Address	State	Variety	Brand
369	SIDDHARTHA MARKETING SERVICE LTD.,ADDRESS:- PLOT NO 63, INDUSTRIAL AREA, ,,MAKSIPINCODE:-0	MADHYA PRADESH	CLASS1 SIZE 90MM TO 180MM EXCEPT 125MM TYPE BELL END CLASS2 SIZE 63MM TO 180MM EXCEPT 125MM TYPE BELL END CLASS3 SIZE 40MM TO 180MM EXCEPT 125MM TYPE BELL END CLASS5 SIZE 20MM TO 180MM TYPE BELL END CLASS1,2,3,5 SIZE 200MM TYPE PLAIN END CLASS4(0.8MPa) SIZE 63MM UPTO & INCLUDING 180MM TYPE PLAIN END AND BELL END CLASS6(1.25MPa) SIZE 63MM UPTO & INCLUDING 180MM TYPE PLAIN END AND BELL END CLASS4(0.8MPa) SIZE 200MM TYPE PLAIN END, Nominal Size(DN), mm â 225mm; Class-2; Type of Ends- Plain End & Socket End for Solvent Cement Joining;	-



Sl. No.	Firm Name & Address	State	Variety	Brand
370	BALAJI IRRIGATION PRIVATE LIMITED ADDRESS:- H-133-135, ROAD NO. 5, RIICO INDUSTRIAL AREA,, RATANGARHPINCODE:-0	RAJASTHAN	UPVC Pipes for Potable Water Supplies 1)90mm to 110mm OD Class 1 Type Plain end pipe & Socketed Pipe with solvent Cement Jointing 2)63mm to 110mm OD Class 2 Type Plain end pipe & Socketed Pipe with solvent Cement Jointing 3)63mm to 110mm OD Class 3 Type Plain end pipe & Socketed Pipe with solvent Cement Jointing 1)125mm to 250mm Class-1, Plain end pipe & Socketed Pipe with solvent Cement Jointing 2)125mm to 250mm Class-2, Plain end pipe & Socketed Pipe with solvent Cement Jointing 3)125mm to 250mm Class-3, Plain end pipe & Socketed Pipe with solvent Cement Jointing UPVC Pipe DN 63mm to 200 mm with sockets for Elastomeric Sealing Ring Joints.	-
371	GAUTAM PLASTICS AND INDUSTRIES, ADDRESS:- 21-B, TIFRA INDUSTRIAL AREA,, BILASPURPINCODE:-0	CHHATTISGARH	CLASS 1 90mm TO 180mm PLAIN END AND BELL END CLASS 2 63mm TO 180MM PLAIN END AND BELL END CLASS 3 50MM TO 180MM PLAIN END AND BELL END CLASS 5 50MM TO 110MM PLAIN END AND BELL END CLASS 3(0.6MPa), Size:200mm, Type:socketed End for solvent cement jointing CLASS 5(1.0MPa), size:125 upto and including 180mm, Type:socketed End for solvent cement jointing	GAUTAM

Sl. No.	Firm Name & Address	State	Variety	Brand
372	KOTHARI FNALEX LIMITED ADDRESS:- E 206, ROAD NO.10, VISHWAKARMA INDUSTRIAL AREA,,,JAIPUR PINCODE:-302013	RAJASTHAN	Unplasticized PVC Pipes for Potable Water Supplies Plain Ended & Socketed Pipe for Solvent Cement Jointing 90 to 180 mm, Class-1 63 to 180 mm, Class-2 40 to 110 mm, Class-3 40 to 110 mm, Class 5 UPVC Socketed Pipe for Elastomeric Sealing Ring Joints 40 to 250 mm, Class-3 DN 280 to 315, class-3 with socketed elastomeric sealing ring joints & solvent cementing joints and plain end pipes. DN 40 to 315, class-4 with socketed elastomeric sealing ring joints and plain pipes.	KOTHARI
373	TEXMO PIPES AND PRODUCTS LIMITED, ADDRESS:- P.B.NO 35, 98 BAHADURPUR ROAD,,BURHANPUR PINCODE:-450331	MADHYA PRADESH	2(0.4MPa) SIZE 63MM UPTO & INCLUDING 315MM TYPE UPVC PIPES WITH SOCKETS FOR USE WITH ELASTOMERIC SEALING RING 3(0.6MPa) SIZE 63MM UPTO & INCLUDING 315MM 4(0.8MPa) SIZE 63MM UPTO & INCLUDING 315MM 5(1.0MPa) SIZE 63MM UPTO & INCLUDING 315MM Nominal Size (DN)- 200, 225, 250, 280 & 315. Class-1, Socketed end for Solvent Cement joining.	Texmo, S.M.I.

Sl. No.	Firm Name & Address	State	Variety	Brand
374	ARIHANT EVERGREEN AGRO PLAST & TEXTILES PVT.LTD.ADDRESS:- G-117-118, SITAPURA INDUSTRIAL AREA TONK ROAD,,JAIPURPINCODE:-0	RAJASTHAN	90mm to 110mm OD Class 1(WP 0.25MPa) With Plain & Bell Ends, 63mm to 110mm OD Class 2(WP 0.4MPa) With Plain & Bell Ends, 63mm to 110mm OD Class 3(WP 0.6MPa) With Plain & Bell Ends, 125-180mm OD,Class 1(0.25 MPa) With Plain & Bell Ends for solvent cement jointing; 125-180mm OD,Class 2(0.4 MPa)With Plain & Bell Ends for solvent cement jointing; 125-180mm OD,Class 3(0.6 MPa)With Plain & Bell Ends for solvent cement jointing; 63-180 mm OD Class 3 (0.6 MPa) with elasomeric Sealing Rings.	ROLEX
375	BHARAT IRRIGATION PRIVATE LIMITEDADDRESS:- KHASRA NO. 138/1, FATEHPUR VILLAGE, BASDA FATA, KHANDWA ROAD, BURHANPUR,,BURHANPURPINCODE:- 450331	MADHYA PRADESH	CLASS 2 63MM UPTO AND INCLUDING 110MM PLAIN AND BELL ENDED	TARO, LUBI, POONAM, KAPTAIN
376	ASHISH PIPESADDRESS:- B-57, SECTOR-81, PHASE-2, NOIDA,,,PINCODE:-201301	UTTAR PRADESH	CI-1,90 to 250mm plain ended, 63 to 250mm plain ended, CI-2, 3(socketed also) & 5; 25mm to 250mm, CI4, plain and socket ended	ASHISH

Sl. No.	Firm Name & Address	State	Variety	Brand
377	APOLLO PIPES LTD.ADDRESS:- KHASRA NO. 2928 & 2938, DHOOM MANIKPUR, DADRI,,PINCODE:-0	UTTAR PRADESH	Plain ended UPVC Pipes of Class 1 - 90 mm to 250 mm, Class 2 - 63 mm to 315 mm, Class 3 - 40 mm to 315 mm, Class 4 - 25 mm to 250 mm, Class 5 - 20 mm to 250 mm, UPVC Pipes (Socketed)for Potable Water Supplies Cement Jointing Class 2, 63 - 250 mm Class 3, 63 - 250 mm UPVC Pipes (Socketed)for Potable Water Supplies for Elastomeric Sealing Ring Class 3, 90 - 315 mm UPVC Pipes for Potable Water Supplies with Sockets for elastomeric sealing ring Class 3, Size 63-75 mm, Class-4; Size 355 mm, 400 mm & 450 mm ; Plain and Socketed pipe for solvent cement jointing Class-5; Size 355 mm, 400 mm & 450 mm ; Plain and Socketed pipe for solvent cement jointing	APOLLO

Sl. No.	Firm Name & Address	State	Variety	Brand
378	MODI SPRINKLERS PRIVATE LIMITED ADDRESS:- C-30, RIICO INDUSTRIAL AREA, KALADERA,,CHOMU PINCODE:-303801	RAJASTHAN	Unplasticized PVC Pipes for Potable Water Supplies Plain Ended & Socketed Pipe for Solvent Cement Jointing 1) 90 to 110 mm and 140 to 180 mm, Class-1, 2) 63 to 110 mm and 140 to 180 mm, Class-2 3) 50 to 110 mm and 140 to 180 mm, Class-3 4) 50 to 110 mm, Class-5 Plain Ended & Socketed Pipe 1)200,225 & 250mm, Class-1 with Solvent Cement Jointing 2)200,225 & 250mm, Class-3 with Solvent Cement Jointing 3)63 to 110mm, Class-3 with Elastomeric sealing Ring Joints 4)125 to 200mm, Class-3 with Elastomeric sealing Ring Joints	Modi
379	VISHAL PIPES LTD. (UNIT NO. III) ADDRESS:- A 68 & A-68/1 INDUSTRIAL AREA, SIKANDRABAD UTTAR PRADESH ,,SIKANDRABAD PINCODE:-203205	UTTAR PRADESH	Class 1 - 90mm to 250mm Class 2 - 63mm to 250mm Class 3 - 63mm to 250mm UPVC Pipes for Potable water supplies, Socketed for solvent cement jointing Class 2, Size 63-250 mm Class 3, Size 63-250 mm UPVC Pipes for Potable water supplies Socketed for Solvent Cement jointing Class 4, Size 40-250 mm Class 5, Size 40-250 mm Socketed for elastomeric sealing ring jointing Class 3, Size 63-250 mm	VPL INDIA

Sl. No.	Firm Name & Address	State	Variety	Brand
380	TIJARIA POLYPIPES LIMITED ADDRESS:- SP-1-2316 RAMCHANDRAPURA INDUSTRIAL AREA SITAPURA EXTN.,,JAIPUR PINCODE:-302022	RAJASTHAN	Class 1, 90 to 180mm Plain and Class 2, 63 to 180mm Bell Class 3, 40 to 110mm Ended Class 3, 40 to 110mm Socket with Elastomeric Ring Class 3, 125 to 180mm Plain & Bell Ended Class 3, 125 to 180mm Socket with Elastomeric Ring Plain & Socket Ended Pipe for Solvent Cement Jointing (1)280 & 315 mm, Class-1 (2)280 & 315 mm, Class-2 (3)280 & 315 mm, Class-3 Socket Ended with Elastomeric Sealing Ring Jointing (1) 280 & 315 mm, Class-3 Socket Ended with Elastomeric Sealing Ring Jointing (i) 125 to 315 mm, Class-4, (ii) 125 to 315 mm, Class-5 Plain & Socket Ended Pipe for Solvent Cement Jointing (i) 125 to 180 mm, Class-4 125 to 180 mm, Class-5 (i) 200 to 315 mmm, Class-4, Plain & Socket Ended Pipe for Solvent Cement Jointing (ii) 200 to 315 mm, Class-5, Plain & Socket Ended Pipe for Solvent Cement Jointing (iii) 90 to 315 mm, Class-2, Socket Ended with Elastomeric Sealing Ring Jointing	VIKAS, TIJARIA
381	KRISHNA POLYPIPE PRIVATE LIMITED ADDRESS:- 110/A- 2, SECTOR-1 ,INDUSTRIAL AREA ,,PITHAMPUR PINCODE:- 0	MADHYA PRADESH	CLASS 2, 63MM TO 110MM., CLASS 2(0.40MPa), SIZE:125MM TO 180MM, TYPE:PLAIN END AND BELL END, CLASS 3(0.60MPa)SIZE:63MM TO 180MM, TYPE:PLAIN AND BELL END	KRISHNA

Sl. No.	Firm Name & Address	State	Variety	Brand
382	KAMLESH AGROTECHADDRESS:- 889,890,891&892, SECTOR-D, INDUSTRIAL AREA, URLA, RAIPUR,,PINCODE:- 493221	CHHATTISGARH	3 (0.6 MPa) 200MM, TYPE PLAIN END AND SOCKET END FOR SOLVENT CEMENT JOINTING, 1 (0.25 MPa) 140MM UPTO AND INCLUDING 200MM, TYPE PLAIN END AND SOCKET END FOR SOLVENT CEMENT JOINTING, 5 (1.0 MPa) 140MM UPTO AND INCLUDING 200MM, TYPE PLAIN END AND SOCKET END FOR SOLVENT CEMENT JOINTING, 5 (1.0 MPa) 63MM UPTO AND INCLUDING 110MM, TYPE PLAIN AND BELL END, 3 (0.6 MPa) 63MM UPTO AND INCLUDING 110MM, TYPE PLAIN AND BELL END, 3 (0.6 MPa) 140MM UPTO AND INCLUDING 180MM, TYPE PLAIN AND BELL END, CLASS 2(0.4MPa), SIZE 63MM UPTO INCLUDING 200MM, TYPE PLAIN AND BELL END	KAMLESH
383	ANKIT IRRIGATION PVT. LTD.ADDRESS:- F-120-121, KHATUSHYAMJI INDUSTRIAL COMPLEX ,,REENGUSPINCODE:-0	RAJASTHAN	63mm to 180mm OD, Class 2 Plain & socket ended pipe with solvent cement Jointing and 63mm to 180mm OD, Class 3 Plain & socket ended pipe with solvent cement Jointing	KHANDELWAL, ANKIT SUPER

Sl. No.	Firm Name & Address	State	Variety	Brand
384	ORI PLAST LIMITED ADDRESS:- F-188(K&L), RIICO INDUSTRIAL AREA, PHASE-II,,BEHRORPINCODE:-301701	RAJASTHAN	(i) 90mm to 200mm OD Class 1, Plain Ended & Socketed Pipe for Solvent Cement Jointing (ii) 63mm to 180mm & 200mm OD Class-2, Plain Ended & Socketed Pipe for Solvent Cement Jointing (iii) 40mm to 110mm OD, Class-3, Plain Ended & Socketed Pipe for Solvent Cement Jointing (iv) 125mm to 200mm OD, Class-3, Plain Ended & Socketed Pipe for Solvent Cement Jointing (v) 110 & 200 mm, Class-3, Socketed Pipe for Elastomeric Sealing Ring Jointing (i) 225 mm, Class-2 & 3, Plain & Socket Ended for Solvent Cement Jointing (ii) 180 mm, Class-3, Socketed Pipe for Elastomeric Sealing Ring Jointing. 63, 90, 140 & 160 mm, Class-3, Socketed Pipe for Elastomeric Sealing Ring Jointing 20-225mm OD Plain ended & socketed end for solvent cement jointing, Class-5(PN10) (i) From DN 25 upto and including DN 110mm, Class-4 (0.8MPa) (ii) From DN 125mm upto and including DN 225mm, Class-4 (0.8MPa) DN 75mm, Class 3 (WP 0.6 MPa) with elastomeric sealing ring jointing	ORI-PLAST



Sl. No.	Firm Name & Address	State	Variety	Brand
385	JAMNA IRRIGATION PVT. LTD ADDRESS:- B-139 (C), ROAD NO.12, VISHWAKARMA INDUSTRIAL AREA, JAIPUR,,JAIPUR PINCODE:-302013	RAJASTHAN	(1) 63mm to 110mm, Class 2 (WP 0.4MPa), Plain End and Socketted End for Solvent Cement Jointing (2) 40mm to 110mm, Class 3 (WP 0.6MPa), Plain End and Socketted End for Solvent Cement Jointing Included wef 19/04/2006; a) 63mm to 200mm, Class 3 (WP 0.6MPa), Socketted Pipe for Elastomeric Sealing Ring Jointing Included wef 13/07/2006; b) 125-275 mm Class 1(WP 0.25 Mpa) Plain Ended and Socketted pipe for Solvent Cement Jointing Included wef 29/03/2012; c) Plain Ended and Socketted pipe for Solvent Cement Jointing 90 mm to 110 mm Class-1,125-250 mm class 2 & 125 -250mm Class-3.	-
386	HIMACHAL POLYMERS (P) LTD ADDRESS:- A-32, SECTOR-58, NOIDA,,, PINCODE:-201301	UTTAR PRADESH	Class 2-size 63mm to 225mm plain ended, Class 3-size 40mm to 225mm plain ended, class 4-size 40mm to 250mm plain & socket ended solvent cement jointing.	-

Sl. No.	Firm Name & Address	State	Variety	Brand
387	MIRAJ PIPES & FITTINGS PVT. LTD.,ADDRESS:- 3 RD FLOOR, KIRTI PLAZA, PANCHWATI, UDAIPUR,,UDAIPURPINCODE:-313001	RAJASTHAN	1)90 to 200 mm (excluding 125 mm) Class 1 (WP 0.25 MPa) Plain & Socketed Pipe for Solvent Cement Jointing; 2)63 to 200 mm (excluding 125 mm) Class 2 (WP 0.40 MPa) Plain & Socketed Pipe for Solvent Cement Jointing; 3)63 & 75 mm Class-3 (WP 0.60 MPa) Plain & Socketed Pipe for Solvent Cement Jointing; Included wef 28/06/2007; a)225 & 250 Class 1 (WP 0.25 MPa) Plain & Socketed Pipe for Solvent Cement Jointing; b)225 & 250 Class 2 (WP 0.40 MPa) Plain & Socketed Pipe for Solvent Cement Jointing; c)90 & 110 Class 3 (WP 0.60 MPa) Plain & Socketed Pipe for Solvent Cement Jointing; Included wef 31/01/2013; 1)DN 40 to 50 & 140 to 315 Class 3 with Plain Ended & Solvent Cement Jointing; 2)DN 63 to 200 (excluding 125) Class 3 with Plain Ended & Elastomeric Sealing Ring Socket; Included wef 29/10/2014; a)DN 125mm, Class-1 (0.25MPa and From DN 280mm upto and including DN 315mm, Class-1 (0.25MPa) Plain Ended and Socketted Pipes for Solvent Cement Jointing; b)From DN 63mm upto and including DN 110mm, Class-2 (0.4MPa)	MIRAJ

Sl. No.	Firm Name & Address	State	Variety	Brand
388	SHREE SADAFAL COLD STORAGE PVT LTDADDRESS:- E-340 A, ROAD NO.17, VISHWAKARMA INDUSTRIAL AREA,,,JAIPURPINCODE:-302013	RAJASTHAN	A) 90mm TO 160mm (except 125mm)OD CLASS 1,PLAIN ENDED & SOCKETED END FOR SOLVENT CEMENT JOINTING. B) 63mm TO 160mm (except 125mm)OD CLASS 2,PLAIN ENDED & SOCKETED END FOR SOLVENT CEMENT JOINTING. C)63mm TO 110mm OD CLASS 3,PLAIN ENDED & SOCKETED END FOR SOLVENT CEMENT JOINTING. Included wef 13/12/2007 (1) Socketed Pipe for Elastomeric Sealing Ring Jointing, 63 to 160 mm, Class-3 (excluding 125 mm) (2) Plain & Socketed Pipe for Solvent Cement Jointing, 140 to 200 mm, Class-3 Included wef 14/02/2013; 1) UPVC Pipe DN180 to DN280, Class-1, Plain end Pipe & Socketed pipe with Elastomeric Sealing Ring Jointing 2) UPVC Pipe DN180 to DN280, Class-2, Plain end Pipe & Socketed pipe with Elastomeric sealing Ring Jointing	H.K. BAJAJ, Sadafal, sadafal
389	DIMPLE PLASTIC PVT. LTD.,ADDRESS:- C-43, WAZIRPUR INDL. AREA,,PINCODE:-110052	DELHI	UPVC pipes for potale water supply for following classes and sizes Class 2 63 mm to 200 mm plain ended Class 3 40 mm to 200 mm plain ended Class 5 20 mm to 200 mm plain ended	Setia

Sl. No.	Firm Name & Address	State	Variety	Brand
390	G G POLYPLAST PVT. LTD.ADDRESS:- G-1021-1022, PHASE-III, SITAPURA INDUSTRIAL AREA, TONK ROAD,,,JAIPURPINCODE:-0	RAJASTHAN	i) Plain Ended & Socketed Pipe for Solvent Cement Jointing (a)90 to 315 mm, Class-1 (WP=0.25 MPa), (b) 63 to 315 mm, Class-2 (WP=0.4 MPa) and (ii) Plain Ended & Socketed Pipe for Solvent Cement Jointing & elastomeric sealing ring joints. 63 to 315 mm, Class-3 (WP=0.6 MPa) . From DN 125mm upto and including DN 315mm Class 2(0.4MPa) plain ended and socketted pipes for Elastomeric sealing ring jointing.	-
391	TIRUPATI TUBES ( A UNIT OF TIRUPATI STRUCTURALS LTD.)ADDRESS:- 50/5 & 50/6, INDUSTRIAL AREA, SITE IV, SAHIBABAD ,,PINCODE:-0	UTTAR PRADESH	Cl-1(0.25 MPa), Size 90-315 mm;Cl-2(0.4 MPa), Size 63-110 mm; Cl- 3(0.6 MPa), Size 40-315 mm;Cl-5(1.0 MPa), Size 20-315 mm UPVC Pipes for Potable Water Supplies, Plain ended & Socketed Solvent cement jointing Cl 2 Size 125-315 mm	TSL Tirupati, TSL TIRUPATI,TIRUPATI,U PLAST,TTC TRISHUL
392	METRO UDYOGADDRESS:- A-82, MANGOLPURI INDL. AREA,,PHASE-II,,NEW DELHIPINCODE:-110034	DELHI	Unplasticized PVC Pipes for potable water supplies for Class- 1 90 to 110mm Class- 2 63 to 200mm Class- 50 to 110mm	metro Gold Coin
393	JVS FOODS PVT. LTD.ADDRESS:- G-220, SITAPURA INDUSTRIAL AREA TONK ROAD,,,JAIPURPINCODE:- 303905	RAJASTHAN	POWDER FORM	Not Applicable, NA
394	GOYAL PIPE INDUSTRIESADDRESS:- E-19, INDUSTRIAL AREA,,SRIMADHOPURPINCODE:-332715	RAJASTHAN	Plain & Socket Ended for Solvent Cement Jointing (i) 63 to 225 mm, (Except 125 mm ), Class-2 and (ii) 50 to 110 mm, Class-3	GOYAL

Sl. No.	Firm Name & Address	State	Variety	Brand
395	VENKATESH INDIGENOUS PIPES PVT LTDADDRESS:- PLOT NO. 53, SECTOR B, INDUSTRIAL AREA,,MANDIDEAPPINCODE:-462046	MADHYA PRADESH	ClassPN,1(0.25MPa)90mm upto and including 110mm,Plain and Socketed; ClassPN,2(0.4MPa)63mm upto and including 200mm,Plain and Socketed; ClassPN,3(0.6MPa)40mm upto and including 200mm,Plain and Socketed; ClassPN,4(0.8MPa)25mm upto and including 200mm,Plain and Socketed; Class PN,5 (1.0MPa) Size:DN20mm upto and including DN200mm	VIP, SARAL, SWADESHI
396	NIRCON POLYMERS PVT. LTD.ADDRESS:- G-692/693, INDUSTRIAL AREA, SITAPURA EXTN. TONK ROAD,,JAIPURPINCODE:-302023	RAJASTHAN	Unplasticized PVC Pipes for Potable Water Supplies (i) 90 to 200 mm, (Excluding 125 mm), Class-1, Plain & Socket Ended Pipe for Solvent Cement Jointing (ii) 75 to 200 mm, (Excluding 125 mm), Class-2, Plain & Socket Ended Pipe for Solvent Cement Jointing (iii)63 to 200 mm, (Excluding 125 mm), Class-3, Plain & Socket Ended Pipe for Solvent Cement Jointing Included wef 09/07/2007; 63 mm Class 2 plain and socket ended pipe for solvent cement jointing Included wef 11/01/2010; 63 to 160mm (Excluding 125mm), Class-3 UPVC Pipes with Elastomeric Sealing Ring Joints	Nircon

Sl. No.	Firm Name & Address	State	Variety	Brand
397	KATARIA PLASTICS PVT LTD ADDRESS:- 39-44A, INDUSTRIAL AREA,, RATLAMPINCODE:-457001	MADHYA PRADESH	Nominal Size, mm - 355, 400, 450 & 500. Class-2 & 3, Plain end & Socketed end for Solvent Cement joining. Nominal Size, mm - 63 to 315. Class-2, Socketed end for Elastomeric Sealing ring joint.	KATARIA
398	VECTUS INDUSTRIES LTD. ADDRESS:- PLOT NO.26, SECTOR 2, IIE, SIDCUL INDUSTRIAL AREA,, HARIDWAR PINCODE:-0	UTTARAKHAND	i) CI 1, size 90-110mm, plain ended & 125-200mm plain ended & socketed ii) CI 2, size 63-200mm, Plain ended & socketed iii) CI 3, size 50-200mm, plain ended & socketed UPVC Pipes for potable water supplies, Class 5, Plain ended, 20-100 mm Socketed solvent cement jointing, 40-110 mm Class 3, Plain ended & socketed for solvent cement jointing, 40 mm UPVC Pipes for Potable water supplies Plain ended and socket ended for solvent cement jointings i) Size 225-250 mm, Class 1 ii) Size 225-250 mm, Class 2 iii) Size 225-250 mm, Class 3 iv) Size 125-250 mm, Class 5	VECTUS
399	FAIR POLYMERS ADDRESS:- C-32, SECTOR - 7, NOIDA,, PINCODE:-201301	UTTAR PRADESH	Unplasticized PVC Pipes for Potable Water Supplies with or without socket for solvent cement jointing, size 63mm to 225mm, Class 2 & 3	-

Sl. No.	Firm Name & Address	State	Variety	Brand
400	AGARWAL INDUSTRIESADDRESS:- F-157, INDUSTRIAL AREA SARNA DUNGAR JHOTWARA,,JAIPURPINCODE:-0	RAJASTHAN	i) 90 mm to 110 mm, Class-1(WP-0.25 MPa) ii)63 mm to 110 mm, Class-2(WP-0.4 MPa) iii)63 mm to 110 mm, Class-3(WP-0.6 MPa) 1)DN140, DN160, DN180 Class-1 Socketed Pipe for solvent cement jointing 2)DN140, DN160, DN180, Class-2 Socketed Pipe for solvent cement jointing 3)DN140, DN160, DN180, Class-3 Socketed Pipe for solvent cement jointing	-
401	PADMAVATI PIPES & FITTINGS INC.ADDRESS:- 16-17 KM STONE, VILLAGE-RAIPUR, KHASRA NO.71, P.O.BHAGWANPUR, ROORKEE ,,BHAGWANPURPINCODE:-0	UTTARAKHAND	i) Cl 1, size 90-250mm, ii) Cl 2, size 63-250mm, iii) Cl 3, size 40-250mm, iv) Cl 4, size 25-110mm, v) Cl 5, size 20-250mm	PADMAVATI

Sl. No.	Firm Name & Address	State	Variety	Brand
402	JAIN POLYMERSADDRESS:- KRISHNA DHARAM KANTA, M.I.AREA, BASNI-II, PHASE,,JODHPURPINCODE:-0	RAJASTHAN	Unplasticized PVC Pipes for Potable Water Supplies for i) 63 mm to 110 mm Class-2 Plain Ended and Socketed Pipe with solvent Cement Jointing ii) 40 mm to 110 mm, Class-3 Plain Ended and Socketed Pipe with solvent Cement Jointing Included wef 10/07/2009; a) 63, 75, 90 and 110 Class 3 with elastomeric sealing ring jointing. Included wef 12/10/2009; a) 140 and 160 Class 1 and Class 2 with sockets for solvent cement jointing. Included wef 03/05/2011; 1) 110 and 200 mm Class 1 plain ended and socketed pipes with solvent cement jointing 2) 200 mm Class 2 plain ended and socketed pipes with solvent cement jointing Included wef 17/02/2017; 1) Nominal outside diameter from 125 mm upto and including 250 mm Class 3 90.6 MPa) plain socketed pipes with solvent cement jointing	ORKAY GOLD, JAINSURYA



Sl. No.	Firm Name & Address	State	Variety	Brand
403	VIKAS TUBESADDRESS:- 90-91 INDUSTRIAL AREA,,MANDSAURPINCODE:-458001	MADHYA PRADESH	Class (PN):1(0.25Mpa); Size (OD):90, 110mm,140, 160, 180 & 200 mm Type: plain and socketed pipe for solvent Cement joining, Class (PN):2(0.40Mpa); Size (OD):63, 75, 90, 110, 140, 160, 180 & 200 mm, Type: plain and socketed pipe for solvent Cement joining, Class (PN):3(0.60Mpa); Size (OD):40,50,63,75,90,110,140, 160, 180 & 200 mm, Type: plain and socketed pipe for solvent Cement joining,Class (PN):5; Size (OD):40 to 200 mm excluding 125 mm, Type: plain and socketed pipe for solvent Cement joining.	suyash, SUYASH
404	TIRUPATI STRUCTURALS LTD.ADDRESS:- PLOT NO.214, KHASRA NO.212 TO 216, LAKESHERI INDUSTRIAL AREA, PARAGANA, BHAGWANPUR ROORKEE,,ROORKEEPINCODE:-0	UTTARAKHAND	UPVC Pipes for Potable Water Supplies, Plain ended & Socketed: Cl 1, size 90-315 mm, Cl 2, size 63-400 mm, Cl 3, size 40-400 mm, cl 4, size 25-315 mm, Cl 5, size 20-315 mm, Cl 6, size 20-315 mm, UPVC Pipes for Potable Water Supplies, with sockets for use with elastomeric sealing ring Class 2,63-315mm Class 3,63-315mm Class 4,63-315mm	TSL- TIRUPATI

Sl. No.	Firm Name & Address	State	Variety	Brand
405	RATHI POLYPLAST PVT LTD.ADDRESS:- F-48-49, KALADERA INDUSTRIAL AREA, KALADERA,,KALADERAPINCODE:-303801	RAJASTHAN	(1) 125mm to 180mm , Class-1,with socket ended pipe for solvent cement jointing (2)63 mm to 180 mm Class-2 with socket ended pipe for solvent cement jointing. (3)63 to 110 mm, Class 3 with Elastomeric Sealing Rings. 90- 110mm Class -1 Plain Ednded & Socketted Pipe for Solvent Cement Jointing, Class -1. (a) From DN 125mm upto & including DN 200mm, Class 3 (0.6MPa) Plain and Socketted Pipes for Elastomeric Sealing Jointing (b) From DN 63mm upto & including DN 110mm, Class 3 (0.6MPa) Plain and Socketted Pipes for Solvent Cement Jointing	RATHI
406	AKG EXTRUSIONS PVT. LTD.ADDRESS:- B-39, SECTOR-80, PHASE-II NOIDA,,PINCODE:-201301	UTTAR PRADESH	-	AKG

Sl. No.	Firm Name & Address	State	Variety	Brand
407	DINESH IRRIGATION PRIVATE LIMITED ADDRESS:- 86 B II, JHOTWARA INDUSTRIAL AREA,,JAIPUR PINCODE:- 302012	RAJASTHAN	UPVC Pipes for Potable Water Supplies for following varieties: i) 90 mm to 180 mm OD, Class-1 Plain Ended and Socketed Pipe for Solvent Cement Jointing ii) 63 mm to 180 mm OD, Class-2, Plain Ended and Socketed Pipe for Solvent Cement Jointing iii) 40 to 110 mm OD, Class-3, Plain Ended and Socketed Pipe for Solvent Cement Jointing iv) 125 to 315 mm Class-3, Socket Ended with Elastomeric Sealing Ring. Included wef 27/08/2009: 125-180 mm Class 3, Socket end 200- 315 mm Class 2, Socket end 200-315 mm Class 1, Socket end 40-110 mm Class 3, Elastomeric Sealing Ring Included wef 01/09/2011: DN75 to DN315, Class-4(PN 0.80MPa), Plain ended Pipe & Socketed pipe with Elastomeric Sealing Ring Jointing Included wef 31/01/2013: DN 20 to 110 Class-5, DN 125 to 180 class-5 plain ended pipes & Elastomeric sealing ring socket ended pipes. a) Nominal outside diameter 125, 140, 160, 180, 200, 250, 280 and 315 mm Class 2(0.4 MPa) both plain and socketed with elastomeric sealing ring jointing	dinesh, DINESH

Sl. No.	Firm Name & Address	State	Variety	Brand
408	DEV PLAST PRIVATE LIMITED ADDRESS:- C-15 UPSIDC INDUSTRIAL AREA, NAINI,,ALLAHABAD PINCODE:- 211010	UTTAR PRADESH	UPVC pipes for Potable Water Supplies ,plain ended Class 2- sizes 63,90,110,140 OD; Class 3- sizes 63,90,110,140 and 160 mm OD. UPVC Pipes for Potable Water Supplies, Plain ended for solvent cement jointing Class IV, Nominal Size DN 110 only and Class 5, Nominal Size DN 110 only as per IS 4985 : 2000, Unplasticized PVC pipes for potable water supplies, Class-3, Size DN 75mm, plain ended.	Devplast
409	REKAN INDUSTRIES LIMITED ADDRESS:- PLOT NO. B-4, SITE-1, INDUSTRIAL AREA, ,,UNNAO PINCODE:-209801	UTTAR PRADESH	-	RIL
410	SWASTICK TUBES (P) LTD ADDRESS:- E-5, INDUSTRIAL AREA, SITE-1, ROAD NO.3,,,UNNAO PINCODE:-0	UTTAR PRADESH	, Class-2, Sizes from DN 125mm upto and including DN 315mm, socket ended for elastomeric sealing ring jointing.	-
411	AKASH GANGA PIPES & TUBES (P) LTD ADDRESS:- VILLAGE & POST- GADIA, NEAR SAFEDABAD RAILWAY CROSSING, FAIZABAD ROAD,,,BARABANKI PINCODE:- 225001	UTTAR PRADESH	-	ISI
412	ATUL PUMPS (P) LTD, UNIT II ADDRESS:- NUNHAI, FIROZABAD LINK ROAD,,,AGRAPINCODE:-282006	UTTAR PRADESH	Unplasticized PVC pipes for potable water supply, Plain ended Class 1, size 90mm upto and including 315mm Class 2, size 63mm upto and including 315mm Class 3, size 40mm upto and including 315mm UPVC Pipe with socket ended for elastomeric sealing ring joints : Class -3, sizes 63 mm to 315 mm	Swaraj, Atul

Sl. No.	Firm Name & Address	State	Variety	Brand
413	RUKMINI POLYTUBES PVT LTD,ADDRESS:- 43KM STONE, NH 10, SHIV UDYOG VIHAR,P.O. ASAUDA,,BAHADURGARHPINCODE:-124505	HARYANA	Elastomeric Ring Type, Class 3 (0.6 Mpa), Size 90 mm upto including 110 mm, Class 2 3, Size 200 mm to 250 mm OD, socket end for solvent cement jointing, A.Plain end Class 1, Size 90mm upto including 110mm, Class 2, Size 63mm upto including 180mm, Class 3, Size 40mm upto including 180mmB.Socket ended pipe solvent cement joint Class 1, Size 125mm upto including 315mm, Class 2, Size 63mm upto including 180mm, Class 3, Size 40mm upto including 180mm	Rukmini
414	NAVSHIKHA POLYPACK INDUSTRIES PVT LTDADDRESS:- 194, UDYOG VIHAR, PHASE 1, ,,GURGAONPINCODE:- 122016	HARYANA	Class 4 ( 0.80 MPa), Plain Ended Pipes and Socketed for Solvent Cement Jointing, Size 25 mm to 110 mm DN, Class 3, Size 40DN to 110DN, Class 2, size 63DN to 110DN	POLYPACK
415	NIRMAL POLYFAB PVT. LTDADDRESS:- 2 KM MILESTONE, DELHI ROAD,,REWARI PINCODE:-123401	HARYANA	Unplasticized PVC Pipes for Potable Water Supplies, Plain ended, class-4,size- 63 mm upto and including 180 mm	-
416	AMBICA POLYTUBESADDRESS:- 13/22 A, NUNHAI,,AGRAPINCODE:-282006	UTTAR PRADESH	UPVC pipes for potable water supplies for the following sizes & classes, plain ended Class 1 size 90 to 110mm Class 2 size 63 to 180mm,200 & 225mm Class 3 size 40 to 180mm Class 5 size 40 to 110mm	TRIMURTI, AMBICA
417	ROHIT WRAPPERSADDRESS:- MEHLAKPUR ROAD, AGWANPUR,,,PINCODE:-244001	UTTAR PRADESH	CLASS-2, 63MM TO 110MM OD, CLASS-3, 40MM TO 110MM OD,PLAIN ENDED	HACTARE

Sl. No.	Firm Name & Address	State	Variety	Brand
418	HORIZON POLYMERS ADDRESS:- 21 & 22, INDUSTRIAL COMPLEX, GOINDWAL SAHIB DISTT: AMRITSAR ,,PINCODE:-0	PUNJAB	Class-1 Size 90mm to 250mm Class-2 Size 63mm to 250mm Class-3 Size 40mm to 250mm Class-5 Size 40mm to 250mm	SHEETAL, JINDAL, DEEPAK
419	AMBA POLY PLAST LIMITEDADDRESS:- VILLAGE BHAGWANPUR, BARWALA ROAD,,DERABASSIPINCODE:-0	PUNJAB	CLASS-1,2,3,5	POLY INDIA, POLY PLAST
420	VINYL TUBES PVT LTDADDRESS:- C-19, UPSIDC, INDUSTRIAL AREA,NANAGOAN ROAD, KOSIKALAN,,PINCODE:-0	UTTAR PRADESH	Unplasticized pipes for potable water supplies of Plain and socketed end of a)Class - 2 DN 125 to DN 315, b)Class - 3 DN 125 to DN 315, c)Class - 4 DN 25 to DN 110, and d)Class - 5 DN 25 to DN 315,	-

Sl. No.	Firm Name & Address	State	Variety	Brand
421	PRAKASH PIPES LIMITED ADDRESS:- 5 KM STONE, MORADABAD ROAD, KASHIPUR,,KASHIPUR PINCODE:-0	UTTARAKHAND	1. Plain ended/Class1,90 to 110 mm, 125 to 315 mm Except 280 mm. 2. Plain ended/Class2, 63 to 110mm, 125 to 315mm except 280mm. 3. Plain ended/Class3, 40 to 110mm, 125 to 315mm excepts 280mm 4. Plain ended/Class5, 40 to 110mm, 125 to 315mm except 280mm, Plain and Socket Ended pipe, Class 1, 90 mm to 315 mm except 280 mm, Plain and Socket Ended pipe, Class 3, 40 mm to 315 mm except 280 mm, Plain and Socket Ended pipe, Class 5, 40 mm to 315 mm except 280 mm, Socket ended/Class 4 and Class 6, uPVC Pipes sizes 40 to 110 mm, 125 to 315 mm except 280 mm, Class 4 and Class 6, Plain Ended and Socket Ended for Solvent cement jointing , Size 40mm to 315mm except 280mm	PRAKASH GOLD

Sl. No.	Firm Name & Address	State	Variety	Brand
422	AJAY POLYMERSADDRESS:- 14TH K.M. STONE, DELHI ROAD,,HISARPINCODE:-125005	HARYANA	UNPLASTICISED P V C PIPES FOR POTABLE WATER SUPPLIES PLAIN ENDED CLASS1, 90MM TO 280MM,CLASS 2,63MM TO 280MM, CLASS 3, 40MM TO 280MM, CLASS 4, 40MM TO 280MM, CLASS 5, 40MM TO 280MM,AND CLASS 6,40MM TO 280MM. Plain and Socketed End, Class 2-63 mm to 280 mm, Class 3- 40 mm to 280 mm,Class 5 - 20 mm to 110 mm Socketed pipe of class I from size 90mm to 280mm ODC (u-P.V.C Pipe). Socket ended uPVC pipes, Class 4 40-280mm and Class 5 125-280mm, Plain ended pipe and socketed pipe for solvent cement jointing for Class of Pipe: 4 (PN: 0.80 MPa) and Nominal Sizes: 25 mm and 32 mm	ravindera hissar,ajay polymer,niraj hisar, , AJAY PLAST
423	NATIONAL TIN INDUSTRIESADDRESS:- MEHLAN ROAD SANGRUR 148001,,SANGRURPINCODE:-0	PUNJAB	-	other



Sl. No.	Firm Name & Address	State	Variety	Brand
424	THE SUPREME INDUSTRIES LIMITED ADDRESS:- H-1 TO H-5, UPSIDC, INDUSTRIAL AREA, JAINPUR,,KANPUR PINCODE:-209311	UTTAR PRADESH	UPVC Pipes for potable water supplies, socketed pipes for solvent cement jointing only, Class 2 and 3, Sizes from 125 mm upto and including 180 mm 125mm to 315mm Class-1 UPVC Pipes Socket Ended & Plain Ended: Class - 1, 0.25 Mpa, Sizes DN 90 mm to 110 mm Class - 2, 0.40 Mpa, Sizes DN 63 mm to 110 mm Class - 3, 0.60 Mpa, Sizes DN 40 mm to 110 mm Class - 5, 1.0 Mpa, Sizes DN 20 mm to 110 mm A. UPVC Pipe for potable water supplies, Type - Plain Ended, Size - 125 mm up to and including 315 mm of Class - 1,2,3 & 5. B. UPVC Pipe for Plumbing in buildings, Type - Plain Ended, Size - 20 mm, 25 mm, 32 mm, 40 mm & 50 mm. UPVC Pipe for potable water supplies solvent cement Jointing: Class - 4, Sizes - 25 mm upto and including 315 mm. UPVC pipes for potable water supply class-2 and class-3 sizes 125 mm to 315 mm with sockets for elastomeric sealing ring sockets	Supreme
425	HARI PIPE INDUSTRIES ADDRESS:- E-98, SITE A, INDUSTRIAL AREA,,, PINCODE:-0	UTTAR PRADESH	CLASS 1, DN 90MM TO 110MM CLASS 2, DN 63MM TO 110MM, DN 125MM TO 225MM CLASS 3, DN 40MM TO 110MM, CLASS 4, DN 25MM TO 110MM, WITH PLAIN ENDED	AMARGANGA

Sl. No.	Firm Name & Address	State	Variety	Brand
426	SUPREME POLYTUBES PVT. LTD.ADDRESS:- VILLAGE: BARDWAL (OUT OF OCTROI) BAGRIAN ROAD, (DHURI)-148024.,,PINCODE:-0	PUNJAB	UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES FOR PLAIN AND SOCKET ENDED FOR SOLVENT CEMENT JOINTING, FOR SIZES AND CLASS 1. CLASS-1,(0.25MPa)SIZE FROM DN 90MM UPTO & INCLUDING DN 250MM 2. CLASS-2,(0.40MPa)SIZE FROM DN 63MM UPTO & INCLUDING DN 250MM 3. CLASS-3,(0.60MPa)SIZE FROM DN 40MM UPTO & INCLUDING DN 250MM 4. Class-5, Size - DN 32 mm to DN 250 mm	Poly Gold, DIAMONDPLAST,SHIVALIC,P OLYGOLD
427	PREMIER ALLOYS LIMITEDADDRESS:- B-54 & 55, UPSIDC INDUSTRIAL AREA MALWAN FATEHPUR,,FATEHPURPINCODE:-0	UTTAR PRADESH	UPVC Pipes	premier
428	R K SHAH POLYTUBESADDRESS:- K-47/344, VISHESWARGANJ,,,PINCODE:-221001	UTTAR PRADESH	-	RKT
429	SUPER INDUSTRIAL CORPORATIONADDRESS:- C-67, FOCAL POINT, PATIALA,,PATIALAPINCODE:-147002	PUNJAB	Unplasticized PVC pipes for potalbe water supplies, plain ends,socket ends for Solvent Cement Jointing,Class 1,Sizes -90 mm to 250 mm ; Class 2,3,4& 5; Sizes -63 mm to 250 mm and socket ends for elastomeric sealing ring jointing, Class-2,3 & 4;Sizes-63 mm to 110 mm	SUPER

Sl. No.	Firm Name & Address	State	Variety	Brand
430	DHURI POLYMERSADDRESS:- BAGRAIN ROAD DHURI,,DHURIPINCODE:-0	PUNJAB	Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985:2000 for the details below:size 90 mm upto and including 250mm, class 1 size 63mm upto and including 250mm, class 2 size 40mm upto and including 250mm, class3	Tulsi UPVC Pipes
431	KONARK POLYTUBE PVT LTD,ADDRESS:- NAGLA MURARI ROAD, SARSOL, G.T. ROAD,,,PINCODE:-202001	UTTAR PRADESH	class 2-63mm to 225mm class 3-40mm to 225mm, class 4-, plain ended, Nominal size DN40mm upto & including 110 mm class 5-,plain ended, Class 1, Size 90 mm to 225 mm, plain end	Konark,Kissan Agro

Sl. No.	Firm Name & Address	State	Variety	Brand
432	HI-TECH POLYMERS & WATER SOLUTION ADDRESS:- B-4-A,SITE-1, UPSIDC INDUSTRIAL AREA, ,,PINCODE:-0	UTTAR PRADESH	Sizes 40mm to 110mm Class-3,plain ended. UPVC Pipes for Potable water supplies of following sizes and class: a)Class 1 (0.25mpa) sizes from 125mm upto and including 250mm nominal OD, plain ended. b)Class 2 (0.40mpa) sizes from 125mm upto and including 180mm nominal OD, plain ended. c)Class 2 (0.40mpa) sizes from 125mm upto and including 180mm nominal OD, socketed for solvent cement jointing. Unplasticized PVC pipes for potable water supplies as per IS 4985:2000 of following varieties: 1.Class 3 (0.6 MPa) sizes from 125 mm upto and including 315 mm nominal OD, plain ended 2. Class 3 (0.6 MPa) sizes from 125 mm upto and including 315 mm nominal OD, socket ended for solvent cement jointing	hitech
433	MAHAVIR POLYPLAST (P) LTD ADDRESS:- KHASARA NO.704/3 MAUZA RUNAKTA, TEHSIL KIRAWALI,,,AGRAPINCODE:-282006	UTTAR PRADESH	Socket Ended, Solvent Cement Jointing, Sizes from DN 40mm upto and including 250mm for Class 3, DN 63mm upto and including 250mm for Class 2, DN 90mm upto and including 250mm for Class 1 UPVC Pipes Socket Ended Solvent cement joint & P Ended Class 4, Sizes DN 25 mm to 250 mm Class 5, Sizes DN 20 mm to 250 mm	Mahavir Gold

Sl. No.	Firm Name & Address	State	Variety	Brand
434	SHREE GIRRAJ PLASTICS PVT. LTD.,ADDRESS:- E-88, INDUSTRIAL AREA, SITE-A,,,PINCODE:-0	UTTAR PRADESH	DN-40mm to 110mm, CLASS 3	Brijwasi
435	JAI PUSHPA INDUSTRIESADDRESS:- C-53, FOUNDRY NAGAR,,,PINCODE:-282006	UTTAR PRADESH	Class-1, 90mm to 250mm Class 2, 63mm to 250mm Class- 3, 40mm to 250mm Type Socket Ended (Solvent Cement Jointing)	TRILOK
436	HARYANA PLAST PVT. LTD.ADDRESS:- LADWA ROAD, MATHANA,,PINCODE:-136118	HARYANA	Plain and socket ended Class 1, 90 to 280mm Class 2, 63 to 280mm Class 3, 40 to 280mm	GOVARDHAN, METRO, GOVARDHAN
437	SUNRISE POLTYUBEADDRESS:- JAGDAMBE MILL STORE NEAR BIJLI GHAR CHOWK JIND ROAD,,KAITHALPINCODE:-136027	HARYANA	UPVC plain /socket ended pipes for solvent cement jointing, class 1 90-280mm, class 2 63-280mm, class 4 40-110mm, class 3 & 5 40-280mm	Hari-Bhoomi
438	AWON PLASTICS,ADDRESS:- SANGRUR ROAD, DHURI,,PINCODE:-0	PUNJAB	UPVC Pipes for potable water supplies, socket ended, Class-1, Size: 90-110 mm; Class-2, Size-63 to 180 mm & 225 mm; Class-3, Size 63 to 180 mm & 225 mm and Class-5, Size 63 mm to 110 mm	POLYLITE
439	SIRI KESHAV POLYVINADDRESS:- SANGRUR ROAD, VPO BENRA, DHURI,,DHURIPINCODE:-0	PUNJAB	UPVC Pipes for potable water supplies, Socket ended, Class-1, Size: 90-110 mm; Class-2, Size-63 to 250 mm & Class-3, Size 63 to 250 mm"	-
440	SHREE VARDHMAN AGRO TUBES.ADDRESS:- PLOT NO.109-110,SECTOR 3 HSIDC,,KARNALPINCODE:-132001	HARYANA	Unplasticized PVC Pipes for potable water supplies, plain ended and socket ended for solvent cement jointing for class 1 size 90mm to 225mm class 2 size 63mm to 225mm class 3 size 40mm to 225mm and class 5 size 63 to 110mm .	-

Sl. No.	Firm Name & Address	State	Variety	Brand
441	JAI AMBAY INDUSTRIESADDRESS:- DAULATPUR ROAD,VILLAGE:KAHERU, ,,DHURIPINCODE:-148024	PUNJAB	UPVC Pipes for potable water Supplies, Socket ended, Class-2, Size-63 to 110 mm & 140 mm to 250 mm; Class-3, Size 50 to 110 mm and Class-5, Size 50 mm to 110 mm	SYNOLEX , HOLYINDIA
442	SHRI BALAJEE POLYMERS INDUSTRIES,ADDRESS:- ADJOINING HDFC BANK, COLLEGE ROAD, ,,BARNALAPINCODE:-148101	PUNJAB	Potable Water supplies, Plain & Socket ended, Class-2, Size -63 to 225 mm; and Class-3, Size 50 to 110 mm “	UNITECH
443	SRI GOPAL POLYTUBEADDRESS:- JIND ROAD,,GOHANAPINCODE:-0	HARYANA	Socket & Plain ended, for solvent Cement jointing; Class 1-90 to 250mm, Class 2-63 to 110mm, Class 3 and 5-40 to 110mm	Vidhata
444	SAMANA PLASTIC LIMITEDADDRESS:- PATIALA ROAD, ,,SAMANAPINCODE:-147101	PUNJAB	"UPVC Pipes for potable water supplies, Socket ended, Class-1, Size:90-250 mm; Class-2, Size-63 to 110 mm, Class-3.40 mm to 110 mm" UPVC Pipes for potable water supplies, Plain ended & socket ended (a) Class 2, 125 mm to 315 mm (b) Class 3, 125 mm to 315 mm (c) Class 5, 32 mm to 315 mm	SAMANA-AKASHDEEP, REGAL
445	BHIWANI POLYMERS,ADDRESS:- B-25, FOCAL POINT,,PATIALAPINCODE:-147009	PUNJAB	"UPVC Pipes for potable water supplies, plain & Socket ended, Class-2, Size-63 to 250 mm; Class-2, Size 40 to 250 mm"	-

Sl. No.	Firm Name & Address	State	Variety	Brand
446	SHRI BALASUNDRI POLYMERSADDRESS:- MEHMOODPUR ROAD,,GUHANAPINCODE:-0	HARYANA	socket & Plain ended for solvent cement jointing. Class 1-90 to 110 mm nominal sizes Class 2-63 to 250 mm nominal sizes Class 3-40 to 250 mm nominal sizes Plain and socket ended UPVC pipes for solvent cement jointing, Class 1, nominal sizes 125 to 250mm	-
447	ADARSH PVC PIPES PVT.LTD.ADDRESS:- 1415,HSIDC,INDUSTRIAL AREA,,RAIPINCODE:-132001	HARYANA	for solvent cement jointing;plain & socket ended Class 1 125 to 250mm Class 2 63 to 250mm Class 3 50 to 110mm Plain ended Class 1 90 to 110mm Class 3 125 to 250mm	KRISHI VARSHA
448	LAXMI PVC PIPES PVT. LTD.ADDRESS:- BHIWANI ROAD,,HANSIPINCODE:-125033	HARYANA	Plain and socket ended for Solvent Cement jointing : Nominal sizes: Class 1 90-280mm, Class 2 63 -315mm, Class 3 40- 315mm, Class 5 20- 315mm.	-
449	TRIVENI PIPES COMPANYADDRESS:- VILLAGE:- SAIDPURA, BARUBLA ROAD DERABASSI, MOHALI ,,PINCODE:-134113	PUNJAB	UPVC Pipes for potable water supplies, Plain ended, Class-2, Size-63 to 250 mm; and Class-3, Size 50 yo 250 mm	TRIVENI
450	HERO POLYVINSADDRESS:- VILLAGE- KANOI, SUNAM ROAD,,,SANGRURPINCODE:-148001	PUNJAB	-	POLY PRINCE, GAREX, GAREX, SURAJ GOLD
451	SAHIL POLYMERSADDRESS:- C-90, FOCAL POINT,,PINCODE:-0	PUNJAB	upvc pipes for potable water supplies, plain and socket eded, class 1 90-250mm, class 2 63-250mm, class 3 and 5 50-110mm	VARDHAN

Sl. No.	Firm Name & Address	State	Variety	Brand
452	SAKHI POLYMERADDRESS:- NEAR GARIB NAWAZ FILLING STATION, DABWALI-SANGARIA ROAD, V.P.O.SAKHTA KHERA,,DABWALIPINCODE:-125104	HARYANA	Plain & socket ended for solvent cement jointing. Nominal sizes: 125 to 250mm for Class 1 and 63 to 110mm for Class 2 Plain & socket ended for solvent cement jointing. 1. Class 2, Size 125 - 250 mm 2. Class 3, Size 040 - 250 mm	SAKHI
453	GURUKRIPA MANUFACTURING PVT LTD.ADDRESS:- 307, KARVAT, NAI DANDI,,,CHANDAULIPINCODE:-232101	UTTAR PRADESH	uPVC plain ended pipes for potable water supplies for (a) Class 1 from 90mm to 250mm DN (b)Class 2 from 63mm to 250mm DN (c) Class 3 from 50mm to 250mm DN, 1. Class- 4 , Sizes DN 50mm upto and including DN 110mm, plain ended. 2. Class- 4 , Sizes DN 50mm upto and including DN 110mm, socket ended for solvent cement jointing 3. Class- 5 , Sizes DN 50mm upto and including DN 110mm, plain ended. 4. Class- 5, Sizes DN 50mm upto and including DN 110mm, socket ended for solvent cement jointing 5. Class- 4 , Sizes DN 125mm upto and including DN 250mm, plain ended. 6. Class- 4 , Sizes DN 125mm upto and including DN 250mm, socket ended for solvent cement jointing. 7. Class- 5 , Sizes DN 125mm upto and including DN 250mm, plain ended. 8. Class- 5, Sizes DN 125mm upto and including DN 250mm, socket ended for solvent cement jointing.	G.K. SUPRIME



Sl. No.	Firm Name & Address	State	Variety	Brand
454	JINDAL POLYVIN PIPESADDRESS:- VILLAGE-MANWALA,,DHURIPINCODE:-148024	PUNJAB	Class 2, 63 to 110mm, Class 3, 50 to 250mm, Plain ended & Socketed for cement solvent jointing for Class 5 for Size 125 to 250 mm Pressure rating 1.0 MPa	Jindal polyvin pipes, jindal polyvin pipes
455	KRISHNA INDUSTRIES,ADDRESS:- NABHA ROAD, VILLAGE-HARCHANDPUR,,DHURIPINCODE:-148024	PUNJAB	Class 1,size 90mm to 250mm and class-3, size 50mm to 110mm plain and socket end.	-
456	VEDANT TREXIM PVT LTDADDRESS:- 9 JAGMOHAN MULLICK LANE 5TH FLOOR,,PINCODE:-700007	WEST BENGAL	"Class 1, DN 90 to 200 mm, Plain ended pipes Class 2, DN 63 to 200 mm, Plain ended Pipes & Class 3, DN 40 to 200 mm, Solvent cement Jointing	VEDANT, Vedanta, Vedplast
457	SBM PIPE INDUSTRIES PRIVATE LIMITEDADDRESS:- KANCHANBARI, VILLAGE-FULBARIHAT,PO- FULBARIHAT, PS- BHAKTINAGAR,JALPAIGURIPINCODE:-734015	WEST BENGAL	CLASS 5, DN 20 TO 110 MM AND 125 TO 200 MM, SOCKET ENDED WITH SOLVENT CEMENT JOINTING, CLASS 3, DN 40 TO 110 MM AND 125 TO 200 MM, SOCKET ENDED WITH SOLVENT CEMENT JOINTING, CLASS 2, DN 63 TO 110 MM AND 125 TO 200 MM, SOCKET ENDED WITH SOLVENT CEMENT JOINTING, CLASS 1, DN 90 TO 110 MM AND 125 TO 200 MM, SOCKET ENDED WITH SOLVENT CEMENT JOINTING	Nil, SBM Gold, NA
458	MODERN PLASTICADDRESS:- VILL-FATEPUR, POST-DIGSUI,,MAGRAPINCODE:-712148	WEST BENGAL	(i) Class-1, DN 90 mm up to and including 200 mm, Plain ended and (ii)Class-2, DN 63 mm up to and including 200 mm, Plain ended., 40 mm upto and including 200 mm Sizes,Class- 3 Plain Ended	MODERN

Sl. No.	Firm Name & Address	State	Variety	Brand
459	SRI SHANKAR INDUSTRIESADDRESS:- VILL : PURBANNAPARA,P.O : MAKARDAH,P.S : DOMJUR,SARASWATI COMPLEX,HOWRAH,HOWRAHPINCODE:-711409	WEST BENGAL	Unplasticized PVC Pipes for Potable water supplies; Plain ended and Socket ended for Solvent Cement Jointing for sizes as under: Class-1, Sizes from DN 90mm upto and including DN 200mm. Class-2, Sizes from DN 63mm upto and including DN 200mm.	SRI SHANKAR
460	RHINOPLAST EXTRUSIONSADDRESS:- 14/55/A/3, DR.H.K.CHATTERJEE LANE,GHUSURI,HOWRAHPINCODE:- 711107	WEST BENGAL	(1) Class-1 (0.25 MPa), DN 90 mm up to and including 200 mm, Plain ended and socketed for solvent cement jointing, (2) Class-2 (0.40 MPa) , DN 63 mm up to and including 200 mm, Plain ended and socketed for solvent cement jointing, (3) Class-3 (0.60 MPa) , DN 125 mm up to and including 200 mm, Plain ended and socketed for solvent cement jointing., Plain and Socket ended Pipes for Solvent Cement Jointing, Class-3, DN 40 mm up to and including 110 mm.	RHINO
461	SURDIV PLASTICS PVT LTDADDRESS:- 28/1, GADADHAR BHATTA ROAD,P.O & P.S LILUAH,LILUAHPINCODE:- 711204	WEST BENGAL	Class of Pipe: 3 (0.60 MPa); Nominal Size: 40 mm up to and including 200 mm; End of Pipes: Plain Ended Pipes and Socketed for Solvent Cement Jointing.	MAYUR
462	KESAV PLASTICSADDRESS:- BHALUBAHAL SASON,,SAMBALPURPINCODE:-768200	ODISHA	-	-

Sl. No.	Firm Name & Address	State	Variety	Brand
463	ANUJA CERAMICS PVT.LTDADDRESS:- NEAR MANCHESWAR RAILWAY STATION,MANCHESWAR INDUSTRIAL ESTATE,PLOT NO-2866/5040,GADAKANA,,PINCODE:-751017	ODISHA	Size - 250mm, Class-1 (socket ended for solvent cement jointing) and plain ended	NA
464	TAYAL POLYPLASTADDRESS:- DENGARGI ROAD, BARAIPALI,SAMBALPURPINCODE:-768006	ODISHA	250mm Class - 1 and 250mm Class - 2, Class-3, 40 mm to 225 mm (both Socketed pipe & Plain ended pipe for solvent cement jointing), Class-2, 63 mm to 225 mm (both Socketed pipe & Plain ended pipe for solvent cement jointing), Class-1, 90 mm to 225 mm (both Socketed pipe & Plain ended pipe for solvent cement jointing)	TAYAL PLAST
465	BBN PLASTIC PVT. LTD.ADDRESS:- PLOT NO-207/349, MATKAPUR,PATPUR, SALEPUR,CUTTACKPINCODE:-754202	ODISHA	Class 1, Size 90 mm to 250 mm (Plain & Socket Ended), Class 2, Size 63 mm to 250 mm (Plain & Socket Ended), Class 3, Size 40 mm to 250 mm (Plain & Socket Ended)	Purbaplast
466	PRINCY POLYPLASTADDRESS:- AT- DEOGAON, PS/PO-DHAMA,TAH- MANESWAR, SAMBALPUR,SAMBALPURPINCODE:-768113	ODISHA	Size: 280 and 315 mm, plain ended and socket ended, solvent cement jointing, class 1 Size: 280 and315 mm, plain ended and socket ended, solvent cement jointing, class 2, Plain ended and Socket ended; Socket type: solvent cement jointing, Class 1 - sizes DN 90 to 250, Class 2 - sizes DN 63 to 250, Class 3 - sizes DN 40 to 250	Princy

Sl. No.	Firm Name & Address	State	Variety	Brand
467	RIYANSH POLY TECH PVT LTDADDRESS:- RIYANSH POLYTECH PVT LTD ,KATHA NO 97 PLOT 1278-P,JHARSUGUDSPINCODE:-768201	ODISHA	Class 1, Size: 90mm to 225 mm Class 2, Size: 63mm to 225 mm Class 3, Size: 40mm to 225mm Plain & Socket Ended Pipes	UTKAL PLAST, UTKALPLAST
468	MKPLAST PVT. LTDADDRESS:- RAMDASPUR INDUSTRIAL AREA, BARANGA,CUTTACK,CUTTACKPINCODE:-754006	ODISHA	Class-3, 40 mm to 200mm Plain ended & Socket Ended, Class-2, 63 mm to 200mm Plain ended & Socket Ended, Class-1, 90 mm to 200mm Plain ended & Socket Ended	Mk Plast
469	MAA BHAGABATI PIPES PVT. LTD.ADDRESS:- PLOT NO 1132,KHATA NO-242/817,AT/PO-HIRMA,PS-BADMAL,JHARSUGUDAPINCODE:-768202	ODISHA	UPVC Pipes for Potable Water Supplies Class 1, 2 and 3 DN 40mm to 200mm Socketed for Solvent Cement Jointing & Plain Ended Pipes	Bhagabati
470	SUMANGAL PLAST PRIVATE LIMITEDADDRESS:- KRUSHNACHANDRAPUR MOUZA,BARIPADA BALASORE ROAD, NANGALPATA,BARIPADAPINCODE:-757029	ODISHA	UPVC Pipes for Potable Water Supplies Class 1, 2, 3, 4 Size - 32 mm to 200mm Plain ended and Socketed for Solvent Cement Jointing.	SUMANGALPLAST
471	M/S METROPLAST INDUSTRIESADDRESS:- NH 5, KURUDA, BALASORE - 756056,NH 5, KURUDA, BALASORE - 756056,BALASOREPINCODE:-756056	ODISHA	CLASS - 1, 90mm to 225mm, Socketed Pipes for Solvent Cement Jointing & Plain ended Pipes, CLASS - 2, 63mm to 225mm, Socketed Pipes for Solvent Cement Jointing & Plain ended Pipes, CLASS - 3, 40mm to 225mm, Socketed Pipes for Solvent Cement Jointing & Plain ended Pipes	METROPLAST
472	AMAN TECHNOLOGIES PRIVATE LIMITED UNIT-IIADDRESS:- AT- TETERKELA, BADGUDHIALI,RAJGANGPUR,RAJGANGPURPINCODE:-770031	ODISHA	UPVC Pipe for Potable Water supplies Class-1, Class-2 & Class-3 Sizes: 40 mm to 225 mm Plain ended and Socketed for Solvent Cement Jointing.	NA

Sl. No.	Firm Name & Address	State	Variety	Brand
473	ORISSA PLASTO PIPES PVT.LTDADDRESS:- B-31,32 &33 NEW INDUSTRIAL ESTATE,JAGATPUR,CUTTACKPINCODE:-754021	ODISHA	Class: 3, Nominal Size: 40 mm to 315 mm, End of Pipes: Plain Ended and Socketed for Solvent Cement Jointing, Class: 2, Nominal Size: 63 mm to 315 mm, End of Pipes: Plain Ended and Socketed for Solvent Cement Jointing, Class:1, Nominal Size: 90 mm to 315 mm, End of Pipes: Plain Ended and Socketed for Solvent Cement Jointing	ORISSA PLASTO
474	CRESTIA POLYTECH PVT. LTD.ADDRESS:- PLOT NO. A-7, PHASE-1, ,INDUSTRIAL AREA, FATUHA,PATNAPINCODE:- 803201	BIHAR	Class 1 (0.25 MPa) 90mm up to and including 200mm Class 2 (0.40Mpa) 63mm up to and including 200mm Class 3 (0.60MPa) 40mm up to and including 200mm. Ends of Pipes: Plain Ended Pipes and Socketed for solvent cement joining.	Rockwell, Soniplast, Topline
475	BMW POLYTUBE A UNIT OF BMW VENTURES LIMITEDADDRESS:- 9C, INDUSTRIAL AREA, PATLIPUTRA,PATNA,PATNAPINCODE:-800013	BIHAR	Class of Pipe(Pressure Rating) : Class 3; 0.60 MPa Nominal Size: DN 125mm up to and including DN 160mm End of Pipes: Plain Ended Pipes	BMW
476	TRIPUR TUBES PVT LTDADDRESS:- MADHUBAN PO - RANIR KHAMAR ,,AGARTALAPINCODE:-799003	TRIPURA	Plain ended pipe,` i) Class -1, 90mm to 315mmDN (ii) Class -2, 75 to 315mmDN & (iii) Class-3, 75mm to 315mmDN	Shree Hari

Sl. No.	Firm Name & Address	State	Variety	Brand
477	SKIPPER LIMITED ADDRESS:- INDUSTRIAL ESTATE 659 KAHIKUCHI GAON MOUZA- DAKHIN RANI ,,GUWAHATI PINCODE:-781017	ASSAM	a) Plain ended pipe and socket ended pipe for Solvent Cement Jointing: i) Class-I, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm ii) Class-II, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm iii) Class-III, 40mm, 50mm, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm b) Elastomeric Sealing Ring Joint Pipes i) Class-2 & 3, Sizes: 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm, Class 4- 40mm, 50mm, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm & Class 5- 40mm, 50mm, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm, Class 4- 40mm, 50mm, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm	SKIPPER PIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
478	AGARTALA PLASTICS PRIVATE LIMITED ADDRESS:- AMAR KUSUM SMRITI BUILDING 3RD FLOOR ASHRAM CHOWMUHUNI ,,AGARTALA PINCODE:-799007	TRIPURA	Plain end only i) Class-1, 110mm & 160mm, (ii) Class-2, 75mm, 90mm, 110mm, 140mm & (iii) Class-3, 90mm, 110mm, 140mm, 160mm, 200mm Unplasticized PVC Pipes for Potable Water Supplies both plain ended and socketed pipe for Solvent Cement Jointing for following Nominal Sizes and classes (i) Class 1- 90mm, 140mm, 200mm (ii) Class 2 250mm, and 315mm (iii) Class 3- 250mm and 315mm as per IS 4985:2000, Unplasticized PVC Pipes for Potable Water Supplies A) Socketed pipe for solvent Cement Jointing For Following Nominal Sizes and classes i) Class 1 - 160mm, 250mm, 315mm ii) Class 2- 63mm, 75mm, 90mm, 110mm, 140mm, 160mm, 200mm iii) Class 3- 50mm, 63mm, 75mm, 90mm, 110mm, 140mm, 160mm, 200mm B) Plain End Only For Following Nominal Sizes and classes i) Class 1- 250mm, 315mm ii) Class 2- 63mm, 160mm, 200mm iii) Class 3- 50mm, 63mm, 75mm	RFL

Sl. No.	Firm Name & Address	State	Variety	Brand
479	P P INDUSTRIESADDRESS:- PP INDUSTRIES, EPIP, AMINGAON, GUWAHATI,,GUWAHATIPINCODE:-781031	ASSAM	Plan ended pipes and socketed pipes for solvent cement jointing class 3 (PN 0.6MPa),50mm,63mm,75mm,90mm,110 mm,125mm,140mm,160mm,180mm,200 mm, Plan ended pipes and socketed pipes for solvent cement jointing class 2(PN 0.4MPa) ,63mm,110mm,,160mm,	NA
480	MAHALAKSHMI UDYOG PVT LTD.ADDRESS:- BONDA,NARENGI,GUWAHATIPINCODE:-781026	ASSAM	Unplasticized PVC Pipes for Potable water supplies,plan ended and socketed for solvent cement jointing,Class 3 ,DN 50,63,75,90,110,125,140,160	MAHALAKSHMI
481	GARG POLY INDUSTRIESADDRESS:- G.S. ROAD, AMERIGOG,JORABAT KAMRUP METROPOLITAN,,ASSAM,KAMRUP METROPOLITANPINCODE:-781023	ASSAM	Unplasticized PVC Pipes for Potable water supplies,plain ended and socketed for solvent cement jointing, i)Class 3 ,DN 50,63,75,90,110,125,140,160,180,200 ii) Class 5 ,DN 125,140,160,180,200	ASSAM
482	KUBER PLASTICS PVT. LTD.ADDRESS:- RANI, PATGAON, NEAR PEPSI,KAMRUP- ASSAM,,GUWAHATIPINCODE:-781017	ASSAM	Unplasticized PVC Pipes for Potable water supplies,plain ended and socketed for solvent cement jointing, i)Class 3 ,DN 50,63,75,90,110,125,140,160,180,200	KUBER
483	GREEN VIEW UDYOG PVT. LTDADDRESS:- PASCHIM BORAGAON NEAR L.P SCHOOL,GUWAHATI-781033, ASSAM,GUWAHATIPINCODE:-781033	ASSAM	CLASS 3 (0.6MPA) SIZE- (40,50,63,75,90,110,125,140,160,180,200 ,225)MM, PLAIN & SOCKETED ENDED PIPES FOR CEMENT SOLVENT JOINTS	AQUA BLUE



Sl. No.	Firm Name & Address	State	Variety	Brand
484	INDO SPANISH POLY INDUSTRIESADDRESS:- PLOT NO. 61, BRAHMAPUTRA INDUSTRIAL PARK,GAURIPUR, AMINGAON,GUWAHATIPINCODE:-781031	ASSAM	Socketed for solvent cement jointing, Class 2, DN 63, 75, 90, 110, 125, 140, 160, 180 and 200, Socketed for solvent cement jointing, Class 3, DN 40, 50, 63, 75, 90, 110, 125, 140, 160, 180 and 200	QUTONE
485	THE SUPREME INDUSTRIES LIMITEDADDRESS:- VILL: BAGABHERA & IMAMPATNA, KATAIKHAL, PO : LOHABARAN CHAK, PS : NARAYANGARH,,NARAYANGARHPINCODE:-721437	WEST BENGAL	Plumbing pipes, Nominal outside Dia: 20 mm up to and including 50 mm., UPVC Pipes for Potable Water Supplies as per details below: Plain ended & Socket ended pipes for solvent cement jointing Class 1, Sizes from DN 90 mm upto and including DN 315 mm. Class 2, Sizes from DN 63 mm upto and including DN 315 mm. Class 3, Sizes from DN 40 mm upto and including DN 315 mm. Class 4, Sizes from DN 110 mm upto and including DN 160 mm & DN 200 mm. Class 5, Sizes from DN 20 mm upto and including DN 280 mm.	-
486	VAISHNAVI AGRO PIPEADDRESS:- 50/4,JARWAI TENDUA ROAD HIRPUR,RAIPURPINCODE:-492099	CHHATTISGARH	Sizes: 63,75,90,110,140,160,180 & 200mm,class: 2 (wp:4 kg/cm <sup>2</sup> ) and 3(wp:6 kg/cm <sup>2</sup> ),Socket ended(for solvent cement joint) & plain ended as per IS 4985:2000, UPVC pipes for potable water supply,Sizes: 63,75,90,110,140,160,180 & 200mm,class: 2 (wp:4 kg/cm <sup>2</sup> ) and 3(wp:6 kg/cm <sup>2</sup> ),Socket ended(for solvent cement joint) & plain ended as per IS 4985:2000	ABHIYAN

Sl. No.	Firm Name & Address	State	Variety	Brand
487	ORI - PLAST LIMITED ADDRESS:- ORI PLAST LIMITED, PLOT NO-67 TO 71, 72-PART, 73,74 & 80 TO 89 ( P.H NO 33), BIRKONI INDUSTRIAL AREA, BIRKONI,MAHASAMUND PINCODE:-493445	CHHATTISGARH	Class- 3 (PN 0.60 MPa), Sizes- from 40 mm up to and including 110 mm, End type- Socketed for solvent cement joint and plain ended, Class- 2 (PN 0.40 MPa), Sizes- from 63 mm up to and including 110 mm, End type- Socketed for solvent cement joint and plain ended, Class- 1 (PN 0.25 MPa), Sizes- from 90 mm up to and including 110 mm, End type- Socketed for solvent cement joint and plain ended	Oriplast
488	PATIDAR POLYMERS ADDRESS:- KASRA NO. 213/11,UMIYA MARKET,BIRGAON PINCODE:-493221	CHHATTISGARH	Class 1 (PN 0.25 MPa), Size: From 90 mm upto & including 200 mm, End type-Plain end & Socket end for Solvent Cement joint, Class 2 (PN 0.40 MPa), Size: From 63 mm upto & including 200 mm, End type-Plain end & Socket end for Solvent Cement joint, Class 3 (PN 0.60 MPa), Size: From 40 mm upto & including 200 mm, End type-Plain end & Socket end for Solvent Cement joint	NA
489	TORSO PIPES ADDRESS:- VILL. KANDARKA, TEH. BERLA,,KANDARKA PINCODE:-490036	CHHATTISGARH	End of Pipes - Plain Ended & Socketed for Solvent Cement Jointing, Class-1, Nominal Size - From 90mm up to and including 200mm, Class-2, Nominal Size - From 63mm up to and including 200mm, Class-3, Nominal Size - From 40mm up to and including 200mm	NA

Sl. No.	Firm Name & Address	State	Variety	Brand
490	PRAGATI PIPE INDUSTRIES PVT. LTD.ADDRESS:- PLOT NO. 624, 623, 607 & 608, SECTOR-A,,URLA INDUSTRIAL AREA, RAIPUR- 492003,RAIPURPINCODE:-492003	CHHATTISGARH	Unplasticized PVC Pipes for Potable Water Supplies, Plain ended and Solvent Cement Socketed Pipes for the following varieties: Class-1, Size- 90mm up to and including 200mm, Class-2, Size- 63mm up to and including 200mm, Class-3, Size- 40mm up to and including 200mm	BASUKEE
491	PRIME PIPES & FITTINGS PVT LTDADDRESS:- 519,GROUND FLOOR,1ST CROSS,12TH MAIN,4TH BLOCK,KORAMANGALA,,BANGALOREPINCODE:-560034	KARNATAKA	a) Class-2, 0.4 MPa, OD:63mm to 110mm. b) Class-3, 0.6 MPa, OD:40mm to 110mm.	PRIME
492	S.L.N MINERALSADDRESS:- NO.58/59/1,MYSORE ROAD,ANCHEPALAYA,OPP.RAJARAJESHWARI,HOSPITAL, KUMBALAGODU POST,HOBLI-KENGERI,,BANGALOREPINCODE:-560074	KARNATAKA	20 L PET jar.	-
493	SADANAND PVC PRIVATE LTDADDRESS:- NO.19/3,SIDDAPUR JAMKHANDI,,JAMKHANDIPINCODE:-587301	KARNATAKA	-	Sadanand
494	GAYATRI PIPE INDUSTRIESADDRESS:- SY NO.842/2,NH 4 SAMBRA CROSS GANDINAGAR BELGAUM,,BELGAUMPINCODE:-590016	KARNATAKA	class 2 and nominal outside diameters of 63mm, 75mm, 90mm, 110mm, 140mm, 160mm, 180mm & 200mm	-

<b>Sl. No.</b>	<b>Firm Name &amp; Address</b>	<b>State</b>	<b>Variety</b>	<b>Brand</b>
495	YASHRAJ POLYMERSADDRESS:- 681/2,RANI CHENNAMMA NAGAR,UDYAMBAG,BELGAVI,,BELGAVIPINCODE:- 590008	KARNATAKA	1. Class 1 and nominal outside diameters of 90 mm, 110 mm, 140 mm,160 mm, 180 mm, 200 mm; 2. Class 2 and nominal outside diameters of 63 mm, 75 mm, 90 mm, 110 mm, 140 mm,160 mm, 180 mm, 200 mm; 3. Class 3 and nominal outside diameters of 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 140 mm,160 mm, 180 mm, 200 mm.	Yashraj

Sl. No.	Firm Name & Address	State	Variety	Brand
496	MOTHI PIPES AND FITTINGS ADDRESS:- Q-135, 7TH MAIN, HEBBAL INDUSTRIAL ESTATE. ,MYSORE,MYSOREPINCODE:-570016	KARNATAKA	UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES of Class 4, (Pressure Rating (PN): 0.80 MPa), Nominal Sizes: 25mm-110mm, Plain ended pipes and Socketed Pipes for Solvent cement Jointing., Unplasticized PVC Pipes for Potable Water Supplies - Specification, See Redform, 1.Class 1; Pressure Rating (PN): 0.25 Mpa; Nominal Size (Outside Diameter): 90 mm-110 mm; Plain and Socket Ended pipes for Solvent Cement Jointing 2.Class 1; Pressure Rating (PN): 0.25 Mpa; Nominal Size (Outside Diameter): 140mm-200 mm; Plain and Socket Ended pipes for Solvent Cement Jointing 3.Class 2; Pressure Rating (PN): 0.40 Mpa; Nominal Size (Outside Diameter): 63mm-110 mm; Plain and Socket Ended pipes for Solvent Cement Jointing 4.Class 2; Pressure Rating (PN): 0.40 Mpa; Nominal Size (Outside Diameter): 140mm-200 mm; Plain and Socket Ended pipes for Solvent Cement Jointing 5.Class 3; Pressure Rating (PN): 0.60 Mpa; Nominal Size (Outside Diameter): 40mm-110 mm; Plain and Socket Ended pipes for Solvent Cement	Mothi

Sl. No.	Firm Name & Address	State	Variety	Brand
497	VIGNESHWAR POLYMERSADDRESS:- PLOT NO. 585 - B & 586, BELUR INDUSTRIAL AREA.,DHARWAD,DHARWADPINCODE:-580011	KARNATAKA	Class 2; Pressure Rating (PN): 0.40 Mpa; Nominal Size (Outside Diameter): 63mm-110 mm; Plain and Socket Ended pipes for Solvent Cement Jointing 2.Class 3; Pressure Rating (PN): 0.60 Mpa; Nominal Size (Outside Diameter): 40mm-110 mm; Plain and Socket Ended pipes for Solvent Cement Jointing, Plain and socket end pipe with solvent cement jointing for varieties (i) class 2, Nominal Out side diameter(mm): 63,75,90,110 & (ii) class 3, Nominal Out side diameter(mm): 40,50, 63,75,90,110, Unplasticized PVC Pipes for Potable Water Supplies - Specification	Vignesh

Sl. No.	Firm Name & Address	State	Variety	Brand
498	VARUN PIPING SYSTEMS ADDRESS:- PLOT.NO.35, SHIVALLI INDUSTRIAL AREA,,MANIPAL-ALEVOOR ROAD,MANIPAL PINCODE:-576104	KARNATAKA	UPVC PIPES FOR POTABLE WATER SUPPLIES FOR THE FOLLOWING VARIETIES Class 2 (Pressure Rating (PN): 0.40 Mpa), Nominal Size (Outside Diameter): 63-110 mm, Plain ended pipes and Socketed pipes for Solvent Cement Jointing. Class 3 (Pressure Rating (PN): 0.60 Mpa), Nominal Size (Outside Diameter): 40-110 mm, Plain ended pipes and Socketed pipes for Solvent Cement Jointing, Class 5 (Pressure Rating (PN): 1.0MPa), NOMINAL SIZES: 20mm to 110mm, Plain ended pipes and Socketed pipes for solvent cement jointing.	VARUN
499	SHREE RAJ PIPES ADDRESS:- PLOT NO. 90 J-1, J-2, TARIHAL INDUSTRIAL AREA,,GOKUL ROAD, HUBLI- 580 026.,HUBLI PINCODE:-580026	KARNATAKA	63,75,90,110,140,160,180,200 mm, Class-3, 63,75,90,110,140,160,180,200 mm, Class- 2	Elmeckgrip, Essar
500	SREE SAI MITRA INDUSTRIES ADDRESS:- SY.NO.41/3, KATHA NO.352, KALLAHALLI [VILLAGE] ,KASABA HOBALI, CHINTAMANI,CHINTAMANIPINCODE:-563125	KARNATAKA	1.UPVC PIPES FOR POTABLE WATER SUPPLIES FOR THE FOLLOWING VARIETIES Class 2 (Pressure Rating (PN): 0.40 Mpa), Nominal Size (Outside Diameter): 63-200 mm, Plain and Socket Ended pipes for Solvent Cement Jointing, 2.Class 3 (Pressure Rating (PN): 0.60 Mpa), Nominal Size (Outside Diameter): 40-200 mm, Plain and Socket Ended pipes for Solvent Cement Jointing	SAI MITRA

Sl. No.	Firm Name & Address	State	Variety	Brand
501	RAINBOW PIPESADDRESS:- D.NO.16-151M1, PLOT.NO.28D&28E ,SHIVALLY INDUSTRIAL AREA ,MANIPAL,MANIPALPINCODE:-576104	KARNATAKA	Unplasticized PVC Pipes for Potable Water Supplies for following varieties: 1. CLASS 2 (PRESSURE RATING (PN):0.40MPa,Nominal Sizes:125-180mm,Plain ended pipes and socketed pipes for solvent cement jointing 2. CLASS 3 (PRESSURE RATING (PN):0.60MPa,Nominal Sizes:125-180mm,Plain ended pipes and socketed pipes for solvent cement jointing, UPVC pipes of potable water supplies of Variety-Class 5 (Pressure Rating (PN): 1.00 Mpa), Nominal Size: 20-110 mm, Plain ended pipes and Socketed pipes for Solvent Cement Jointing as per IS 4985:2000, Unplasticized PVC Pipes for Potable Water Supplies for the following: 1. Class 2,Pressure rating(PN):0.40 MPa;Nominal Size(outside Diameter):63-110mm,Plain and socket ended pipes for solvent cement jointing 2. Class 3 Pressure rating (PN):0.60 MPa,Nominal size (Outside diameter) 40-110mm,Plain and socket ended pipes for solvent cement jointing.	RAINBOW



Sl. No.	Firm Name & Address	State	Variety	Brand
502	SRI KRISHNA PIPES INDUSTRIESADDRESS:- D-NO.1-222,S.NO.150-8,KARKI,,KANYANA VILLAGE,HATTIYANGADI POST,KUNDAPURA,KUNDAPURAPINCODE:-576283	KARNATAKA	Unplasticized PVC Pipes for Potable Water Supplies 1.Class 2,Pressure rating(PN):0.40 MPa;Nominal Sizes: 63mm-110 mm, Plain ended pipes and socket ended pipes for solvent cement jointing, 2. Class 3,Pressure rating(PN):0.60 MPa;Nominal Sizes: 40mm-110mm, Plain ended pipes and socket ended pipes for solvent cement jointing	Krishna

Sl. No.	Firm Name & Address	State	Variety	Brand
503	RICOLEX POLYMERS PVT LTD ADDRESS:- PLOT NO. 60/61 P/A, KALAHALLI VILLAGE,,KIADB INDUSTRIAL AREA, NANJANGUD TALUK,MYSORE PINCODE:-571302	KARNATAKA	UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES of Class 4, (Pressure Rating (PN): 0.80 MPa), Nominal Sizes: 25mm-110mm, Plain ended pipes and Socketed Pipes for Solvent cement Jointing., Unplasticized PVC pipes for potable water supplies for following varieties 1)Class-1 (Pressure Rating (PN): 0.25 MPa) Nominal Sizes :90mm- 110mm,140mm-200mm, Plain ended pipes and Socket ended pipes for Solvent Cement Jointing 2)Class-2 (Pressure Rating (PN): 0.40 MPa) Nominal Sizes :63mm-110mm,140mm-200mm, Plain ended pipes and Socket ended pipes for Solvent Cement Jointing 3)Class-3 (Pressure Rating (PN): 0.60 MPa) Nominal Sizes :40mm-110mm,140-200mm Plain ended pipes and Socket ended pipes for Solvent Cement Jointing 4)Class-5 (Pressure Rating (PN): 1.0 MPa) Nominal Sizes :20mm-110mm,140-200mm Plain ended pipes and Socket ended pipes for Solvent Cement Jointing 5)Plumbing pipes, Nominal outside diameter : 20mm- 50mm	RONSTAR, RICOLEX

Sl. No.	Firm Name & Address	State	Variety	Brand
504	BHARAT POLYMERSADDRESS:- S. NO. 113/4, TIDGUNDI TAL., DIST. VIJAYAPUR,BIJAPURPINCODE:-586119	KARNATAKA	40mm class-3, 50mm class-3, 63mm class-3mm 75mm class-3 90mm class-3 and 110mm class-3 plain socket type, UPVC pipes for potable water supplies for Class-2 (Pressure Rating (PN): 0.40 MPa) , Nominal Sizes :63mm-110mm, Plain ended pipes and Socket ended pipes for Solvent Cement jointing	Golden Agro Industries, Arushi Engineering, Patil Engineering Company, RAM Traders, S.R. Traders, neelkamal pipes, Sunrays, Bharat
505	SURYAS PIPES INDUSTRIESADDRESS:- SURYAS PIPES INDUSTRIES,49 MEHTA INDUSTRIAL ESTATE, BAPA GRAMA POST, MACHOHALLI,BANGALOREPINCODE:-570091	KARNATAKA	Unplasticized PVC Pipes for Potable Water Supplies 1. Class 2,Pressure rating(PN):0.40 MPa;Nominal Size(outside Diameter):63-110mm,Plain and socket ended pipes for solvent cement jointing 2. Class 3 Pressure rating (PN):0.60 MPa,Nominal size (Outside diameter) 40-110mm,Plain and socket ended pipes for solvent cement jointing.	surya's irrigation, surya's energy, Surya's power
506	MAHALAKSMI ENTERPRISESADDRESS:- MAHALAKSHMI ENTERPRISES,SY.NO. 3/4, #241, SOUNDARYA INDUSTRIAL ESTATE,BANGALOREPINCODE:-560091	KARNATAKA	ii)Class 3; Pressure Rating (PN): 0.60 Mpa; Nominal Size (Outside Diameter): 40-110 mm; Socketed for Solvent Cement Jointing, i)Class 2 (Pressure Rating (PN): 0.40 Mpa), Nominal Size: 63-110 mm, Plain ended and Socketed for Solvent Cement Jointing.	FINEFLO, VEGUS, PRINCE PLATINIA

Sl. No.	Firm Name & Address	State	Variety	Brand
507	SHIVA IRRIGATION SYSTEMADDRESS:- UNIT-2,SY NO.121/7, MUDIGEREVILLAGE,,CITY-GUBBI-572216,GUBBIPINCODE:-572216	KARNATAKA	Class 2; Pressure Rating (PN): 0.40 Mpa; Nominal Sizes: 63mm-110 mm; Plain ended pipes and Socketed pipes for Solvent Cement Jointing., Class 3; Pressure Rating (PN): 0.60 Mpa; Nominal Sizes: 40mm-110 mm; Plain ended pipes and Socketed pipes for Solvent Cement Jointing.	SHIVA IRRIGATION SYSTEM
508	SUDARSHAN EXTRUSIONS PVT LTDADDRESS:- SUDARSHAN EXTRUSIONS PVT LTD,PLOT NO 105, PHASE IV , BOMMASANDRA INDL AREA,BANGALOREPINCODE:-560099	KARNATAKA	UPVC pipes for potable water supplies for Class-3 (Pressure Rating (PN): 0.60 MPa) Nominal Sizes :50mm-250mm, Plain ended pipes and Socketed pipes for Solvent Cement jointing	SUDARSHAN
509	CLASSIC POLYMERSADDRESS:- 1ST PHASE, PLOT NO. 57 CORNER, VASANTHANARASAPURA ,INDUSTRIAL AREA, NAGENAHALLI, KORA HOBLI, TUMAKURU,TUMAKURUPINCODE:-572128	KARNATAKA	Class- 5 (PN- 1.00 MPa), Nominal size 20mm to 250mm, for plain ended and socketed for cement solvent jointing., Class- 3 (PN- 0.60 MPa), Nominal size 40mm to 250mm, for plain ended and socketed for cement solvent jointing., Class- 2 (PN- 0.40 MPa), Nominal size 63mm to 250mm, for plain ended and socketed for cement solvent jointing., Class- 1 (PN- 0.25 MPa), Nominal size 90mm to 250mm, for plain ended and socketed for cement solvent jointing.	Flowkem

Sl. No.	Firm Name & Address	State	Variety	Brand
510	DEVI SRI INDUSTRIESADDRESS:- PLOT NO B-21, (PART), APIIC INDUSTRIAL PARK, ANANTAPUR(VILLAGE, MANDAL&DISTRICT 515004,,PINCODE:-515004	ANDHRA PRADESH	UPVC Pipes for Potable Water Supplies for the following sizes (Plain and Socket ended pipes with solvent cement jointing only) Sl.No. Nom.OD in (mm) Class 1 63 to 225 2 2 40 to 225 3 3 20 to 225 5	devi sri, sri ganasaai; surya prakash; swetha
511	GODAVARI POLYMERS PRIVATE LIMITEDADDRESS:- UNITII, SY. NO 534(P)536(P) 538(P) ELIKATTA VILLAGE ,,FAROOQNAGAR (M)PINCODE:-509216	TELANGANA	Plain and Socket ended Pipes with solvent cement jointing only: S.No. Nom.OD in (mm) Class 1. 63 to 110 2 2. 40 to 110 3	GODAVARI
512	SAVERA PIPES PVT LTDADDRESS:- 2-9/2, SY. NO 177, SURARAM VILLAGE, QUTBULLAPUR MANDAL, ,,PINCODE:-500055	TELANGANA	UPVC Pipes for the following sizes:(Plain and Socket ended pipes with solvent cement jointing only: S.No Nom.OD in (mm) Class Group 1. 63 to 110 2 I 2. 40 to 110 3 II 3. 125 to 200 2 II 4. 125 to 200 3 II	CHAMPION
513	OM POLYMERSADDRESS:- SY.NO.27/A, DONGARGAON (VILLAGE), GUDIHATHNOOR(MANDAL), ADILABAD DISTRICT,,PINCODE:-504308	TELANGANA	Class 2 63 to 200mm & Class 3 40 to 200mm	OMKARNANDAN
514	SRI ANJANI PIPES INDUSTRIESADDRESS:- SY. NO.705/B1, 706/B2 & 3, LEEJA(VILLAGE&MANDAL), MAHABOORNAGAR DIST TELANGANA 509127,,PINCODE:-0	TELANGANA	20mm to 315 Class 1 to 5	ANJANI

Sl. No.	Firm Name & Address	State	Variety	Brand
515	LAKSHMI VENKATESWARA POLYMERSADDRESS:- 296/3, GOVINDAPALLE PANCHAYAT) BUKKARAYASAMUDRAM (MANDAL) ,,GOVINDAPALLEPINCODE:-515701	ANDHRA PRADESH	Class of Pipe 2 63,75,90,110,125,140,160,180,200 & 225 3 40,50,63,75,90,110,125,140,160,180,200, 225 5 20,25,32,40,50,63,75,90,110,125,140,160 , 180, 200 & 225	GAURAVEFLEX
516	JALABINDU IRRIGATION SYSTEMS PRIVATE LIMITEDADDRESS:- SY NO.80, HAMPAPURAM(V) RAPTHADU(MANDAL),,ANANTHAPURPINCODE:-515001	ANDHRA PRADESH	Class of pipe Nominal Outside Diameter Class 1 90 to 200mm Class 2 63 to 200mm Class 3 40 to 200mm Class 4 25 to 200mm Class 5 20 to 200mm	Akshaya
517	JHANAKYA CHANDRA POLYMERSADDRESS:- PLOT NO.108 & 109 IDA, DORAKUNTA KODAD (M),,KODAD PINCODE:-508206	TELANGANA	Class Nominal outside diameter 2 63mm, 75mm, 90mm, 110mm 3 40mm, 50mm, 63mm, 75mm, 90mm, 110mm 4 20mm,25mm,32mm, 40mm,50mm,63mm,75mm,90mm,110m m 5 20mm, 25mm, 32mm, 40mm, 50mm, 63mm,75mm, 90mm, 110mm	-

Sl. No.	Firm Name & Address	State	Variety	Brand
518	SIFLON DRIP AND SPRINKLERS PVT. LTD.ADDRESS:- SY.NO.31/1D,31/2A, RACHANAPALLI(V),BELLARY ROAD,ANANTAPURPINCODE:-515004	ANDHRA PRADESH	UPVC pipes of sizes 90 to 200 mm - class 1, 25 to 200 mm - class 4, 20 to 200 mm - class 5 plain and socket ended pipes with solvent cement jointing, 125 to 200mm for pressure rating Class2 and Class3, plain and socket ended pipes with solvent cement jointing, Class 2- 63 to 110 mm, Class 3- 40 to 110 mm, for solvent cement jointing plain & socket ended pipe.	SIFLON
519	SATHWICK POLYMERSADDRESS:- SY.NO.129, THIPPARTHY (V&M),,THIPPARTHYPINCODE:-508247	TELANGANA	class 2 for 63,75,90,110,125,140,160,180,200,225 & 250 mm, class 3 for 40,50,63,75,90,110,125,140,160,180,200, 225 & 250 mm, class 4 for 25,32,40,50,63,75,90,110,125,140,160,180,200,225 & 250 mm, class 5 for 20,25,32,40,50,63,75,90,110,125,140,160,180,200,225 & 250 mm, solvent cement jointing, plain & socket ended	Sudarshan, Saptagiri, Sathwick
520	KAKATIYA PIPES & INFRA PVT. LTD. (UNIT-II)ADDRESS:- SY.NO.61,63,64&65, MANOHARABAD ROAD, MANOHARABAD,,TOOPRAN,MANOHARABADPINCODE:- 502336	TELANGANA	Class 2 - 355mm & 400mm Class 3 - 355mm & 400 mm, Class 2, 63 to 315 mm, Class 3, 40 to 315 mm, Class 4,25 to 315 mm, Class 5, 20 to 315 mm for solvent cement jointing plain & socket ended, for solvent cement jointing plain & socket ended	Kakatiya

Sl. No.	Firm Name & Address	State	Variety	Brand
521	HSIL LIMITED ADDRESS:- HSIL LIMITED (PIPE DIVISION), SURVEY NO. 218/1, SITARAMPUR, ISNAPUR, ISNAPUR PINCODE:-502307	TELANGANA	Class 1, DN 90 to 400 mm and class 3 DN 125 mm, Class 1, DN 90 to 400 mm and class 3 DN 125 mm, 1. Class 2, DN 63mm, 75mm, 90 mm, 110mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm, 2. Class 3, DN 40mm, 50mm, 63mm, 75mm, 90 mm, 110mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm, 3. Class 5, DN 20mm, 25mm, 32mm, 40mm, 50mm, 63mm, 75mm, 90 mm, 110mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm, 4. Class 6, DN 20mm, 25mm, 32mm, 40mm, 50mm, 5. Plumbing Pipe 20mm, 25mm, 32mm, 40mm, 50mm, For Plain and socket ended pipe for solvent cement jointing	TRUFLO by Hindware, TRUFLO
522	KMR POLYMERS PVT. LTD. ADDRESS:- SY.NO.79, PLOT NO.30, IDA, KAMAREDDY, KAMAREDDY PINCODE:- 503111	TELANGANA	20 to 250mm, class 2, 3, 4, 5, Socket and plain ended, solvent cement jointing	RAASI GOLD, KMR, Manjeera Gold
523	ASTHA POLYMERS PRIVATE LIMITED ADDRESS:- PLOT NO 85 INDUSTRIAL AREA MEDCHAL,, HYDERABAD PINCODE:- 501401	TELANGANA	20 to 110 class 2, 20 to 110 class 3	ASTHA
524	DHARANEE PIPES ADDRESS:- PLOT NO.A4, SY.NO.4, INDUSTRIAL PARK,, APIIC, ANANTAPURAMU RURAL, ANANTAPUR PINCODE:-515002	ANDHRA PRADESH	20 to upto and including 200mm, class 5, 25 to upto and including 200mm, class 4, 40 to upto and including 200mm, class 3, 63 to upto and including 200mm, class 2	Indus, Vajra, Dharanee, Vybhav



Sl. No.	Firm Name & Address	State	Variety	Brand
525	AMRUTA AGROPOLY PVT. LTD.ADDRESS:- PLOT NO.194/2, PHASE-II, IDA, CHERLAPALLY, HYDERABAD, HYDERABAD PINCODE:- 500051	TELANGANA	Socketed for Solvent Cement jointing, Class 2 (PN 0.4 MPa) Nominal Size 63 mm to 315 mm, Class 3 (PN 0.6 MPa) Nominal Sizes 40 mm to 315 mm	CRISTAL, SWAN, SUDHA GOLD
526	HIL LIMITED ADDRESS:- HIL LIMITED, PLOT 11-56, TIMMAPUR (V), KOTHUR MANDAL, MAHBUBNAGAR DIST, MAHBUBNAGAR PINCODE:- 509325	TELANGANA	1) class 1 (0.25 MPa) with nominal sizes 90mm, 110mm, 125mm, 140mm, 160mm only for both plain ended pipes and socket ended pipes for solvent cement jointing. 2) class 2 (0.40 MPa) with nominal sizes 125mm, 140mm only for both plain ended pipes and socket ended pipes for solvent cement jointing. 3) class 3 (0.60 MPa) with nominal sizes 125mm, 140mm only for both plain ended pipes and socket ended pipes for solvent cement jointing. 4) class 4 (0.80 MPa) with nominal sizes 25mm, 32mm, 40mm, 50mm, 63mm, 75mm, 90mm, 110mm only for both plain ended pipes and socket ended pipes for solvent cement jointing. 5) class 5 (1.00 MPa) with nominal sizes 20mm, 25mm, 32mm, 40mm, 50mm, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm only for both plain ended pipes and socket ended pipes for solvent cement jointing. 6) plumbing pipes- plain ended pipes with nominal sizes of 20mm, 25mm, 32mm, 40mm, 50mm only, 40 MM, 50 MM, 63 MM, 75 MM, 90 MM, 110 MM AND 160 MM, CLASS-3 WITH PLAIN END & SOCKET FOR SOLVENT	Birla Hil Pipes

Sl. No.	Firm Name & Address	State	Variety	Brand
527	CAPTAIN POLYPLAST LIMITED ADDRESS:- SY.NO.343/1A, BASTIPADU(V), KALLUR(M), BANGALORE HIGHWAY, BASTIPADU PINCODE:-518218	ANDHRA PRADESH	40 to 200mm Class 3, 63 to 200mm Class 2, 90 to 200mm Class 1	Captain
528	MEGHA FIBRE GLASS INDUSTRIES LTD ADDRESS:- PLOT NO 36,37(P),39 I.D.A , PHASE -1 , PASHAMYLARAM , PATANCHERU, HYDERABAD PINCODE:-0	TELANGANA	90 to 250mm class 1, 63 to 250mm class 2, 40 to 250mm class 3 , 25 to 250mm class 4 , 20 to 250mm class 5	MFGIL, Megha
529	SRI GANGA POLYMER INDUSTRIES ADDRESS:- 3-264/2, BESIDE RELIANCE PETROL BUNK, DURAJPALLY, SURYAPET, SURYAPET PINCODE:-508213	TELANGANA	160mm Class-3, 6 Kg/cm <sup>2</sup> , 140mm Class-3, 6 Kg/cm <sup>2</sup> , 90mm Class-2, 4 Kg/cm <sup>2</sup> , 75mm Class-2, 4 Kg/cm <sup>2</sup> , 63 to 200 mm class 3, 63 to 110 mm class 2	SRI GANGA PIPES
530	AARAV PVC INDUSTRIES ADDRESS:- 30/507A, BOGGULINE, NOONEPALLI, NANDYAL, NANDYAL PINCODE:-518502	ANDHRA PRADESH	2) class 3(0.60MPa) with nominal sizes 40mm, 50mm, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm only for both plain ended pipes and socket ended pipes for solvent cement jointing., 1) class 2(0.40MPa) with nominal sizes 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm only for both plain ended pipes and socket ended pipes for solvent cement jointing.	SIDDARTHA

Sl. No.	Firm Name & Address	State	Variety	Brand
531	SEKHAR IRRIGATION SYSTEMS ADDRESS:- SY.NO.59/3, GUDDALAPALLI ROAD,GARLADINNE MANDAL,GARLADINNE MANDAL PINCODE:-515731	ANDHRA PRADESH	2) class 3(0.60MPa) with nominal sizes 40mm,50mm, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm only for both plain ended pipes and socket ended pipes for solvent cement jointing., 1) class 2(0.40MPa) with nominal sizes 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm only for both plain ended pipes and socket ended pipes for solvent cement jointing.	sekhar, SIS
532	S R DRIP PIPE INDUSTRIES ADDRESS:- PLOT NO.D-8, INDUSTRIAL ESTATE, BELLARY ROAD, ,,ANANTAPUR PINCODE:-515004	ANDHRA PRADESH	2) class 3(0.60MPa) with nominal sizes 40mm,50mm, 63mm, 75mm, 90mm, 110mm only for both plain ended pipes and socket ended pipes for solvent cement jointing., 1) class 2(0.40MPa) with nominal sizes 63mm, 75mm, 90mm, 110mm only for both plain ended pipes and socket ended pipes for solvent cement jointing.	Gana sai, Devi sri, SR Drip

Sl. No.	Firm Name & Address	State	Variety	Brand
533	THE SUPREME INDUSTRIES LIMITED ADDRESS:- PLOT NO 24, 26 TO 40, 43 TO 45, 41(P), 42(P), ,GIP JADCHERLA, VIL POLLEPALLY, ,MAHBUBNAGARPINCODE:-509301	TELANGANA	CLASS - 1 (0.25Mpa) - DN90mm, DN110mm, DN125mm, DN140mm, DN160mm, DN180mm, DN200 mm, DN225mm, DN250mm SOCKETED FOR SOLVENT CEMENT JOINTING, CLASS - 2 (0.40Mpa) - DN63mm, DN75mm, DN90mm, DN110mm, DN125mm, DN140mm, DN160mm, DN180mm, DN200 mm, DN225mm, DN250mm SOCKETED FOR SOLVENT CEMENT JOINTING, CLASS - 3 (0.60Mpa) - DN40mm, DN50mm, DN63mm, DN75mm, DN90mm, DN110mm, DN125mm, DN140mm, DN160mm, DN180mm, DN200 mm, DN225mm, DN250mm SOCKETED FOR SOLVENT CEMENT JOINTING, CLASS - 5 (1.00Mpa) - DN20mm, DN25mm, DN32mm, DN40mm, DN50mm, DN63mm, DN75mm, DN90mm, DN110mm, DN125mm, DN140mm, DN160mm, DN180mm, DN200 mm, DN225mm, DN250mm SOCKETED FOR SOLVENT CEMENT JOINTING, plumbing Pipe - DN20mm, DN25mm, Dn32mm, DN40mm, DN50mm plain ended pipe	Supreme

Sl. No.	Firm Name & Address	State	Variety	Brand
534	BHAVISYA IRRIGATION WORKS PVT. LTD.ADDRESS:- SY.NO.261/1, KAKKALAPALLI VILLAGE, ANANTAPURAMU,RURAL, ANANTAPURAMU DIST.,ANANTAPURPINCODE:-515832	ANDHRA PRADESH	1) class 2(0.40MPa) with nominal sizes 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm only for both plain ended pipes and socket ended pipes for solvent cement jointing. 2) class 3(0.60MPa) with nominal sizes 40mm,50mm, 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm only for both plain ended pipes and socket ended pipes for solvent cement jointing.	Bhavisya, Amaravathi
535	EUROTECH POLYMERSADDRESS:- VIII/624-E, ELANKUR, MANHAPPATTA P.O.,MANJERIPINCODE:-676123	KERALA	Class 2-63-110mm, 140-200mm Class 3 - 40-110mm, 140-200mm Class 4 - 20- 110mm, 140-200mm Class 5 - 20-110mm, 140-200mm CLASS 1, GROUP-II, size- 140mm TO 200mm	EUROTREND

Sl. No.	Firm Name & Address	State	Variety	Brand
536	SHAKTHIMAN EXTRUSIONS PVT. LTDADDRESS:- II/301,AKANAD MUDAKUZHA P.O,,PERUMBAVOORPINCODE:-683546	KERALA	UPVC Plain Ended pipes and Socket Ended Pipes for Solvent Cement Jointing for size 180 mm Class 5, UPVC Plain Ended pipe for plumbing in Building of sizes 50mm only. UPVC Plain Ended pipes and Socket Ended Pipes for Solvent Cement Jointing of the following classes and sizes Class1 of sizes 90mm, 110mm,140mm,,160mm,180mm,200mm, 250mm Class2 of sizes 63mm,75mm,90mm,110mm,140mm,160 mm,180mm,200mm,250mm Class3 40mm,50mm,63mm,75mm,90mm, 110mm,140mm,,160mm,180mm,200mm, 250mm Class4 25mm, 32 mm, 40mm,50mm,63mm,75mm,90mm, 110mm,140mm,,160mm,180mm, Class5 20mm, 25mm, 32 mm, 40mm,50mm,63mm,75mm,90mm, 110mm,, UPVC PLUMBING PIPES OF NOMINAL OUTSIDE DIAMETERS SIZES- 20 MM,25 MM, 32 MM, 40 MM., CLASS 6, SIZE- 20 MM,25MM,32MM,40MM,50MM,63MM, 75MM,90MM,110MM,140MM,160MMPLAIN ENDED PIPES AND SOCKET ENDED PIPES FOR SOLVENT CEMENT JOINTING),	SHAKTHIMANSUPER PVC PIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
537	FLOW WELL PIPESADDRESS:- 9/94A,CHENNAMANGALAM, VADAKARA,,CHORODE P.O.PINCODE:-673106	KERALA	Plain & Socket ended pipes for solvent cement jointing of following class & sizes: 1. Class 2, DN 63, 75, 90 & 110mm 2. Class 3, DN-40, 50, 63, 75, 90 & 110mm, Plain ended pipes & Socketed pipes for solvent cement jointing with Class 5 - DN 20mm, 25mm, 32mm, 40mm, 50mm, 63 mm., Class 5 - DN 20mm, 25mm, 32mm, 40mm, 50mm, 63 mm - Plain & Socket ended pipes	FLOW WELL , FLOW WELL PIPES
538	SREELAKSHMI POLYMERSADDRESS:- 2/637B, UDAYAMPEROOR P.O.,THRIPUNITHURAPINCODE:- 682307	KERALA	Unplasticised PVC Pipes for Potable Water Supplies for Class 2(63,75,90,110mm), Class 3 (40,50,63,75,90,110mm) and Class 5 (20,25,32,40,50,63,75,90,110mm, 160 mm class 2, class 3, 140mm class 2, class 3	EMPLAST
539	POORNACHANDRA PIPESADDRESS:- PLOT NO.89, KINFRA SEETHANGOLI,,MAIPADY P.OPINCODE:-671124	KERALA	UPVC pipes for Potable Water Supplies - Class 2 - 63, 75, 90 & 110mm for plain ended pipes and socketed pipes for cement jointing. Class 3 - 40, 50, 63, 75, 90 & 110mm for plain ended & socketed pipes for cement jointing. Class 5 - 20, 25, 32, 40, 50, 63, 75, 90 & 110mm for plain ended & socketed pipes for cement jointing.	Preethi PVC Pipes

Sl. No.	Firm Name & Address	State	Variety	Brand
540	LAMIT TUBES & MOULDINGS LLPADDRESS:- 15/764-A,SIDCO INDUSTRIAL ESTATE,MANJERI POST,,MANJERI,MALAPPURAM DISTRICT,KERALA-676121.,MANJERIPINCODE:-676121	KERALA	class 5- 20mmcomma 25mmcomma32mmcomma 40mm and 50mm class 3-socket40mm and 50mm ended pvc pipes, CLASS 1 - 140mm, 160mm, 180mm ,200mm SOCKET ENDED, CLASS 2 - 140mm, 160mm, 180mm ,200mm SOCKET ENDED, CLASS 3 - 140mm, 160mm, 180mm ,200mm SOCKET ENDED, Plain ended pipes & Socketed pipes for solvent cement jointing with a)CLASS 1 - 140mm, 160mm, 180mm, 200mm (Group â II) b)CLASS 2 - 140mm, 160mm, 180mm, 200mm (Group â II) c)CLASS 3 - 140mm, 160mm, 180mm, 200mm (Group â II), CLASS 5 - 20mm,25mm,32mm,40mm,50mm,63mm ,75mm,90mm,110 mm, CLASS 3 - 40mm,50mm,63mm,75mm,90mm,110 mm, CLASS 2 - 63mm,75mm,90mm,110 mm, Class 2 of sizes 63, 75, 90 & 110 mm pipes with plain and socket ended. Class 3 of sizes 63, 75 90 & 110 mm pipes with plain and socket ended and of sizes 40 & 50mm with plain ended. Class 5 of sizes 63, 75 90 & 110 mm pipes with plain and socket ended and of sizes 20, 25, 32, 40 &	LAMIT



Sl. No.	Firm Name & Address	State	Variety	Brand
541	PEARLSPOT AQUA SYSTEMS AND SOLUTIONS ADDRESS:- PLOTNO.15C,INKEL GREEN EDUCITY AND INDUSTRIALPARK,OORAKAM,MELMURI POST,MALAPPURAM,,MALAPPURAMPINCODE:-676519	KERALA	Class 1 - 140mm, 160mm, 180mm,200mm - Both Plain Ended and Socket Ended Pipes,Class 2 - 140mm, 160mm, 180mm,200mm - Both Plain Ended and Socket Ended Pipes, Class 3 - 140mm, 160mm, 180mm,200mm - Both Plain Ended and Socket Ended Pipes., Plain ended pipes Socketed pipes for solvent cement jointing with Class 1 - 140 mm, 160 mm, 180 mm and 200 mm, Plain ended pipes Socketed pipes for solvent cement jointing with Class 2 - 140 mm, 160 mm, 180 mm and 200 mm, Plain ended pipes Socketed pipes for solvent cement jointing with Class 3 - 140 mm, 160 mm, 180 mm and 200 mm, CLASS 3 - 40mm,50mm,63mm,75mm,90mm,110 mm, CLASS 5 - 20mm,25mm,32mm,40mm,50mm,63mm ,75mm,90mm,110 mm, Class 2 of sizes 63, 75, 90 & 110 mm pipes with plain and socket ended. Class 3 of sizes 40, 50, 63, 75, 90 & 110 mm pipes with plain and socket ended. Class 5 of sizes 32, 40, 50, 63, 75, 90 & 110 mm with plain and socket ended and of sizes 20 & 25 with plain ended pipes only., CLASS 2 -	SHINEWELL, PEARLSPOT, Pearlsport

Sl. No.	Firm Name & Address	State	Variety	Brand
542	KERALA PLASTIC INDUSTRIESADDRESS:- 13/649,B.C. ROAD,CHERUVANNUR,,FEROKE P.O.,KOZHICODE DIST.,KOZHICODEPINCODE:-673631	KERALA	CLASS 5 - 20mm,25mm,32mm,40mm,50mm,63mm ,75mm,90mm,110 mm, CLASS 5 - 40mm,50mm,63mm,75mm,90mm,110 mm, CLASS 2 - 63mm,75mm,90mm,110 mm, ClassNominal size (mm) Plain/Socket Ended pipes 2 63, 75, 90 & 110 Plain and Socket ended 3 40, 50, 63, 75, 90 & 110 Plain and Socket ended 5 20 & 25 Plain ended pipes 5 32, 40, 50, 63, 75, 90 & 110 Plain and Socket ended	KOHINOOR, KOHINOOR PIPES, EVERLAST, ORIENT, SURAKSHA, EVERLAST, KOHINOOR PIPES
543	ARROW POLYMERSADDRESS:- MINI INDUSTRIAL ESTATE,MUNDAKKAL,MURUKKUMPUZHA P.O.,TRIVANDRUM.,MUNDAKKALPINCODE:-695302	KERALA	Class 2 - 140mm 160mm 180mm 200mm pipes-both Plain and Socket ended. Class 3-140mm 160mm pipes-both Plain and Socket ended. UPVC Plain End Pipe for Plumbing - 20mm 25mm 32mm 40mm 50 mm pipes - plain ended only., Class 2 - 63mm,75mm,90mm,110 mm, Class 3 - 40mm,50mm,63mm,75mm,90mm,110 mm, Class 5 - 20mm,25mm,32mm,40mm,50mm,63mm ,75mm,90mm,110 mm, a)Class 2 - 63, 75, 90 & 110mm (Socket ended) b)Class 3- 40, 50, 63, 75, 90 & 110mm (Socket ended) c)Class 5-20, 25, 32, 40, 50, 63, 75, 90 & 110mm (Socket ended)	ARROW PVC PIPES, QUALITY PVC PIPES, SHARP PVC PIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
544	CHEMAK MALABAR CABLES ADDRESS:- VATTAMKULAM PO, KANTHALLOOR, EDAPPAL,, EDAPPAL PINCODE:- 679578	KERALA	Plain ended pipes & Socketed pipes for solvent cement jointing - Class 5 - DN 20mm, DN 25mm, DN 32mm, DN 40mm, DN 50mm, DN 63mm, DN 75mm, DN 90mm and DN 110mm., Plain ended pipes & Socketed pipes for solvent cement jointing - Class 3 - DN 40mm, DN 50mm, DN 63mm, DN 75mm, DN 90mm and DN 110mm., Plain ended pipes & Socketed pipes for solvent cement jointing - Class 2 - DN 63mm, DN 75mm, DN 90mm and DN 110mm.	MALABAR PVC PIPES
545	GEO PLASTICS AND POLYMERS ADDRESS:- 18/11A, VATTATHANI WEST,, K.PURAM P.O., TANALUR, TIRUR, MALAPPURAM DISTRICT, TIRUR PINCODE:- 676307	KERALA	CLASS 5 - DN 63mm, DN 75mm, DN 90mm and DN 110mm (Both Plain ended pipes & Socketed pipes for solvent cement jointing), CLASS 3 - DN 63mm, DN 75mm, DN 90mm and DN 110mm (Both Plain ended pipes & Socketed pipes for solvent cement jointing), CLASS 5 - DN 20mm, DN 25mm, DN 32mm, DN 40mm and DN 50mm (Plain ended Pipes), CLASS 3 - DN 40mm and DN 50mm (Plain ended Pipes), CLASS 2 - DN 63mm, DN 75mm, DN 90mm and DN 110mm ( Both Plain ended pipes & Socketed pipes for solvent cement jointing)	CELL, ELTEK, GEO

Sl. No.	Firm Name & Address	State	Variety	Brand
546	K FOUR EXTRUSIONS INDIA PVT. LTDADDRESS:- NANGIARKULANGARA,HARIPAD,HARIPADPINCODE:- 690513	KERALA	Class 5-Size 40,50,63,75,90 & 110mm- Socket ended, Class 5-Size 20,25 & 32mm- Plain ended, Class 3-Size 40, 50, 63,75,90 & 110mm-Plain & Socket ended, Class 2- Size 63,75,90 & 110mm-Plain & Socket ended	NA
547	ALLWIN PIPESADDRESS:- 196/1, THOTTIPALAYAM ROAD, PERUNDURAI, BLOCK NADUPATTI, VIJAYAMANGALAM,,PERUNDURAI PINCODE:-638056	TAMIL NADU	Case recommended for Grant of Licence for Unplasticized PVC Pipes for potable water supplies as per 4985:2000 for the following varieties may be considered : a)Class 2 – 63 to 250mm nominal OD, plain ended and socket ended pipes for solvent cement jointing, b)Class 3 – 40 to 250mm nominal OD, plain ended and socket ended pipes for solvent cement jointing, c)Class 5 – 20 to 110mm nominal OD, plain ended and socket ended pipes for solvent cement jointing, and d)Plumbing – 20 to 50mm plain ended	SUJAY, SUN PLAST, ALLWIN PIPES, ALL * STAR
548	KAVERY POLYMERS & INDUSTRIESADDRESS:- 159/1 T V S NAGAR ROAD KAVUNDAMPALAYAM ,,COIMBATOREPINCODE:-641030	TAMIL NADU	Class 2-63 mm upto and including 200mm. Class 3-40mm upto including 110mm. Class 3-140mm upto and including 200 mm. Plumbing-20 upto and including 50mm.	KAVERY, KAVERY ISI

Sl. No.	Firm Name & Address	State	Variety	Brand
549	MOYALAN AGRO PIPESADDRESS:- SF 183/2 KARAYANCHETTI PALAYAM VALPARI MAIN ROAD SAMATHUR (PO) ,,PINCODE:-642123	TAMIL NADU	Case recommended for Grant of Licence for Unplasticized PVC Pipes for potable water supplies as per 4985:2000 for the following varieties may be considered : Plain and socket ended pipes for solvent cement jointing, a)Class 2 – 63 up to and including 200mm nominal OD (except 125mm), b)Class 3 – 40 up to and including 200mm nominal OD (except 125mm), c)Class 4 – 140 mm up to and including 200mm nominal OD, and d)Class 5 – 20 mm up to and including 200mm nominal OD (except 125mm), Plain and socket ended pipes for solvent cement jointing Class 2 - 225mm, 250mm, 280mm and 315 mm nominal OD, Class 3 - 225mm, 250mm, 280mm and 315 mm nominal OD Class 4 – 25mm, 32mm, 40mm, 50mm, 63mm, 75mm, 90mm, 110mm, 225mm, 250mm, 280mm & 315mm nominal OD Class 5 - 225mm, 250mm, 280mm and 315 mm nominal OD Class 6 – 20mm upto and including 315mm nominal OD (except 125 mm) UPVC plain end pipe for plumbing – 20 mm to 50 mm nominal OD	MOYALAN

Sl. No.	Firm Name & Address	State	Variety	Brand
550	KUNSONS PIPES PVT LTDADDRESS:- SF NO 458/1,458/2,459/1A,459/2 VELLAMADI COIMBATORE ,COIMBATORE,COIMBATORE PINCODE:-641110	TAMIL NADU	Class 1- 90 to 110 mm, nominal OD, plain and socket end pipes for solvent cement jointing; Class 2 - 63 to 110 mm, nominal OD, plain and socket end pipes for solvent cement jointing; Class 3- 40 to 110 mm, nominal OD, plain and socket end pipes for solvent cement jointing; and Plumbing- 20 to 50 mm	KUNDAN
551	ARJUNA POLY EXTRUSIONADDRESS:- ARJUNA POLY EXTRUSION,1/140,POOLAKATTUPALAYAM, GOUNDAMPALAYAM,AVANASHIPINCODE:-641654	TAMIL NADU	63mm Class 5, 90 mm and 110 mm Class- 1, 63 mm to 200 mm Class-2, 40 mm to 200 mm Class-3, 20 mm to 50 mm plumbing,	vavin, superior,Edison, superior, Edison
552	AQUA EXCELADDRESS:- SF.NO: 339/1B , THANNEERPANTHAL, MOPRIPALAYAM ROAD,MOPRIPALAYAM VILLAGE,SULUR TALUK,COIMBATORE-641659,COIMBATOREPINCODE:- 641659	TAMIL NADU	Plumbing pipe/ 20mm to 50mm, Class 2 - 63mm to 110mm, Plain end & Socketed end for solvent cement Joining, Class 3 - 40mm to 110mm, Plain end & Socketed end for solvent cement Joining, Class 5 - 20mm to 110mm, Plain end & Socketed end for solvent cement Joining	Roots Irrigation PVC Pipes, AQUA EXCEL

Sl. No.	Firm Name & Address	State	Variety	Brand
553	AVM PIPESADDRESS:- SF NO 119 KILAKKALA THOTTAM, HOSPITAL STREET,,SARAVANAMPATTI,COIMBATORE.,COIMBATOR EPINCODE:-641035	TAMIL NADU	PLUMBING- 20MM,25MM,32MM,40MM,50MM. CLASS-3 40MM,50MM,63MM,75MM,90MM,110 MM, Class 2 - 63mm, 75mm, 90mm, 110mm, 140mm, 160mm, 180mm, 200mm (Except 125 mm) Nominal OD ,Plain end and Socket end for Solvent cement Joint., Class 3 - 140mm, 160mm, 180mm, 200mm (Except 125 mm) Nominal OD, Plain end and Socket end for Solvent cement Joint	AVM PIPES

Sl. No.	Firm Name & Address	State	Variety	Brand
554	CHAKRAVARTHY PLASTIC INDUSTRIESADDRESS:- 12/1A-1, VADUGAPALAYAM,R. S. UTHUKULI,TIRUPPURPINCODE:-641654	TAMIL NADU	Class 1 140mm to 250mm, Class 2 140mm to 250mm, Class 3 140mm to 250mm, Class 4 140mm to 250mm, Class 5 140mm to 250mm., CLASS 6 - 20 mm, 25 mm, 32 mm, 40mm, 50 mm, 63mm, 75 mm, 90 mm & 110 mm, Plain ended & Socket end for solvent cement Joining, CLASS 5 - 20 mm, 25 mm, 32 mm, 40mm, 50 mm, 63mm, 75 mm, 90 mm & 110 mm, Plain ended & Socket end for solvent cement Joining, CLASS 4 - 25 mm, 32 mm, 40mm, 50 mm, 63mm, 75 mm, 90 mm & 110 mm, Plain ended & Socket end for solvent cement Joining, CLASS 3 - 40mm, 50 mm, 63mm, 75 mm, 90 mm & 110 mm, Plain ended & Socket end for solvent cement Joining, CLASS 2 - 63mm, 75 mm, 90 mm & 110 mm, Plain ended & Socket end for solvent cement Joining, CLASS 1 - 90 & 110 mm, Plain ended & Socket end for solvent cement Joining	VOLGA PIPES
555	SRI VAARE PIPESADDRESS:- 4/126 A,NACHAKADU,VIRUMANDAMPALAYAM(VILLAGE),,KARUNAMPATHI(POST),SADAYAMPATHI,TIRUPUR,TIRUPUR PINCODE:-641666	TAMIL NADU	Class 2 Group 1 - 63mm, 75mm, 90mm, 110mm, Class 2 Group 2 - 140mm, 160mm, 180mm, 200mm, Class 3 Group 1 - 63mm, 75mm, 90mm, 110mm, Class 3 Group 2 - 140mm, 160mm, 180mm, 200mm., socket ended	SRI Vaare PIPES



Sl. No.	Firm Name & Address	State	Variety	Brand
556	INDIRA PIPE INDUSTRIESADDRESS:- SY.NO.562/2B, BLOCK 3 & 4, D.M.REDDY GODOWNS MADDURUPADU (V),,PINCODE:-524201	ANDHRA PRADESH	63mm to 200mm Class 2 40mm to 200mm Class 3 20mm to 200mm Class 5, varieties plain and socket ended (Solvent cement jointing) class 2, 3 and 5 and for the sizes from 200mm and including 250 mm	-
557	SRI VISHNU PVC PIPES FACTORYADDRESS:- SY. NO. 207, POTHIREDDYPALEM KOVUR MANDAL,,PINCODE:- 524137	ANDHRA PRADESH	63 mm to 200 mm, Class 2 40 mm to 200 mm, Class 3, Plain and socket ended (Solvent cement jointing) class 2 and 3 and for the sizes from 225 mm and including 315 mm	-
558	GLOBAL POLYMERSADDRESS:- SY. NO.1043/2 SHED NO.17, IDP,,KADAPAPINCODE:-516004	ANDHRA PRADESH	Dia 125 mm to 250 mm 0.40 mpa Class-2 Dia 125 mm to 250 mm 0.60 mpa Class-3 Dia 125 mm to 250 mm 1.0 mpa Class-5, Class Nominal outside Diameter Class 2 63-110 mm Class 3 40-110 mm Class 5 20-110 mm	-
559	P.L. PLAST PRIVATE LIMITEDADDRESS:- SHED NO.9-S, PHASE-II, AUTO NAGAR ,,NELLOREPINCODE:-524004	ANDHRA PRADESH	Class nominal Outside Diameter Class 2 63-250 Class 3 40-250 Class 5 20-250	-
560	PONNORE ENTERPRISES LLPADDRESS:- SY.NO.108/6, 8 & 9 KRISHNARAMAPURAM(VIL) NAMBAKAM (PANCHAYAT) NAGARI MANDAL,,NAGARIPINCODE:- 517591	ANDHRA PRADESH	End of Pipes : a) Plain ended pipes b) Socketed for solvent cement jointing, Class 1(0.25MPa), DN 90-110 mm, Class 2(0.40 MPa), DN 63-200 mm, Class 3 (0.60MPa), DN 40-200 mm, Class 5 (1.00MPa) DN 20-110 mm, Class 6 (1.25MPa) DN 20 - 110 mm,	Formasa

Sl. No.	Firm Name & Address	State	Variety	Brand
561	BHUMI PLASTIC PIPES PRIVATE LIMITED ADDRESS:- SURVEY NO. 103, THAMMAVARAM VILLAGE, KORISAPADU MANDAL, ONGOLE PINCODE:- 523212	ANDHRA PRADESH	plain and socket ended pipes, Class 2,3 &5 , nominal diameter from 280 up to and including 400 mm as per IS 4985:2000, 225mm to 400mm diameter, Class - 2, 3, & 5, 20 mm to 250 mm Diameter, Class - 2,3 and 5, Class 2 (63mm to 250mm), Class 3 (40mm to 250mm), Class 5 (20mm to 250mm), Class 2 (63mm to 250 mm), Class 3 (40 mm to 250 mm), Class 5 (20mm to 250mm)	BHUMI
562	MAHALAKSHMI PVC INDUSTRIES ADDRESS:- SY.NO.170/AA2,170/E3,170/E4,SUVARNAPURAM VILLAGE,KHAMMAMPINCODE:-507180	TELANGANA	-	Mahalakshmi
563	SUDHAKAR IRRIGATION SYSTEM PVT LTD-UNIT-3 ADDRESS:- SURVEY NO- 522/1,522/2A,1005/2,EGUVARAJUPALEM(V),CHILLAKUR(M),ODUR(REVENUE),SPSR ,GUDURPINCODE:-524410	ANDHRA PRADESH	20mm,25mm,32mm,40mm,50mm -UPVC PLAIN END PIPE FOR PLUMBING IN BUILDINGS., 90mm-315mm(Class-1),63mm-315mm(Class-2),40mm-315mm(Class-3),25mm-315mm(Class-4),20mm-315mm(Class-5)(Plain ended pipe&socket ended pipe).	Sudhakar
564	AKSHAYA IRRIGATION PRODUCTS PRIVATE LIMITED ADDRESS:- SY.NO. 1043/2 PART,PLOT NO. 96,IDP KADAPA,KADAPAPINCODE:-516002	ANDHRA PRADESH	Dia = from 63 mm, up to and including to 110 mm for Class-2 Dia : from 40 mm up to and including 110 mm for class-3	AKSHAYA
565	SRI VENKATA SAI MARUTHI PLASTIC PIPES ADDRESS:- SY.NO:632,DOOR NO:7/1352,KORRAPADU ROAD,PRODDATUR,PRODDATURPINCODE:-516360	ANDHRA PRADESH	Class - 2 , 63-250 mm and Class-3, 40 to 250 mm for Plain and Socket ended pipes for solvent cement jointing.	PENNA

Sl. No.	Firm Name & Address	State	Variety	Brand
566	SENTINI FLOPIPES INDIA PVT LTDADDRESS:- SENTINI FLOPIPES INDIA PVT LTD,KOTHAPALLI KOWRUGUNTA DAGADARTHI MANDAL,SPSR ,NELLOREPINCEDURE:- 524152	ANDHRA PRADESH	<p>* Class 1 PN 0.25 MPa 2.5kg/cm2 Size DN 180mmcomma200mmcomma225mmcomma250mm 280mmcomma315mm Plain ended pipes and socket ended pipes for solvent cement jointingcomma *Class 2 PN 0.4 MPa 4kg/cm2 180mmcomma200mmcomma225mmcomma250mm 280mmcomma315mm Plain ended pipes and socket ended pipes for solvent cement jointing comma* Class 3 PN 0.6 MPa 6kg/cm2 Size DN 180mmcomma200mmcomma225mmcomma250mm 280mmcomma315mm Plain ended pipes and socket ended pipes for solvent cement jointingcomma * Class 4 PN 0.8 MPa 8kg/cm2 Size DN 180mmcomma200mmcomma225mmcomma250mm 280mmcomma315mm Plain ended pipes and socket ended pipes for solvent cement jointingcomma* Class 5 PN 1.0 MPa 10kg/cm2 Size DN 180mmcomma200mmcomma225mmcomma250mm 280mmcomma315mm Plain ended pipes and socket ended pipes for solvent cement jointing., * Class 5 PN 1.0 MPa (10kg/cm2) Size (DN) 20mm,25mm,32mm,</p>	SENTINI

Sl. No.	Firm Name & Address	State	Variety	Brand
567	PARIXIT IRRIGATION LIMITED ADDRESS:- PULLADIGUNTA (V),KORNEPADU,VATTICHERUKURU,,PRATTIPADU ROAD,GUNTURPINCODE:-522017	ANDHRA PRADESH	Class 3,( 0.6 Mpa) Nominal size - 40mm to 110 mm, socketed for solvent cement Jointing, plain ended pipes, Class 5, (1.0 Mpa) Nominal size-40mm to 110 mm, socketed for solvent cement Jointing, plain ended pipes, Class 2, (0.4 mpa) Nominal size-63mm to 110 mm,socket for solvent cement Jointing and Plain ended pips	Parixit
568	BALAJI INDUSTRIES ADDRESS:- # 13/5C, GUNDIPALLI MAIN ROAD, GUDIPALLI,-517426 CHITTOOR,CHITTOORPINCODE:-517426	ANDHRA PRADESH	Plain ended Pipes, Socketed for solvent Cement Jointing, Nominal Outside Diameter:20- 50 mm Plumbing, Nominal Outside Diameter:20- 110 mm,Class of Pipe : Class-5( 10.0 kg/cm <sup>2</sup> ), Nominal Outside Diameter :40- 200 mm,Class of Pipe : Class-3( 6.0 kg/cm <sup>2</sup> ), Nominal Outside Diameter : 63 - 200 mm ,Class of Pipe: Class-2( 4.0 kg/cm <sup>2</sup> )	Green Star, Jai Surya, Blue Drop

Sl. No.	Firm Name & Address	State	Variety	Brand
569	SRI KRISHNA PIPESADDRESS:- 2/212, SITHURAJAPURAM, ,,SIVAKASIPINCODE:-626189	TAMIL NADU	Class 2- Upto and including 200 mm, except 125 mm nominal OD, plain ended and socketed pipe for solvent cement jointing; Class 3- 140 mm to 200 mm nominal OD plain ended and socketed pipe for solvent cement jointing; Class 5- Upto and including 110 mm nominal OD, plain ended and socketed pipe for solvent cement jointing; Plumbing pipes; Class 3 - 40 mm to 110 mm nominal OD, plain ended and socketed pipe for solvent cement jointing.	-
570	N.K.PIPESADDRESS:- 4/43, ENNORE HIGH ROAD, TONDIARPET,,CHENNAIPINCODE:-600081	TAMIL NADU	Class 2, Sizes 63 mm to 200 mm, Nominal OD, except 125 mm, Plain and socketed pipes for solvent cement jointing Class 3, 40 mm to 200 mm, Nominal OD, except 125 mm, Plain and socketed pipes for solvent cement jointing Class 5, 20 mm to 110 mm, Nominal OD, except 125 mm, Plain and socketed pipes for solvent cement jointing Plumbing pipes, 20 mm to 50 mm Nominal OD	-
571	RAGAVENDRA PLASTADDRESS:- PLOT NO.83, R.S.NO. 365/3, SIDCO INDUSTRIAL ESTATE, ASANUR POST, ULUNDURPET TK,,PINCODE:-606751	TAMIL NADU	Class 2, Sizes from 63mm to 200 mm except 125 mm , Nominal OD for plain & socket ended solvent cement jointing Class 3, Sizes from 63mm to 200 mm except 125 mm , Nominal OD for plain & socket ended solvent cement jointing	SENBACA, PVC

Sl. No.	Firm Name & Address	State	Variety	Brand
572	KRISGO INDUSTRIES-UNIT II(A UNIT OF C.R.I.PUMPS PVT LTD)ADDRESS:- SF.NO.431,432, ALUR VILLAGE, HOSUR TALUK,KRISHNAGIRI,KRISHNAGIRIPINCODE:-635109	TAMIL NADU	Class 4, Size 25 to 110 mm Plain and Socket end for solvent cement jointing. Class 6, Sizes 20 to 110 mm, plain and Socket end for solvent cement jointing.	VAHINI PIPES, C.R.I. PIPES
573	SIMPLIFY IRRIGATION PRIVATE LIMITEDADDRESS:- 36-C SIPCOT PHASE 1,HOSUR,HOSURPINCODE:-635126	TAMIL NADU	class 2 -sizes-63-200mm except 125mm,plain and socket end, solvent cement jointing, class 3 - 40 to 200mm except 125 mm, plain and socket end, solvent cement jointing, class 5 - 20-110mm, plain and socket end, solvent cement jointing	NIRMIT
574	BALAJI PIPESADDRESS:- T.249,SIDCO WOMENS INDUSRIAL PARK,THIRUMULLAIVOYAL,KATTUR VILLAGE,CHENNAI-62.,CHENNAIPINCODE:-600062	TAMIL NADU	class-3, 125mm plain and socket end for solvent cement jointing, Class-5 ( 1.0 MPa) Sizes 63mm,75mm,90mm,110mm Plain and socket end pipe for for solvent cement jointing., Class-3 ( 0.6 MPa), Sizes 40mm,50mm, 63mm,75mm,90mm,110mm,140mm, 160mm,180mm,200mm Plain and Socket end pipe for Solvent cement Jointing, class-2 ( 0.4 MPa) Sizes 63mm,75mm, 90mm,110mm, 140mm,160mm, 180mm,200mm Plain and Socket end for solvent cement Jointing., PLUMBING Pipes sizes 20mm,25mm, 32mm,40mm, and 50mm.	(GR)BLUE STAR JAYAM

Sl. No.	Firm Name & Address	State	Variety	Brand
575	SHANTHINI POLYMERSADDRESS:- 20, SIDCO INDUSTRIAL ESTATE,PETTAI, TIRUNELVELI,TIRUNELVELIPINCODE:- 627010	TAMIL NADU	20 mm to 50 mm Plumbing, Class 2 , Nominal size 63 mm to 200 mm excluding 125 mm Plain ended and Socket end for solvent cement joint., Class 3, Nominal Size 40 mm to 200 mm excluding 125 mm, Plain Ended and Socket end for solvent cement joint., Class 5, Nominal size 20 mm to 110 mm, Plain Ended and Socket end for solvent cement joint.	Jene, Preethi, Atlas
576	SANKAR POLYMERSADDRESS:- 3 KUMARAGIRI NAGAR,SANNIYASIGUNDU,SALEMPINCODE:-636015	TAMIL NADU	20 mm to 50 mm Plumbing, Plain ended, 20 mm to 110 mm, Class 5 (PN 1.00 Mpa), Plain ended and Socketed for solvent cement jointing, 40 mm to 110 mm, Class 3 (PN 0.60 Mpa), Plain ended and Socketed for solvent cement jointing, 63 mm to 110 mm, Class 2 (PN 0.40 Mpa), Plain ended and Socketed for solvent cement jointing	METRO GOLD, SP METRO PLAST, METRO
577	HYPERTech ELASTOMERS ADDRESS:- SF NO.293/2A,DENKANIKOTTAI MAIN ROAD,NAGONDAPALLI,HOSURPINCODE:-635110	TAMIL NADU	63mm to 110mm - class-2, 40mm to 110mm - class-3	Hyperplast
578	KABADAR AGRO PIPE INDUSTRIESADDRESS:- PLOT NO. 151-A&B,KIADB INDUSTRIAL AREA NASARAPUR,BETAGERI GADAG, DIST. GADAG,GADAGPINCODE:-582102	KARNATAKA	UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES of Class 2: plain ended and socketed for solvent cement jointing: Nominal Size 63,75,90,110,140, 160,180,200 mm.	SHREYAS, KUBER

Sl. No.	Firm Name & Address	State	Variety	Brand
579	H.G.POLYMERSADDRESS:- PLOT NO.62/A,K.I.A.D.B,HONGA INDUSTRIAL AREA,HONGA,BELAGAVI-591156 KARNATAKA,BELAGAVIPINCODE:-591156	KARNATAKA	Class 2,PN : 0.40 MPa,Nominal size (mm) : 63-110, Socketed for solvent cement jointing and Plain ended Pipes	PROLEX
580	SAHYADRI POLYMERSADDRESS:- 30 G, KIADB INDUSTRIAL AREA ,1 ST CROSS,JEDIKATTE ,BHADRAVATHI,SHIMOGA DISTPINCODE:-577222	KARNATAKA	class 2, PN : 0.40 MPa, Nominal Out side Diameter (mm) : 63-110, Socketed for solvent cement jointing & Plain Pipes, Class 3, PN : 0.60 MPa, Nominal Out side Diameter (mm) : 40-110, Socketed for solvent cement jointing & Plain Pipes	SAHYADRI



Sl. No.	Firm Name & Address	State	Variety	Brand
581	GURU POLYPLASTADDRESS:- PLOT NO.4/11, 4/12, GIDC CHANDISAR, VILLAGE: CHANDISAR, TALUKA: PALANPUR,,,CHANDISARPINCODE:-0	GUJARAT	Class 3 Nominal sizes from 40mm and 50mm, End: plain and Socketed for solvent cement joint, Class 3 Nominal sizes from 180mm upto and including 315mm except 200mm, End: plain and socketed for elastomeric sealing ring joint, Class 2 Nominal sizes 280mm and 315mm, End: plain and Socketed for solvent cement joint, 3 Nominal sizes for 180mm, 280mm and 315mm End: socketed for solvent cement joint, Class 1 Nominal sizes 280mm and 315mm, End: plain and Socketed for solvent cement joint, Size 75 mm, class 3,with elastomeric sealing ring joint, Unplaticized PVC Pipes for Potable water supplies for plain ended and socketed pipe for solvent cement jointing for sizes: 90mm to 250mm, Class-1, 63mm to 250mm, Class-2 and 63mm to 200mm (Except 180mm), Class-3 UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 90 to 250mm of Class-2 for Elastomeric sealing rings joints and 2)Nominal OD 90 to 200mm (Excluding 180mm) of Class-3 for Elastomeric sealing rings joints	-

Sl. No.	Firm Name & Address	State	Variety	Brand
582	BOOST PLASTO TECHNICS ADDRESS:- N,H, 14, DEESA HIGHWAY ROAD OPP.HOTEL GREEN WOOD BADARPURA(KODALA) TAL: PALANPUR,,BADARPURAPINCODE:-385001	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies for Sizes: 63mm to 315 mm, Class 2 & 3 For plain ended and socketed pipe for solvent cement jointing. UPVC Pipe for Potable water supplies for Nominal OD 63mm to 315mm of Class-2 with socket for Elastomeric sealing rings joints	-
583	SHREE KRISHNA INDUSTRIES ADDRESS:- PLOT NO.87 TO 90, 120 TO 123 OM TEXTILES PART-3 PARAB TA: KAMREJ ,,SURATPINCODE:-394180	GUJARAT	40mm to 200mm(Except 125mm), Class 3 for plainended and socketd pipe for solvent cement jointing. UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 90mm to 250mm (except 125mm) of Class-1 for Plain ended and socketed pipe for solvent cement jointing, 2) Nominal OD 63mm to 250mm (except 125mm) of Class-2 for Plain ended and socketed pipe for solvent cement jointing and 3) Nominal OD 63mm to 250mm (except 125mm) of Class-5 for Plain ended and socketed pipe for solvent cement jointing UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 63 to 250mm (excluding 125mm) of Class-2 for Elastomeric sealing rings joints and 2) Nominal OD 40 to 250mm (Excluding 125mm) of Class-3 for Elastomeric sealing rings joints	-

Sl. No.	Firm Name & Address	State	Variety	Brand
584	MAHI POLYMERSADDRESS:- SR. NO 189, BLOCK NO.147, PLOT NO.06 PAIKI OLAMPIYA GALI,KIM CHAR RASTA TAL: MANGROL AT: MOTA BORASARA,,,SURATPINCODE:-394110	GUJARAT	63mm to 200mm(except 125mm), Class 2 40mm to 200mm (), for plain ended and socketed pipe for solvent cement jointing , 90 mm to 200 mm (except 125 mm), class 1, Plain ended and socketed end for solvent cement jointing	Waterfit
585	KRISHNA PIPES INDUSTRIESADDRESS:- BLOCK NO. 113, AT ZAK: KADADARA ROAD, TA: DAHEGAM,,ZAKPINCODE:-382430	GUJARAT	90mm to 200mm, Class 1, 63mm to 200mm	KRISHNA

Sl. No.	Firm Name & Address	State	Variety	Brand
586	ARON PIPES PVT LTD ADDRESS:- BLOCK NO.187 PLOT NO.1 TO 5 KARAJ, KIM-MANDVI ROAD MANDVI,,SURAT PINCODE:-394110	GUJARAT	140mm to 315mm, class 2, plain ended & with socket for solvent cement jointing type & 225mm to 315mm, socket for elastomeric sealing ring type jointing UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 90 to 315mm (excluding 125mm) of Class-1 for solvent cement jointing and 2) Nominal OD 63 to 110mm and OD 355 and 400mm of Class-2 for solvent cement jointing and Elastomeric sealing rings joints UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 40 to 315mm (excluding 125mm) of Class-3 for Plain end, solvent cement jointing and Elastomeric sealing rings joints 2) Nominal OD 140 to 200mm of Class-2 for Elastomeric sealing rings joints , UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 20 to 315mm of Class-5 for Plain and socket with solvent cement jointing, 2) Nominal OD 125mm of Class-2 and 3 for Plain and socket with solvent cement jointing and 3) Nominal OD 20 to 315mm of Class-5 for Elastomeric sealing rings joints	-

Sl. No.	Firm Name & Address	State	Variety	Brand
587	ROSHAN PIPE INDUSTRIESADDRESS:- 44-45, NIRMAL INDUSTRIAL PARK, GIDC, GOZARIYA,,PINCODE:-382825	GUJARAT	90mm to 200mm(Except 125mm & 180mm), Class 1, Plain ended & Socketed Pipe for solvent cement jointing) 63mm to 200mm (Except 125mm) Class 2 & 3, Plain ended & socketed pipe for solvent cement jointing. 125mm, Class 2, plain ended pipe UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 225mm to 315mm of Class-2 for Plain end and socketed pipe for Solvent Cement Jointing and 2) Nominal OD 63 to 315mm (Excluding 125mm) of Class-2 for Elastomeric sealing rings joints , 225 mm to 315 mm class 3 for Plain ended, Socketed for solvent cement joint and 63 mm to 315 mm (except 125 mm) class 3, Socketed for Elastomeric sealing ring joint type.	-

Sl. No.	Firm Name & Address	State	Variety	Brand
588	VIMCO PIPEADDRESS:- 219, GIDC, PHASE 1, NEAR NAGALPUR COLLEGE,,,MEHSANAPINCODE:-384002	GUJARAT	Class 2comma 355 to 400 mmcomma Plaincomma Solvent cement joint and Elastomeric sealing ring joint, Inclusion of following varieties of UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES as per IS 4985:2000 may be considered: 1. Class 5 (PN 1.0), Plain end, Socket end for elastomeric sealing ring joint nominal size from 20mm to 315mm 2. Class 5 (PN 1.0), Plain end, Socket end for solvent cement joint- nominal size from 125mm to 315mm, UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 90mm to 315mm (excluding 125mm) of Class-1 for Plain ended and socketed pipe for Plain end and solvent cement jointing and 2) Nominal OD 63mm to 315mm (excluding 125mm) of Class-2 with Plain end, solvent cement jointing socket and Elastomeric sealing rings joints UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 40 to 315mm of Class-3 for Plain end, socketed pipe for solvent cement jointing and Elastomeric sealing rings joints. 2)Nominal OD 20 to 110mm of Class- 5 for Plain ended and socketed	-
589	ADITYA POLYMERSADDRESS:- BEHIND SAI TEMPLE, MAHADEVPURA-BAVSOR APPROCH ROAD, AT & PO & TAL: VIJAPUR,,,MEHSANAPINCODE:-382870	GUJARAT	UPVC Pipe for Potable water supplies for Nominal OD 63 to 200mm (Excluding 125mm) of Class-2 and 3 for Plain end and socketed pipe for Solvent Cement Jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
590	SHREE GURUDEV AGROADDRESS:- SURVEY NO.3/3, LALINO MATH, DHANSURA,,ARAVALIPINCODE:-0	GUJARAT	UPVC Pipe for Potable water supplies for Nominal OD 63 to 200mm (Excluding 125mm) of Class-2 and 3 for Plain end and socketed pipe for Solvent Cement Jointing, âUPVC Pipe for Potable water supplies for Nominal OD 225mm and 250mm of Class-2 and 3 for Plain end and socketed pipe for Solvent Cement Jointingâ	-
591	SHREEDHAR IRRIGATION PVT LTDADDRESS:- PLOT NO.740, WAGHODIA GIDC,,WAGHODIA,VADODARAPINCODE:-391760	GUJARAT	UPVC pipe for potable water supplies for Plain & socket end with solvent cement jointing for following varieties:- 1) Nominal size 90mm to 110mm for Class-1, 2) Nominal size 63mm to for Class-2 and 3) Nominal size 40mm to 110mm for Class-3	-

Sl. No.	Firm Name & Address	State	Variety	Brand
592	DUKE PIPES PVT LTD ADDRESS:- SURVEY NO.365/1, AT & PO: CHADOTAR, GADH ROAD, TAL: PALANPUR, ,,PALANPUR PINCODE:-385001	GUJARAT	Unplasticized PVC Pipe for Potable water supply for following varieties: i) Nominal Dia. 90 to 315mm, CI-1, Solvent Cement Jointing & Plain end ii) Nominal Dia. 63 to 400mm, CI-2, Solvent Cement Jointing & Plain end iii) Nominal Dia. 63 to 315mm, CI-3, Solvent Cement Jointing & Plain end iv) Nominal Dia. 63 to 315mm, CI-4, Solvent Cement Jointing & Plain end v) Nominal Dia. 63 to 315mm, CI-5, Solvent Cement Jointing & Plain end vi) Nominal Dia. 63 to 400mm, CI-2 with elastomeric joint vii) Nominal Dia. 63 to 315mm, CI-3, with elastomeric joint viii) Nominal Dia. 125 to 315mm, CI-4, with elastomeric joint ix) Nominal Dia. 63 to 315mm, CI-5, with elastomeric joint x) Nominal Dia. 40 & 50mm, CI-3, Plain end. xi) 25, 32, 40, 50, CI-4, Plain end. xii) 20,25,32,40 & 50, CI-5 Plain end. , UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 355mm to 630mm of Class-1 for Plain ended, socketed pipe for solvent cement jointing, 2) Nominal OD 355mm to 630mm of Class-3 for Plain ended, socketed pipe for solvent cement jointing	-



Sl. No.	Firm Name & Address	State	Variety	Brand
593	C.R.I. PUMPS PVT LTDADDRESS:- BLOCK NO.56, B/H JOHNSONS SCREEN(INDIA) PVT LTD, KHATRAJ-KALOL ROAD, KHATRAJ, ,,KALOLPINCODE:-382721	GUJARAT	UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 90mm to 315mm of Class-1 for Plain ended and socketed pipe for solvent cement jointing. 2) Nominal OD 63mm to 315mm of Class-2 for Plain ended and socketed pipe for solvent cement jointing, 3) Nominal OD 40mm to 110mm of Class-3 for Plain ended and socketed pipe for solvent cement jointing and 4) Nominal OD 20mm to 315mm of Class-5 for Plain ended and socketed pipe for solvent cement jointing , UPVC Pipe for Potable water supplies for Nominal OD 125mm to 315mm of Class-3 for plain and socketed pipe for solvent cement jointing	CRI
594	SHREE LABH PIPESADDRESS:- PLOT NO.143 TO 145, C/O. UMA TILES COMPOUND, OPP. MARIGOLD PAINTS, GIDC, V U NAGAR,,ANANDPINCODE:-388121	GUJARAT	UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 90mm to 200mm (excluding 125mm) of Class-1 for Plain ended and solvent cement jointing, 2) Nominal OD 63mm to 200mm (excluding 125mm) of Class-2 for Plain ended and solvent cement jointing and 3)Nominal OD 40mm to 200mm (excluding 125mm) of Class-3 for Plain ended and solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
595	SHREE RAM INDUSTRIESADDRESS:- BLOCK NO.23, PLOT NO.25 TO 36, OPP. NAKODA TILES, AT: KARANJ, TA: MANDVI,,,SURATPINCODE:-394111	GUJARAT	UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 90mm to 250mm (Excluding 125mm) of Class-1 for Plain ended and socketed pipes for solvent cement jointing, 2) Nominal OD 63mm to 250mm (excluding 125mm) of Class-2 for Plain ended and socketed pipes for solvent cement jointing and 3)Nominal OD 40mm to 250mm (excluding 125mm) of Class-3 for Plain ended and socketed pipes for solvent cement jointing	-
596	HOLIN INDUSTRIES LLPADDRESS:- SHED NO.D/144 TO 146 & D/159 TO 161, BEHRU NAGAR ESTATE, NAVAGAM, KAMREJ,,SURATPINCODE:-394180	GUJARAT	UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 90mm to 200mm (Excluding 125mm) of Class-1 for Plain ended and socketed pipes for solvent cement jointing, 2) Nominal OD 63mm to 200mm (excluding 125mm) of Class-2 for Plain ended and socketed pipes for solvent cement jointing and 3)Nominal OD 63mm to 200mm (excluding 125mm) of Class-3 for Plain ended and socketed pipes for solvent cement jointing	vedant

Sl. No.	Firm Name & Address	State	Variety	Brand
597	KRISHNA POLYMERSADDRESS:- PLOT NO.227/3, PHASE-1 GIDC ESTATE,,,PANOLIPINCODE:-394116	GUJARAT	UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 90mm to 200mm (Excluding 125mm) of Class-1 for Plain ended and socketed pipes for solvent cement jointing, 2) Nominal OD 63mm to 200mm (excluding 125mm) of Class-2 for Plain ended and socketed pipes for solvent cement jointing and 3)Nominal OD 40mm to 200mm (excluding 125mm) of Class-3 for Plain ended and socketed pipes for solvent cement jointing”	Krishna
598	STRAWBERRY POLYMERS PVT LTDADDRESS:- S NO.25, PO: HIMMATPUR, IDAR-HIMATNAGAR HIGHWAY, AT: BHETALI, TAL: IDAR, ,,HIMATNAGARPINCODE:-383010	GUJARAT	UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 90mm to 250mm (Excluding 125mm) of Class-1 for Plain ended and socketed pipes for solvent cement jointing, 2) Nominal OD 63mm to 250mm (excluding 125mm) of Class-2 for Plain ended and socketed pipes for solvent cement jointing and 3)Nominal OD 40mm to 250mm (excluding 125mm) of Class-3 for Plain ended and socketed pipes for solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
599	RAMDEV PVC PRODUCTS PVT LTDADDRESS:- SURVEY NO.736-737, MAJE-TARSADI TAL: MANGROL,,SURATPINCODE:-394210	GUJARAT	UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 140mm to 315mm of Class-2 and 3 for Plain ended and socket for solvent cement jointing, 2) Nominal OD 160mm, 250 and 280mm of Class-2 and 3 for elastomeric ring jointing , UPVC Pipe for Potable water supplies for Nominal OD 355mm and 400mm of Class-2 3 for Plain end, Socket with solvent Cement Jointing and Elastomeric sealing rings joints, 1.class-II-OD 63 to 110 for plane, solvent & elastomeric sealing ring and for 140,180,200,225&315 mm elastomeric sealing ring joint. 2. Class-III, OD- 40 to 110 mm for plain, solvent and elastomeric sealing ring joint and elastomeric sealing ring joint for 140,180,200,225&315 mm for elastomeric sealing ring joint.	-

Sl. No.	Firm Name & Address	State	Variety	Brand
600	MILAN PIPE INDUSTRIESADDRESS:- R S NO.114P, VILLAGE: IODRIYA, TAL: SANAND,,AHMEDABADPINCODE:-382110	GUJARAT	Class 3 Nominal size 355 mm and 400 mm, End: plain, socketed for solvent cement joint and socketed for elastomeric sealing ring jointing, Class 2 Nominal size 355 mm and 400 mm, End: plain, socketed for solvent cement joint and socketed for elastomeric sealing ring jointing., Class 1 Nominal size 355 mm and 400 mm, End: plain and socketed for solvent cement joint , UPVC Pipe for Potable water supplies” as per IS 4985:2000 for Grant of Licence recommended for “UPVC Pipe for Potable water supplies for following varieties:- 1)Nominal OD 90mm to 315mm (excluding 125mm) of Class-1 for Plain ended and socketed pipe for solvent cement jointing, 2) Nominal OD 63mm to 315mm (excluding 125mm) of Class-2 for Plain ended and socketed pipe for solvent cement jointing, 3)Nominal OD 63mm to 315mm (excluding 125mm and 280mm) of Class-3 for Plain ended and socketed pipe for solvent cement jointing and 4)Nominal OD 160mm to 315mm (excluding 225mm) of Class-2 and 3 for socketed pipe for Elastomeric ring joint, 1.	-

Sl. No.	Firm Name & Address	State	Variety	Brand
601	AQUACHEM INDUSTRIES PVT LTDADDRESS:- BLOCK NO.535, KUJAD VILLAGE, AHMEDABAD-INDORE HIGHWAY, NEAR AIA ENGINEERING, KUPADTHAL PATIYA,,,AHMEDABADPINCODE:-382430	GUJARAT	UPVC Pipe for Potable water supplies for Nominal OD 63mm to 110mm of Class-2 for Plain ended and socketed pipe for solvent cement jointing, UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 125mm to 315mm of Class-2 and 3 for Plain ended, socketed pipe for solvent cement jointing and Elastomeric sealing rings joints, 2) Nominal OD 63mm to 110mm of Class-2 for Elastomeric sealing rings joints and 3) Nominal OD 75mm to 110mm of Class-3 for Plain ended and socketed pipe for solvent cement jointing.	-
602	DECCAN IRRITECH PVT LTDADDRESS:- PLOT NO.C1B 5306, GIDC ESTATE ANKLESHWAR,BHARUCH,BHARUCHPINCODE:-393002	GUJARAT	-	-

Sl. No.	Firm Name & Address	State	Variety	Brand
603	INFINITY ENTERPRISEADDRESS:- PLOT N O.225, INDUSTRIAL ESTATE, VILLAGE: DANTALI, TAL: KALOL,GANDHINAGAR,GANDHINAGARPINCODE:- 382358	GUJARAT	63 mm to 250 mm (except 125 mm) class 2 and 3, for Elastomeric Sealing Ring joint type. , UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 90 to 250mm (excluding 125mm) of Class-1 for Plain end and socket with solvent cement jointing, 2) Nominal OD 140 to 250mm (excluding 125mm) of Class-2 for Plain end and socket with solvent cement jointing, 3) Nominal OD 140 to 250mm (excluding 125mm) of Class-3 for Plain end and socket with solvent cement jointing and 4) Nominal OD 63 to 250mm (excluding 125mm) of Class-5 for Plain end and socket with solvent cement jointing, UPVC Pipe for Potable water supplies for following varieties:- 1) Nominal OD 63mm to 110mm of Class-2 for Plain ended and socketed pipe for solvent cement jointing and 2) Nominal OD 63mm to 110mm of Class-3 for Plain ended and socketed pipe for solvent cement jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
604	KRANTI POLYSHINEADDRESS:- PLOT NO-142,142/A,143,144,RAJ INDUSTRIAL ESTATE,BHATKOLGAM,MANGROL,PIPODARA GIDC,SURATPINCODE:-394110	GUJARAT	1.Class-2, DN 63 mm to 200 mm (except 125 mm) for plain ended and socketed pipe for solvent cement jointing 2.Class-3 DN 40 mm to 200 mm (except 125 mm) for plain ended and socketed pipe for solvent cement jointing	VESTRON, KRANTI PVC PIPE
605	SABAR PIPES & FITTINGS LLPADDRESS:- GAM NANI DEVTI, SANAND - BAVLA ROAD, ,TA. SANAND, DIST. AHMEDABAD,AHMEDABADPINCODE:-382220	GUJARAT	1. Class 2 63 mm to 110 mm - Elastomeric Sealing Ring Joint 2. Class 2 125 mm to 315 mm - Elastomeric Sealing Ring Joint 3. Class 3 50 mm to 110 mm - Elastomeric Sealing Ring Joint 4. Class 3 125 mm to 315 mm - Socket Type Elastomeric Sealing Ring Joint, 1.Class-1, DN 90 mm to 315 mm for plain ended and socketed pipe for solvent cement jointing 2.Class-2 DN 63 mm to 315 mm for plain ended and socketed pipe for solvent cement jointing 3.Class-3 DN 50 mm to 315 mm for plain ended and socketed pipe for solvent cement jointing 4.Class-5 DN 50 mm to 315 mm for plain ended and socketed pipe for solvent cement jointing	SABAR



Sl. No.	Firm Name & Address	State	Variety	Brand
606	DONGA WATERTech PVT. LTD.ADDRESS:- PLOT NO.3, KAILASH INDUSTRIAL ESTATE , SANAND-VIRAMGAM HIGHWAY, ,OPP: ESSAR PETROL PUMP, EYAVA, TA:SANAND, DIST:AHMEDABAD,AHMEDABADPINCODE:- 0	GUJARAT	1.Class-1, DN 90 mm to 315 mm for plain ended and socketed pipe for solvent cement jointing 2.Class-2 DN 63 mm to 315 mm for plain ended and socketed pipe for solvent cement jointing 3.Class-3 DN 50 mm to 315 mm for plain ended and socketed pipe for solvent cement jointing	Donga
607	HIL LIMITEDADDRESS:- BLOCK NO. 581, 585, 586/4,VILLAGE- GOLAN TA- VALOD,VALODPINCODE:- 394640	GUJARAT	Class- 5 (PN- 1.0 MPa), Nominal size 20mm to 110mm, for plain ended and socketed for cement solvent jointing, Class 2, plain ended and socket ended for cement solvent joint for size 125mm, 140mm, 180mm, and 200mm., Class 3, plain ended and socket ended for cement solvent joint for size 125mm, 140mm, 180mm, and 200mm., UPVC Pipe for Potable water supplies for following varieties:- 1)40 mm, 50 mm, 63 mm, 75 mm, 90 mm, 110 mm and 160 mm, Class - 3 for Plain ended and socketed pipes for solvent cement jointing and 2) 63 mm, 75 mm, 90 mm, 110 mm and 160 mm, Class 2 for Plain ended and socketed pipes for solvent cement jointing	Birla Aerocon

Sl. No.	Firm Name & Address	State	Variety	Brand
608	AMIDHARA DRIP IRRIGATIONADDRESS:- PLOT NO. 1602/2 PHASE - IV,GIDC V.U. NAGAR, ANAND,ANANDPINCODE:-388121	GUJARAT	UPVC Pipe for Potable water supplies for following varieties:- 1)63 mm, 75 mm, 90 mm and 110 mm Class 2 and 3 for Plain ended and socketed pipes for solvent cement jointing	AMIDHARA
609	APOLLO PIPES LTD.ADDRESS:- PLOT NO. 359 AND 374,OFF RAJKOT HIGHWAY KOCHARIYA ,BAVLAPINCODE:-382220	GUJARAT	UPVC Pipe for Potable water supplies for following varieties:- 1)90mm to 315mm, Class - 1 for Plain ended and socketed pipes for solvent cement jointing, 2)63mm to 315mm, Class - 2 for Plain ended, socketed pipes for solvent cement jointing and Elastomeric Sealing ring joint, 3) 40mm to 315mm, Class - 3 for Plain ended, socketed pipes for solvent cement jointing and Elastomeric Sealing ring joint, 4)20mm to 315mm, Class - 2 for Plain ended and socketed pipes for solvent cement jointing and 5)20mm to 315mm, Class - 5 for Plain ended and socketed pipes for solvent cement jointing	apollo
610	NAGARJUNA FERTILIZERS AND CHEMICALS LIMITEDADDRESS:- 2505,2506, GIDC INDL. ESTATE,HALOL,HALOLPINCODE:-389350	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies for sizes:- 63 mm to 110 mm , class 2 For plain ended and socketed pipe for solvent cement jointing.	Nagarjuna, NFCL

Sl. No.	Firm Name & Address	State	Variety	Brand
611	RAMTECH POLYMERSADDRESS:- BLOCK NO 73, PLOT NO-J, KIM DUNGRA, TA-MANDVI,,KIMPINCODE:-394110	GUJARAT	90 mm to 200 mm (except 125 mm),class 1; 63 mm to 250 mm (except 125 mm),class 2; 40 mm to 250 mm (except 125 mm),class 3; plain ended & socketed for solvent cement joint type	RAMTECH POLYMERS
612	YOGI POLYPLASTADDRESS:- SURVEY NO. 347, SARDAR NAGAR INDUSTRIAL ESTATE,NEAR SARASWATI NAGAR, AT- CHHAPRA, TA- MAHEMDAVAD,MEHMEDAVADPINCODE:-387130	GUJARAT	90 mm to 200 mm (except 125 mm),class 1; 63 mm to 200 mm (except 125 mm),class 2; 40 mm to 200 mm (except 125 mm),class 3 of plain ended & socketed for solvent cement joint type	Yogi
613	SHAKTI POLYMERSADDRESS:- SURVEY NO. 310, TINTODAN ROAD,KUKARWADA,KUKARWADAPINCODE:-384530	GUJARAT	1. Class 1 ; sizes from 90mm to 200mm excluding 125mm; plain ended pipes, Socketed pipes for solvent cement jointing. 2. Class 2; sizes from 63mm to 200mm excluding 125mm; plain ended pipes, Socketed pipes for solvent cement jointing. 3. Class 3; sizes from 40mm to 200mm excluding 125mm; plain ended pipes, Socketed pipes for solvent cement jointing.	Shakti Gold, SHAKTI

Sl. No.	Firm Name & Address	State	Variety	Brand
614	DUTT TECHNO PLAST LLPADDRESS:- SURVEY NO. 496, VILLAGE ĀĀĀ PRABHATPURA,,B/H UMIYA COLD STORAGE, GANDHINAGAR-GOJARIYA ROAD,,MANSAPINCODE:-382845	GUJARAT	Class 3, Nominal Size 40 mm to 200 mm, except 125mm, plain end and Socketed end for solvent cemented jointing Socketed for solvent cemented jointing, Class 2, Nominal Size 63 mm to 200 mm, except 125mm, plain end and Socketed end for solvent cemented jointing, Class 1, Nominal Size 90 mm to 200 mm except 125mm, plain end and Socketed end for solvent cemented jointing	DELFLX
615	UNITEC PIPE INDUSTRIESADDRESS:- NEAR N.R.AGRAWAL, SURVEY NO -302/2,567/2,602/2, ,ANGAM, SARIGAM,UMERGAM,VALSAD.,VALSADPINCODE:- 396155	GUJARAT	Class 2 Nominal size from 63mm upto and including 110 mm , Plain ended and Socketed for solvent cement jointing, Class 3 Nominal size from 40mm upto and including 110 mm , Plain ended and Socketed for solvent cement jointing	UNITEC
616	ATLAS PIPESADDRESS:- PLOT NO. 111/112 SUKHRAM, IND. ESTATE, VELANJA-,HAJIRA ROAD, UMRA, SURAT,SURATPINCODE:-394248	GUJARAT	Plane and Socketed Pipe for solvent cement jointing Class 2, Nominal Size 63 to 200 mm except 125 mm, Plane and Socketed Pipe for solvent cement jointing Class 3, Nominal Size 63 to 200 mm except 125 mm	Atlas

Sl. No.	Firm Name & Address	State	Variety	Brand
617	SAIBABA PIPES PRIVATE LIMITED ADDRESS:- PLOT NO 219, GIDC, MANSA,,MANSAPINCODE:-382845	GUJARAT	Class 1 (0.25 Mpa), Nominal Size 90 mm to 315 mm (except 125mm), Socketed for Solvent cement Jointing, Class 2 (0.4 Mpa), Nominal Size 63 mm to 315 mm (Except 125 mm) , Socketed for Solvent cement Jointing, Class 3 (0.6 Mpa), Nominal Size 40 mm to 315 mm (except 125mm), Socketed for Solvent cement Jointing, Class 5 (1.0 Mpa), Nominal Size 20 mm to 110 mm, Socketed for Solvent cement Jointing, Class 2 (0.4 Mpa), Nominal Size 63 mm to 315 mm (except 125mm), Socketed for Elastomeric Sealing Ring Jointing, Class 3 (0.6 Mpa), Nominal Size 40 mm to 315 mm (except 125mm), Socketed for Elastomeric Sealing Ring Jointing	Saibaba

Sl. No.	Firm Name & Address	State	Variety	Brand
618	FLOWKEM POLY PLAST PVT. LTD. ADDRESS:- FLOWKEM POLY PLAST PVT. LTD., SURVEY NO./BLOCK NO. 417,418,419,NEAR AMBA HOTEL, NEW MIRJAPUR CUT, ,NR. MIRZAPUR, AHMEDABAD,INDORE ,HIGHWAY, VILL : CHAMLA, TAL : DEHGAM,GANDHINAGARPINCODE:- 387610	GUJARAT	Class- 5 (PN- 1.00 MPa), Nominal size 20mm to 315mm, for plain ended and socketed for cement solvent jointing., Class- 3 (PN- 0.60 MPa), Nominal size 40mm to 315mm, for plain ended and socketed for cement solvent jointing., Class- 2 (PN- 0.40 MPa), Nominal size 63mm to 315mm, for plain ended and socketed for cement solvent jointing., Class- 1 (PN- 0.25 MPa), Nominal size 90mm to 315mm, for plain ended and socketed for cement solvent jointing.	Flowkem
619	D R POLYMERSADDRESS:- BLOCK NO.57, PLOT NO. H-2,TEMPA GALI, PIPODARA GIDC ,MANGROLPINCODE:- 394110	GUJARAT	For Class 1 Sizes 90mm to 200mm excluding 125mm, Pipe end: plain and socketed for solvent cement joint, For Class 2 Sizes 63mm to 200mm excluding 125mm, Pipe end: plain and socketed for solvent cement joint, For Class 3 Sizes 40mm to 200mm excluding 125mm, Pipe end: plain and socketed for solvent cement joint	DR

Sl. No.	Firm Name & Address	State	Variety	Brand
620	CHAITYA INDUSTRIESADDRESS:- PLOT NO. 1, SURVEY NO. 989, BERNA,HIMATNAGAR,HAMITNAGARPINCODE:-383001	GUJARAT	Class 1 (0.25 Mpa), Nominal Size 90mm to 250mm, Plain ended and socketed for solvent cement jointing, Class 2 (0.4 Mpa), Nominal Size 63mm to 250mm, Plain ended and socketed for solvent cement jointing, Class 3 (0.6 Mpa), Nominal Size 40mm to 250mm, Plain ended and socketed for solvent cement jointing	NANAVATI, LOHA, MEGHDARSHAN
621	STANDARD PIPES TECHNIQUESADDRESS:- PLOT NO. 112/P, B/H BINAL AIR SYSTEM,OPP. SHRI HARIHAR MAHADEV MANDIR ROAD, SANTEJ,KALOLPINCODE:-382721	GUJARAT	UPVC pipes for Potable Water Supplies, Plain ended and socketed for solvent cement jointing, Class 1 (0.25 Mpa), Nominal Size 90 mm to 225 mm,, Class 2 (0.4 Mpa), Nominal Size 63 mm to 225 mm,, Class 3 (0.6 Mpa), Nominal Size 40 mm to 225 mm,	STANDARD
622	PROGRESSIVE PIPES PRIVATE LIMITEDADDRESS:- BLOCK NO. 792,PRIVATE PLOT NO.3(OLD),,VIL:MOTI BHOYAN,TAL:KALOL,DIST:GANDHINAGAR ,KALOLPINCODE:-382721	GUJARAT	Plain Ended Pipes and Socket Ended Pipes for solvent cement jointing and Socket Ended Pipes with Elastomeric Sealing Ring Joint, Class 2 (0.4 Mpa) - Nominal Size -63 mm to 315 mm, Class 3 (0.6 Mpa), Nominal Size 40mm to 315mm	progressive

Sl. No.	Firm Name & Address	State	Variety	Brand
623	SAI AGROTECHADDRESS:- PLOT NO 38,DARDA NAGAR,,YAVATMALPINCODE:-445001	MAHARASHTRA	UPVC pipes for potable water supplies for nominal sizes 63mm, 75mm, 90mm & 110mm, class II socketed pipes for solvent cement jointing as per IS 4985:2000 40-110mm Class 3 25-110mm Class 4 25-110mm Class 5 socketed pipes for solvent cement jointing	PLATINUM
624	GEETA PLASTICWOOD INDUSTRIESADDRESS:- 239, GOMTI NIWAS, BHARAT NAGAR, KALMANA MARKET ROAD,,,NAGPURPINCODE:-440035	MAHARASHTRA	UPVC Pipes for potable water supplies as per IS 4985:2000 for nominal sizes 160mm class-1 PN 2.5kgf/cm2 for nominal sizes 160mm class-2, PN 4kgf/cm2 for nominal sizes 140, 160, 180 & 200mm class-3 PN 6kgf/cm2 for nominal sizes 63,75,90,110,140,160,180,200mm class-5 PN 10kgf/cm2 for nominal sizes 160mm for plain & Socketed pipes for solvent cement jointing.	PANCHDHARA



Sl. No.	Firm Name & Address	State	Variety	Brand
625	N N INDUSTRIESADDRESS:- G-1/15 MIDC SEWAGRAM ROAD,,WARDHAPINCODE:-442001	MAHARASHTRA	UPVC pipes for potable water supplies as per IS 4985:2000 for nominal sizes class-2, PN 0.4MPa, sizes DN 63 to 110mm, class-3, PN 0.6MPa, sizes DN 40 to 110mm, for plain & socketed pipes for solvent cement jointing. , UPVC 140mm Class-2,4kgf/cm2 ( Enclusion group size 125,140,160,180,200mm) & Upvc resin test report, UPVC 160mm Class-3,6kgf/cm2 ( Enclusion group size 125,140,160,180,200mm), UPVC 140mm Class-2,4kgf/cm2 ( Enclusion group size 125,140,160,180,200mm) & Upvc resin test report, UPVC 160mm Class-3,6kgf/cm2 ( Enclusion group size 125,140,160,180,200mm)	Galaxygold, Galaxy Gold
626	TVS POLYMERSADDRESS:- PLOT NO -N 35,MIDC HINGNA,NAGOUR,NAGPURPINCODE:-440016	MAHARASHTRA	socket ended pipes for solvent cement jointiong ., CLASS 5 1.0 Mpa 50 to 110 mm & 125mm to 200mm , CLASS 4 0.8 MPa 50to 110mm & 125 to 200mm , CLASS 3 0.6 Mpa 50 to 110 & 125 to 200 mm , CLASS 2 0.4 Mpa 63to 110mm &125 to 200mm	SHAKTI GOLD, TVS
627	PRATIKSHA INDUSTRIES PVT LTDADDRESS:- B-23,MIDC SEWAGRAM ROAD,WARDHA,WARDHA,WARDHAPINCODE:-442001	MAHARASHTRA	(63 mm to 200 mm ) in 4 kg,& (63 mm to 200 mm ) in 6 kg, class 2 0.4 Mpa 63 to 200mm & class 3 ,0.6 Mpa 63 to 200mm for plain & socketed pipes with solvent cement jointing.	putti,, Olex

Sl. No.	Firm Name & Address	State	Variety	Brand
628	UNITED AGRO PIPE INDUSTRIESADDRESS:- PLOT NO C-46/2,MIDC WARDHA,WARDHA,WARDHAPINCODE:-442001	MAHARASHTRA	DN63 to DN200 Class 2, DN63 to DN200 Class 3, DN63 to DN200 Class 5, for plain and socketed pipes with solvent cement jointing, DN63 to DN200 Class 2, DN63 to DN200 Class 3, DN63 to DN200 Class 5, for plain and socketed pipes with solvent cement jointing	JAL SINCHAN
629	GARIMAN PIPE INDUSTRIESADDRESS:- PLOT NO.-3,MAHANAGAR BUILDCON INDUSTRIAL AREA,,,NAGPURPINCODE:-441202	MAHARASHTRA	63comma75comma90comma110comma140comma160comma180comma200 mmcomma class - 5comma10 kgf/cm2comma socket ended, Class 2 and Class 3 Nominal Sizes 140mm to 200mm ,, 63 MM TO 110 MM - CLASS II - 4 KGF/CM2, 63 MM TO 110 MM - CLASS III - 6 KGF/CM2	GARIMAN

Sl. No.	Firm Name & Address	State	Variety	Brand
630	GANESH GOURI INDUSTRIES ADDRESS:- KH NO:55/3,KAMPTEE ROAD,LIHIGAON,KAMPTEEPINCODE:- 441001	MAHARASHTRA	Inclusion may be considered for UPVC Pipes for potable water supplies for plain and Socketed for solvent cement Jointing, for following varieties: 1) Class -1, Group 1 size-90 mm, 110 mm 2) Class 1, Group 2 Size - 125 mm, 140 mm, 160 mm, 180 mm, 200 mm, 225 mm, 250 mm 3) Class 2, Group 2 Size - 125 mm, 140 mm, 160 mm, 180 mm, 200 mm, 225 mm, 250 mm 4) Class 3, Group 2 Size - 125 mm, 140 mm, 160 mm, 180 mm, 200 mm, 225 mm, 250 mm as per IS 4985:2000, based on the CM/PF 305 and CM/PF 306 declaration submitted necessary documents and Test Report from OSL, class 3 0.6 MPa 63 to 110mm, class 2 0.4 MPa 63 to 110 mm	GOURI, GANESH GOURI AQUAPLAST
631	VIDHARBH IRRIGATION SYSTEM PVT LTD. ADDRESS:- GAT NO 158 DIDOLA (BK), TAL MOTALA DIST BULDANA, MOTALAPINCODE:-443103	MAHARASHTRA	63 mm -110 mm class-3(6Kg), Plain Ended & Socketed solvent cement jointing, 63 mm -110 mm class-2(4 Kg), Plain Ended & Socketed solvent cement jointing	VIDHARBH

Sl. No.	Firm Name & Address	State	Variety	Brand
632	INDUS PIPES AND FITTINGSADDRESS:- PLOT NO:C , MIDC INDUSTRIAL AREA SAONER,CITY: SAONER,SAONERPINCODE:-441107	MAHARASHTRA	Class 3: Nominal Size OD- 40, 50, 63, 75, 90, 110, 125, 140, 160,180, 200 mm, Class 2: Nominal Size OD- 63, 75, 90, 110, 125, 140, 160,180, 200 mm, Class-1: Nominal Size OD- 90, 110, 125, 140, 160,180, 200 mm, Plain Ended & Socketed for Solvent Cement Jointing Unplasticized-PVC Pipes for Potable Water Supplies:	Indus
633	SWARAJ PIPESADDRESS:- GAT NO. 72 AT KARANDWADI POST KODOLI TALUKA & DISTRICT SATARA,,PINCODE:- 415004	MAHARASHTRA	UPVC pipes sizes from 63 mm to 110 mm, class 2 & 3, plain ended & socket ended for solvent cement jointing	-
634	KOTHARI AGRITECH PVT LTDADDRESS:- PLOT NO. K-45, MIDC CHINCHOLI,,SOLAPURPINCODE:-413255	MAHARASHTRA	UPVC pipes sizes 63 mm to 110 mm, Class 2 & 3 plain ended and socket ended for solvent cement jointing Unplasticized PVC pipes for potable water supplies Sizes 63 mm to 110 mm, Class 2 & 3, socket ended with rubber joints and 125 mm to 315 mm, Class 2 & 3, socket ended with solvent cement and rubber joints, Unplasticized PVC pipes for potable water supplies, plain-ended and socket-ended with solvent cement jointing of following varieties: 1) 40 to 50 mm, Class-3, and 2) 20 to 315 mm, Class-5	-

Sl. No.	Firm Name & Address	State	Variety	Brand
635	GOODWILL POLYPLASTADDRESS:- B-111, ADDITIONAL MIDC ,,PINCODE:-413531	MAHARASHTRA	UPVC pipes sizes from 63 mm upto and including 110 mm dia class 2 for plain ended and socket ended for solvent cement jointing UPVC pipes sizes from 140 mm to 200 mm, Class 2 and 63 mm to 110 mm & 140 mm to 200 mm, Class 3, socket ended	-
636	PRABHAVATI UDYOGADDRESS:- PLOT NO. A-44 MIDC,,PINCODE:-431401	MAHARASHTRA	Nominal sizes from 63 mm up to and including 110 mm, class 3, plain ended pipes and socketed for solvent cement jointing pipes, Unplasticized PVC pipes for potable water supplies of nominal sizes 63 to 200 mm, Class 2 excluding 125 mm, and 140 to 200 mm, Class 3, both plain and socket ended with solvent cement joint	SUVIDHAPVCPIPES
637	PRATHAMESH INDUSTRIESADDRESS:- GAT NO. 415 VIVEKANAND NAGAR VILLAGE KOROCHI TALUKA HATKANANGLE ,,PINCODE:-416109	MAHARASHTRA	UPVC pipes for potable water supplies for sizes 63 to 110 mm, Class 2 and 140 to 200 mm, Class 2, plain and socket ended for solvent cement joints , Sizes 63 mm, 75 mm, 90 mm, 110 mm, Class 3, plain and socket ended for solvent cement joints	-
638	RANDAD PIPESADDRESS:- PLOT NO. 108 YOGESHWARI AUDYOGIK WASAHAT JOGAIWADI AMBAJOGAI,,PINCODE:-431517	MAHARASHTRA	Unplasticized PVC pipes for potable water supplies for sizes 63 mm, 75 mm, 90 mm and 110 mm, Class 2, plain and socket ended for solvent cement joints	-

Sl. No.	Firm Name & Address	State	Variety	Brand
639	TRIMURTI POLYPLAST INDIA PVT LTDADDRESS:- GAT NO. 731 PARGAON (JO) TALUKA ASHTI ,,PINCODE:-414203	MAHARASHTRA	Unplasticized PVC pipes for potable water supplies for sizes 63 to 110 mm and 140 to 200 mm, Class 2, plain and socket ended for solvent cement joints	-
640	TEJAS AGRO IRRIGATION SYSTEMS PVT LTDADDRESS:- GAT NO. 97/1/1 A/P BHANDISHEGAON TALUKA PANDHARPUR,,PINCODE:-413304	MAHARASHTRA	UPVC pipes for potable water supplies, Class 2, Size 63 mm to 110 mm and Class 3, Size 40 mm to 110 mm plain ended and socket ended for solvent cement jointing , 1) Class-1, Size = 140, 160, 180, 200 mm; 2) Class-2, Size = 140, 160, 180, 200 mm; and 3) Class-3, Size 140, 160, 180, 200 mm.	TEJAS
641	DNYANARAJ PVC PIPEADDRESS:- GAT NO. 28 SOMANTHALI TALUKA PHALTAN,,PINCODE:-415523	MAHARASHTRA	UPVC pipes for potable water supplies Class 2, Sizes 63 mm to 110 mm & 140 mm to 200 mm, plain and socket ended, for solvent cement jointing	-
642	ARIHANT PLASTADDRESS:- PLOT NO. 2 INDUSTRIAL ESTATE NAGAR PUNE ROAD KEDGAON,,PINCODE:-414005	MAHARASHTRA	Unplasticised PVC pipes for potable water supply, Class 2, Sizes 63 mm to 110 mm, plain and socket ended with solvent cement type jointing , 1)Class-2, size 125 to 250 mm, plain and socket ended with solvent cement type jointing; and 2)Class-3, size 40 to 110 mm, plain and socket ended with solvent cement type jointing.	BOTHARRA

Sl. No.	Firm Name & Address	State	Variety	Brand
643	M.R. POLYMERSADDRESS:- VPC NO. 3487,BORGAON, ICHALKARANJI ROAD,,CHIKODI,BELGAUM DTPINCODE:-591216	KARNATAKA	Unplasticized PVC pipes for potable water supplies for sizes 63 to 110 mm, Class 2, plain and socket ended for solvent cement jointing , UPVC pipes for sizes 125 mm to 200 mm, Class 2 and 40 mm to 110 mm 125 mm to 200 mm, Class 3, socket ended for solvent cement jointing, Sizes 20 mm to 110 mm, Class 5 and 125 mm to 200 mm, Class 5 , Plain and socket ended for solvent cement joints	-
644	JAY KISAN INDUSTRIESADDRESS:- GAT NO.39/2/2, DHULDEO,TAL. PHALTAN, DIST. SATARA,PHALTANPINCODE:-415523	MAHARASHTRA	-	JAYKISAN KRANTI
645	ASHAPURA PVC PIPEADDRESS:- GAT NO. 323, M. NO.1011/1,AGAR, DATTANAGAR,TAL. SHIROL, DIST. KOLHAPUR,KOLHAPURPINCODE:-416120	MAHARASHTRA	2) 140 mm to 200 mm Class-2, 1) 63 mm to 110 mm Class-2, UPVC PIPES FOR POTABLE WATER SUPPLIES, SOCKET ENDED FOR SOLVENT CEMENT JOINTING, 1) 63 to 110 mm, Class-2; and 2) 140 to 200 mm, Class-2	KRISHANAGANGA, APROLEX, ASHAKISSAN
646	SAI PLASTICADDRESS:- GAT NO. 386, PLOT NO. 8 & 9, TAMALWADI,TAL TULJAPUR, DIST. OSMANABAD,TULJAPURPINCODE:-413623	MAHARASHTRA	63 to 110 mm, CLASS-2 and 40 to 110 mm, CLASS-3, plain & socket ended, for solvent cement joint	MAHANANDI, MAHASHAKTI
647	SUN AGRITECH INDUSTRIESADDRESS:- PLOT NO. 118, 119, 120, CHANDRAMAULI INDUSTRIAL CO-OPERATIVE ESTATE LIMITED, MOHOL,,SOLAPURPINCODE:-413213	MAHARASHTRA	Sizes 63, 75, 90, 110, 140. 160, 180 and 200 mm, Class 2 3, plain and socket ended for solvent cement jointing	Sun Agritech

Sl. No.	Firm Name & Address	State	Variety	Brand
648	RAMSAGAR INDUSTRIESADDRESS:- PLOT NO. D-189/5 , SHENDRA MIDC ,AURANGABAD,AURANGABADPINCODE:-431154	MAHARASHTRA	for sizes of 63 mm, 75 mm, 90 mm, 110 mm, 140 mm, 160 mm, 180 mm, 200 mm for Class-2, plain and socket ended with solvent cement joints	RAMSAGAR, VENNA, KALIKA
649	GANESH POLYMERSADDRESS:- GAT NO. 2266, PLOT NO. 20, 21, AT POST ABDULLAT, TALUKA SHIROL,,SHIROLPINCODE:-416101	MAHARASHTRA	for Sizes 40 mm to 110 mm, Class 3, plain and socket ended for solvent cement jointing, for Sizes 20 mm to 110 mm, Class 5, plain and socket ended for solvent cement jointing, Sizes 63 mm to 110 mm, Class 2, plain and socket ended for solvent cement jointing	AIRAWAT GOLD, GREENOLEX
650	NATH INDUSTRIESADDRESS:- H NO. 930, LAXMI NARAYAN LANE,,AT POST TIRTHPURI JALNA,JALNAPINCODE:-431209	MAHARASHTRA	For 63 to 180 mm, Class 2 and 40 to 180 mm, Class 3, plain and socket ended with solvent cement joints	NATH
651	SHRI LAXMIFLEX POLYMERSADDRESS:- GAT NO. 506, NEAR YASHWANT COLONY ,SHIVNAKWADI, TALUKA SHIROL,SHIROLPINCODE:-416143	MAHARASHTRA	Plain and socket ended pipes with solvent cement joints, 63 to 110 mm and 125 to 200 mm, Class 2	PONOLEX, JAL KRUSHI KISAN, LAXMIFLEX
652	SHRI GANESH INDUSTRIESADDRESS:- PLOT NO. J-2/23, ADDITIONAL MIDC, KODOLI SATARA,,SATARAPINCODE:-415004	MAHARASHTRA	Plain and socket ended pipes with solvent cement joints, 63 to 110 mm and 125 to 200 mm, class 2	SUPREMO STAR, FLOWNEX, KOYANA
653	MAULI INDUSTRIESADDRESS:- MAULI INDUSTRIES,PLOT NO. C-10, ADDITIONAL MIDC,OSMANABADPINCODE:-413501	MAHARASHTRA	Plain and socket ended pipes with solvent cement joints 63 to 110 mm, Class 2	SAMARTH PIPES, SHAKTI GOLD PIPES, MAULI PIPES



Sl. No.	Firm Name & Address	State	Variety	Brand
654	PREETAM HITECH PRIVATE LIMITED ADDRESS:- G2-A, MIDC, KUPWAD. 416436, TAL. MIRAJ DIST. SANGLI 416436, SANGLI PINCODE:-416436	MAHARASHTRA	For Class 2, Size- 125 mm, 140 mm, 160 mm, 180 mm and 200 mm , plain ended and socketed pipes for solvent cement jointing, For Class 3, Size- 40 mm, 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm, 180 mm and 200 mm, plain ended and socketed pipes for solvent cement jointing, 63 mm to 110 mm, Class 2, Plain and socket ended with solvent cement joints	PREETAM SHAKTI
655	PARSHWANATH POLYMERS ADDRESS:- B-92, ADDITIONAL MIDC LATUR, DIST. LATUR, LATUR PINCODE:-413512	MAHARASHTRA	Class 2, Nominal Sizes 63mm, 75mm, 90mm, 110mm, 140mm, 160mm, 180mm and 200mm, plain ended pipes and socketed for solvent cement jointing	SWAJALDHARA, SUDHANKO
656	FORTUNE INDUSTRIES ADDRESS:- PLOT NO.E-45/4 KURKUMBH MIDC, A/P KURKUMBH TA-DAUND, KURKUMBH PINCODE:-413802	MAHARASHTRA	For size 63 mm, 75 mm, 90 mm and 110 mm , class-2, Plain and socket ended pipes for solvent cement joints	FORTUNE PIPES
657	CENTURY IRRIGATION SYSTEMS ADDRESS:- PLOT NO. A-230 , FIVE STAR MIDC KAGAL, KAGAL DIST. KOLHAPUR, KOLHAPUR PINCODE:-416216	MAHARASHTRA	for Class-2 Size 63 mm to 250 mm , Class-3 Size 40 mm to 250 mm, Class-4 Size 25 mm to 250 mm and Class-5 Size 20 mm to 250 mm; Plain and socket ended, solvent cement jointing	AQUALINK

Sl. No.	Firm Name & Address	State	Variety	Brand
658	OPERA POLYMERSADDRESS:- PLOT NO:212/A-2, NEAR ALMIGHTY GATE, G.I.D.C LODHIKA ,,RAJKOTPINCODE:-360021	GUJARAT	UPVC Pipe for Potable Water Supply, Plain ended pipeas and socket Ended Pipes with Solvent Cement Joint, Class 1, 90 mm to 200 mm, excluding 125 mm; Class 2, 63 mm to 200 mm, excluding 125 mm; Class 3, 63 mm to 200 mm, excluding 125 mm	HI-BOND, SILVERSUPER, ROYALFLEX
659	KEVIN PVC PIPE INDUSTRIESADDRESS:- SURVEY NO 299, PAIKI 1, RAJKOT BHAVNAGAR HIGHWAY ROAD, AT. UNTVAD, TA. BABRA, ,,AMRELIPINCODE:-365421	GUJARAT	UPVC PIPE FOR POTABLE WATER SUPPLY, PLAIN ENDED AND SOCKET ENDED PIPES, CLASS 1, 90 MM TO 200 MM, EXCLUDING 125 MM, CLASS 2, 63 MM TO 200 MM, EXCLUDING 125 MM, CLASS 3, 63 MM TO 200 MM, EXCLUDING 125 MM; PLAIN ENDED PIPES ONLY, CLASS 3, 40 MM and 50 mm , Solvent Cement jointing type Socket Ended Pipes of Class 2, 225mm to 315mm and Class 3, 225mm to 315mm., UPVC pipes for potable water supply for Socket ended pipes with Elastomeric sealing ring joint for the following varieties- Class 2 , 63mm to 315 mm excluding 125mm. Class 3, 63mm to 315 mm excluding 125mm.	-

Sl. No.	Firm Name & Address	State	Variety	Brand
660	SHUBHAM INDUSTRIESADDRESS:- JUNAGADH ROAD, B/H BHOOMI WAY BRIDGE, AT VILLAGE-DHORAJI, TALUKA-DHORAJI,,DHORAJIPINCODE:-360410	GUJARAT	UPVC Pipe for Potable Water Supplies, Plain Ended and Socket Ended Pipes for solvent Cement Joints, Class 2, 63 mm to 200 mm excluding 125 mm; Class 3, 40 mm to 200 mm, excluding 125 mm; Class 5, 40 mm to 200 mm, excluding 125 mm Plain Ended and Socket Ended Pipes with Solvent Cement Joint, Class 1, 90mm to 200mm,excluding 125mm	-
661	SAMRAT PLASTIC INDUSTRIESADDRESS:- PLOT NO. 10 & 11,GIDC, NR. RAILWAY CROSSING, AT. PADADHARI,,RAJKOTPINCODE:-360110	GUJARAT	Unplasticized Poly Venyle Chloride (UPVC) PIPES for Potable Water Supply, Plain Ended and Socket Ended Pipes for Solvent Cement Joints, Class 1, 90 mm to 200 mm, excluding 125 mm; Class 2, 63 mm to 200 mm, excluding 125 mm; Class 3, 40 mm to 200 mm, excluding 125 mm,	WINTOS, VPL INDIA
662	GHANSHYAM PLASTIC INDUSTRIESADDRESS:- OPP. MAHESH GINNING, NR. BHARAT GAS GODOWN, MORBI ROAD, AT & TALUKA HALVAD ,,MORBIPINCODE:-363330	GUJARAT	UPVC Pipes for Potable Water Supply, Plain Ended and Socket Ended Pipes for Solvent Cement Joint, Class 1, 140 mm, 160 mm amd 200 mm; Class 2, 63 mm to 200 mm, excluding 125 mm and 180 mm	-

Sl. No.	Firm Name & Address	State	Variety	Brand
663	VISHUDHA PVC PIPE INDUSTRIESADDRESS:- SURVEY NO. 426, B/H VIJAY JIN, SHEKHPAR,TALUKA MULI, ,,SURENDRANAGARPINCODE:-363510	GUJARAT	uPVC Pipe for Potable Water supply, Plain Ended and Socket Ended Pipes for Solvent Cement Joint, Class 1, 90 mm to 200 mm, excluding 125 mm; Class 2, 63 mm to 200 mm, excluding 125 mm; Class 3, 63 mm to 200 mm, excluding 125 mm, Class 5, 63 mm to 200 mm, excluding 125 mm	-
664	ELEGANT POLYMERSADDRESS:- NAVAGAM, VILLAGE BAMANBORE, TALUKA CHOTILA,,,SURENDRANAGARPINCODE:-363520	GUJARAT	Un-plasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes, Socket Ended Pipes for Solvent Cement Joints and Socket Ended Pipes for Sealing Ring Joints, Class 2, 63 mm to 315 mm, Class 3, 40 mm to 315 mm	WATERMAN
665	OM IRRITECH LTD.ADDRESS:- SURVEY NO.30/1, PLOT NO.G-7-B, BEHIND GANGA FORGINGS,OPP. PACKWELL PLASTICS, SHAPAR,AT: SHAPAR(VERAVAL),TALUKA KOTDA SANGANI,,PINCODE:-360001	GUJARAT	Unplasticised PVC Pipes for Potable Water Supply, Plain Ended, Socket Ended Pipes for Solvent Cement Joints and Socket Ended Pipes for Sealing Ring Joints, Class 2 - 63 mm to 315 mm, Class 3, 63 mm to 315 mm	OM
666	HARIKRISHNA PLASTIC INDUSTRIESADDRESS:- HALVAD GIDC, PLOT NO. 47, VILLAGE HALVAD, TALUKA HALVAD, ,,MORBIPINCODE:-363330	GUJARAT	UPVC PIPES FOR POTABLE WATER SUPPLY, PLAIN ENDED AND SOCKET ENDED PIPES FOR SOLVENT CEMENT JOINTS, Class 1, 140 mm, 160 mm and 200 mm, Class 2, 110 mm, 140 mm, 160 mm and 200 mm	-

Sl. No.	Firm Name & Address	State	Variety	Brand
667	INDIAN PLASTIC INDUSTRIESADDRESS:- AT-LATHIDAD, TALUKA-BOTAD,,BOTADPINCODE:-364710	GUJARAT	UPVC Pipes for Potable Water Supply, Plain Ended and Socket ended pipes for solvent cement joint, Class 1, 90 mm to 200 mm, Class 2, 63 mm to 200 mm, Class 3, 63 mm to 200 mm Plain ended & Socket Ended Pipes for sealing ring joint, Class 2, 125 mm to 315 mm, Class 3-63 mm to 315 mm	JAYKISHAN
668	KHODIYAR POLY PLASTADDRESS:- KHODIYAR POLY- PLAST,JUNAGADH ROAD,NEAR RAILWAY CROSSING,,,DHORAJIPINCODE:-360410	GUJARAT	Class1, 90 mm to 200 mm excluding 125 mm, plain ended and socket ended for solvent cement jointing, Plain Ended and Socket Ended Pipes with Solvent Cement Joint, Class 2, 63 mm to 200 mm, excluding 125 mm; Class 3, 40 mm to 200 mm, excluding 125 mm;	GRAND BHAGWATI, APPOLO GOLD, APPOLO, ATOP, VENU
669	ACTIVE PIPE INDADDRESS:- NEAR RAILWAY CROSSING JUNAGADH ROAD, AT DHORAJI,,,PINCODE:-360410	GUJARAT	UPVC PIPES FOR POTABLE WATER SUPPLY, PLAIN ENDED PIPES AND SOCKET ENDED PIPES WITH SOLVENT CEMENT JOINT, CLASS 1, 90 mm TO 315 mm, Class 2, 63 mm to 315 mm, and Class 3, 40 mm to 315 mm, Socket ended pipes for sealing ring joint, Class 2, 63 mm to 315 mm, Class 3, 63 mm to 315 mm, excluding 125 mm	ACTIVE, AQUAL, AVLON

Sl. No.	Firm Name & Address	State	Variety	Brand
670	SAHJANAND PVC PIPEADDRESS:- SURVEY NO. 46/1, PLOT NO.1, NEAR 72 JINALAY, MANDVI – BHUJ ROAD,,MANDVI,MANDVIPINCODE:-370465	GUJARAT	UPVC Pipes for Potable Water Supply, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint, Class 1, 90 mm to 200 mm, excluding 125 mm and 180 mm; Class 2, 63 mm to 200 mm,excluding 125 mm and 180 mm, Class 3, 63 mm to 200 mm,excluding 125 mm and 180 mm	SAHJANAND, sahanand pvc pipe, sahanand
671	POLO PLUS PIPES PVT. LTD.ADDRESS:- SURVEY NO.441/1,AT. BHALGAMDA, TALUKA LIMBDI,,BHALGAMDAPINCODE:-363421	GUJARAT	UPVC Pipes for Potable Water supply, Plain ended Pipes, Class 1, 90 mm to 315 mm, excluding 125 mm and 180 mm; Class 2, 63 mm to 315 mm, excluding 125 mm and 180 mm; Class 3, 40 mm to 315 mm, excluding 125 mm and 180 mm; Class 5, 20 mm to 315 mm, excluding 125 mm and 180 mm; Socket Ended Pipes for Solvent Cement Joint and Elastomeric Sealing Ring Joint Class 1, 90 mm to 315 mm, excluding 125 mm, 140 mm and 180 mm; Socket Ended Pipes for Elastomeric Sealing Ring Joint Class 2, 75 mm to 315 mm, excluding 125 mm, 140 mm and 180 mm; Class 3, 75 mm to 315 mm, excluding 125 mm, 140 mm and 180 mm; Class 5, 75 mm to 315 mm, excluding 125 mm, 140 mm and 180 mm	-

Sl. No.	Firm Name & Address	State	Variety	Brand
672	ANCHOR POLYMERSADDRESS:- PLOT NO. 816, G.I.D.C.-2, AT-SABALPUR,,,PINCODE:-362037	GUJARAT	UPVC Pipes for Potable Water Supply,Plain ended Pipes and Socket Ended Pipes for Solvent Cement Joint, Class 2, 63 mm to 200 mm, excluding 125 mm; Class 3, 63 mm to 200 mm, excluding 125 mm	AGREEV
673	ZEN POLYMERSADDRESS:- PLOT NO 1065,ROAD A-1,LODHKA GIDC ESTATE, VILLAGE-METODA,,LODHIKAPINCODE:-360035	GUJARAT	"UPVC Pipes for potable water supply" for plain ended pipes & solvent cement jointed socket ended pipes for class 2 of sizes 63mm to 200mm and class 3 of sizes 63mm to 200mm	ZEN
674	BALSON POLYPLAST PVT. LTD.ADDRESS:- PIPALIYA (SADAK), SURVEY NO 13/2, PAIKI-1,PLOT NO.4, NH NO.-27, OPP. SADAK PIPALIYA GATE, TALUKA: GONDAL ,,RAJKOTPINCODE:-360024	GUJARAT	Unplasticized PVC pipes for potable water supply, Plain Ended Pipes, Socket Ended Pipes for Solvent Cement Joint and Socket Ended Pipes for Elastomeric sealing Ring Joints Class 1 - 90 mm to 315 mm; Class 2 - 63 mm to 315 mm; Class 3 -40 mm to 315 mm;	BALSON
675	KISSAN POLYTECHADDRESS:- SURVEY NO.960,BEHIND POWER HOUSE, RAPAR,,BHUIPINCODE:-370165	GUJARAT	-	KISSAN POLYTECH
676	ROYAL POLYMERSADDRESS:- LATI PLOT MAIN ROAD,,UPALETAPINCODE:-360490	GUJARAT	Un-plasticized PVC Pipe for Potable Water Supply, Plain Ended and socket ended pipes for solvent cement joint, Class 1 - 90 to 200 mm excluding 125 mm; Class 2 - 63 mm to 110 mm, Class 3 - 63 mm to 110 mm; Class 4 - 63 mm to 200 mm,excluding 125 mm	-

Sl. No.	Firm Name & Address	State	Variety	Brand
677	DOLPHIN POLY PLAST PVT. LTD. UNIT-IIADDRESS:- SURVEY NO. 51, AT. NANI AMRELI, OPP. NILKANTH PAPER MILL, TALUKA PADADHARI,,,NANI AMRELIPINCODE:-360110	GUJARAT	UPVC Pipes for Potable Water Supply, Plain Ended Pipes and Socket Ended Pipes for Solvent Cement Joint & Elastomeric Sealing Ring Joint, Class 2 - 63 mm to 315 mm; Plain Ended Pipes and Socket Ended Pipes for Elastomeric Sealing Ring Joint Class 3 - 40 mm to 315 mm, Recommended for Inclusion of UPVC Pipes for Potable Water Supply, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following varieties: Class 1, DN 90mm to 315mm Class 3, DN 40mm to 315mm Class 5, DN 20mm to 315mm	DUSTER, SABAR, KAMALEF
678	NARMADA PVC PIPEADDRESS:- PLOT NO.34,GIDC,OPP. TRIKONI KHODIYAR TEMPLE, PALIYAD ROAD,,BOTADPINCODE:-364710	GUJARAT	Un-plasticized UPVC Pipes for Potable Water Supply, Plain Ended Pipes and Socket Ended Pipes for Solvent Cement Joint, Class 1, 90 mm to 250 mm, excluding 125 mm; Class 2,63 mm to 250 mm, excluding 125 mm; Class 3,63 mm to 250 mm, excluding 125 mm; and Class 4,63 mm to 250 mm, excluding 125 mm;	Narmada



Sl. No.	Firm Name & Address	State	Variety	Brand
679	VARNI PIPE INDUSTRIESADDRESS:- PLOT NO. 25/26, SHREEJI INDUSTRIAL ESTATE, NR. GIDC, HALVAD ,SURENDRANAGAR,HALVADPINCODE:-363330	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for Class 3, DN 40mm to 200mm, except 125mm, Recommended for grant of licence for Unplasticized PVC Pipes for Potable Water Supply for the following varieties as per IS 4985:2000 with Amendments 1 to 4: Plain Ended Pipes and Socket Ended Pipes for Solvent Cement Joint, Class 1 - 90mm to 200mm, excluding 125mm; Class 2 - 63mm to 200mm, excluding 125mm, UPVC Pipes for Potable Water Supply, Plain Ended Pipes and Socket Ended Pipes for Solvent Cement Joint, Class 1 - 90 mm to 200 mm excluding 125 mm; Class 2 - 63 mm to 200 mm excluding 125 mm	0

Sl. No.	Firm Name & Address	State	Variety	Brand
680	SHREE UMA INDUSTRIESADDRESS:- SURVEY NO.451 PANKI 1/2, VILLAGE: GODAVARI, SURENDRANAGAR- MULI ROAD, TALUKA : MULI,SURENDRANAGAR,MULIPINCODE:-363510	GUJARAT	Recommended for grant of licence for Unplasticized PVC Pipes for Potable Water Supply for the following varieties as per IS 4985:2000 with Amendment No 1 to 4: âPlain Ended Pipes and Socket Ended Pipes for Solvent Cement Joint, Class 1 - 90 mm to 200 mm, excluding 125 mm; Class 2 - 63 mm to 200 mm, excluding 125 mmâ, UPVC Pipes for Potable Water Supply, Plain Ended Pipes and Socket Ended Pipes for Solvent Cement Joint, Class 1 - 90 mm to 200 mm excluding 125 mm; Class 2 - 63 mm to 200 mm excluding 125 mm	-

Sl. No.	Firm Name & Address	State	Variety	Brand
681	GODAVARI PIPES PVT.LTD.(UNIT -2)ADDRESS:- SURVA NO 137/1, PLOT NO 8 & 9, VERAVAL-PADAVLA MAIN RAOD,PADAVLA, TA. KOTDA SANGANI,RAJKOT,RAJKOTPINCODE:-360024	GUJARAT	Unplasticised Polyvinyl Chloride (UPVC) Pipes for Potable Water Supply,Plain Ended Pipes,Socket Ended Pipes for Solvent Cement Joint and Socket Ended Pipes for sealing ring Joint,Class 2,63 mm to 315mm; Class 3,63 mm to 315 mm; Class 5,63 mm to 315 mm,Plain Ended and Socket ended Pipes for solvent Cement Joint - Class 1,90 mm to 315 mm,Plain ended Pipes Only - Class 3 - 40 mm and 50 mm,Class 5 - 20 mm to 50 mm, Plain Ended Pipes, Socket Ended Pipes for Solvent Cement Joint, Class 1- 90 mm to 315 mm;Plain Ended Pipes, Socket Ended Pipes for Solvent Cement Joint and Socket Ended Pipes with Sealing Ring Joint,Class 2 â 63 mm to 315 mm,Class 3 â 63 mm to 315 mm,Class 5 â 63 mm to 315 mm; Plain Ended Pipes Only, Class 3 â 40 mm and 50 mm, Class 5- 20 mm to 50 mm	-
682	NATARAJ POLYPLAST PVT. LTD.ADDRESS:- SURVEY NO. 156 & 157, PLOT NO. 1 & 2,RIBDA-LODHKA ROAD,MAKHAVAD TAL LODHIKA, MAKHAVAD,RAJKOTPINCODE:-360035	GUJARAT	-	RAINFORCE, Flowjal

Sl. No.	Firm Name & Address	State	Variety	Brand
683	SHREERAM POLYTECHADDRESS:- 8-B NATIONAL HIGHWAY, AT. DUMIYANI, TALUKA- UPETA ,RAJKOT,RAJKOTPINCODE:-360490	GUJARAT	Class 1, sizes from 90 mm up to and including 250 mm except 125 mm, plain ended pipes and socket ended pipes for solvent cement jointing., Plain Ended and Socket Ended for Solvent Cement Jointing for Class 2 of sizes 63mm to 250mm excluding 125mm, Plain Ended and Socket Ended for Solvent Cement Jointing for Class 3 of sizes 40mm to 250mm excluding 125mm, Plain Ended Pipes and Socket Ended Pipes for solvent cement joint, Class 2 - 63 mm to 250 mm, excluding 125 mm, Class 3 - 40 mm to 250 mm, excluding 125 mm	JALVEER, TORAN

Sl. No.	Firm Name & Address	State	Variety	Brand
684	SARTHI INDUSTRIES ADDRESS:- NEAR TIRUPATI COTTAN, YOGIDHAM, SAMADHIYALA 1,,BOTAD.,BOTAD PINCODE:- 364710	GUJARAT	Class - 3, 50 to 200 mm Plain ended and Socket Ended pipes with Solvent cement Joint except 125mm, Class - 2, 63 to 200 mm Plain ended and Socket Ended pipes with Solvent cement Joint except 125mm, Class - 1, 90 to 200 mm Plain ended and Socket Ended pipes with Solvent cement Joint except 125mm, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Jointing of following classes and sizes â Class 1, Sizes from 90mm to 200mm excluding 125mm; Class 2, Sizes from 63mm to 200mm excluding 125mm Class 3, Sizes from 50mm to 200mm excluding 125mm	SARTHI

Sl. No.	Firm Name & Address	State	Variety	Brand
685	BHOOMI POLY PLAST PVT. LTD.ADDRESS:- SR.NO. 249/4, NR. RAILWAY FATAK,JUNAGADH ROAD,DHORAJIPINCODE:-360410	GUJARAT	Plain Ended and socket ended for solvent cement jointing, Class 2, size 63mm to 315mm, Plain Ended and socket ended for solvent cement jointing, Class 3, size 40mm to 315mm, Socket Ended for Elastomeric Sealing ring joint, Class 2, size 125mm to 315mm, Socket Ended for Elastomeric Sealing ring joint, Class 3, size 125mm to 315mm, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Jointing of following classes and sizes Class 2, Sizes from 63mm to 315mm Class 3, Sizes from 40mm to 315mm & Socket Ended Pipes with Elastomeric Rubber Ring Jointing of following classes and sizes - Class 2, Sizes from 125mm to 315mm Class 3, Sizes from 125mm to 315mm	DHARTI, WATER GUARD, BHOOMI
686	RENOWN POLYPLAST PVT LTD.ADDRESS:- SURVEY NO.54/2/P2 , JETPUR-JUNAGADH N.H.-8B ,,SUKHPUR - JUNAGADH.,SUKHPURPINCODE:-362310	GUJARAT	Class 2 size 63mm to 110mm and 140mm to 250mm socket end pipe and Class 3 Size 63mm to 110mm socket end pipe., Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Jointing of following classes and sizes - Class 2, Sizes from 63mm to 250mm excluding 125mm Class 3, Sizes from 40mm to 110mm	renown

Sl. No.	Firm Name & Address	State	Variety	Brand
687	RAJENDRA POLYTECHADDRESS:- PLOT NO.1063,NR.RAJENDRA COLD STORAGE,GIDC,METODA,RAJKOT,RAJKOTPINCODE:-360021	GUJARAT	-	KAIZEN
688	FALCON PIPES PVT.LTD.ADDRESS:- SURVEY NO.55/1,VILLAGE.SADAK PIPALIYA,,TAL:GONDAL,DIST.RAJKOT-360 311,GUJARAT-INDIA. ,RAJKOTPINCODE:-360311	GUJARAT	Class 1 Size= 90 to 200 mm, Class 2 Size= 63 to 200 mm, Class 3 Size= 63 to 200 mm, Class 3 Size= 63 to 200 mm Class 2 Size= 63 to 200 mm Class 1 Size= 90 to 200 mm	ESCORT, AQUA TROOPS, FLUIDE, MARINE, FALCON
689	SHREE RAM PIPESADDRESS:- KOLKI ROAD, NEAR MAHILA COLLEGE,UPLETA,,UPLETAPINCODE:-360490	GUJARAT	Plain ended & Socket ended pipes with Solvent Cement jointing for Class 3 of Sizes 40- 200mm except 125mm, Plain ended & Socket ended pipes with Solvent Cement jointing for Class 2 of Sizes 63- 200mm except 125mm, Plain ended & Socket ended pipes with Solvent Cement jointing for Class 1 of Sizes 90- 200mm except 125mm, Plain ended & Socket ended pipes with Solvent Cement jointing for Class 1 of Sizes 90- 200mm except 125mm Plain ended & Socket ended pipes with Solvent Cement jointing for Class 2 of Sizes 63- 200mm except 125mm Plain ended & Socket ended pipes with Solvent Cement jointing for Class 3 of Sizes 40- 200mm except 125mm	SATYAM, VARDAN

Sl. No.	Firm Name & Address	State	Variety	Brand
690	BHUMI PVC PIPEADDRESS:- SAMDHIYALA NO.1,BOTAD-BHAVNAGAR ROAD, TA-BOTAD,,BOTADPINCODE:- 364710	GUJARAT	UPVC Pipes for Potable Water Supply, Plain Ended pipes and Socket Ended pipes with Solvent Cement Jointing pipes for Class 3 of sizes 40mm to 200mm except 125mm as per IS 4985:2000.	PARTH, AVIN, ADVIN
691	OM PVC INDUSTRIESADDRESS:- SR. NO. 22/P2, PLOT NO.11, OPP.SAMARPAN LAMINATES,,RAJPAR ROAD, SHANALA, MORBI,SHANALAPINCODE:-363641	GUJARAT	Class-1 (0.25 MPa) of size 90, 110, 140, 160, 180 & 200 mm (Plain & Socket ended pipes with Solvent cement jointing.), Class-2 (0.4 MPa) of size 63, 75, 90, 110, 140, 160, 180 & 200 mm (Plain & Socket ended pipes with Solvent cement jointing.), Class-3 (0.6 MPa) of size 40, 50, 63, 75, 90, 110, 140, 160, 180 & 200 mm (Plain & Socket ended pipes with Solvent cement jointing excluding socket for 40mm.), Class-5 (1.0 MPa) of size 20, 25, 32, 40, 50, 63, 75, 90, 110, 140, 160, 180 & 200 mm (Plain & Socket ended pipes with Solvent cement jointing excluding socket for 20,25,32,40mm)	OM
692	DHARTI PVC PIPEADDRESS:- PLOT NO 1,G.I.D.C, BHAVNAGAR ROAD, BABRA, ,CITY : AMRELI DIST : AMRELI DISTRICT STATE : GUJAR,BABRAPINCODE:- 365421	GUJARAT	Class 3,Size 63 to 200mm	DHARTI



Sl. No.	Firm Name & Address	State	Variety	Brand
693	VIJAY SALES AGENCYADDRESS:- PLOT NO. 222 INDUSTRIAL ESTATE,GIDC BHUJ,BHUJPINCODE:-370001	GUJARAT	UPVC Pipes for Potable Water Supply, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following varieties: Class 1, DN 90mm to 200mm, excluding 125mm Class 2, DN 63mm to 200mm, excluding 125mm Class 3, DN 40mm to 200mm, excluding 125mm Class 5, DN 20mm to 200mm, excluding 125mm	Vijay
694	S. P. INDUSTRIESADDRESS:- PLOT NO. 9, SARDAR INDUSTRIAL ESTATE,,HALVAD DHRANGDHARA ROAD, AT. HALVAD, DIST. MO,HALVADPINCODE:-363330	GUJARAT	Un-plasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint : Class 1, DN 90mm to 200mm, excluding 125mm, Class 2, DN 63mm to 200mm, excluding 125mm	WATER FIELD
695	MAAN POLYPLASTADDRESS:- NEAR NEW UNIQUE SCHOOL, OLD UPLETA ROAD,DHORA,,DHORAJIPINCODE:-360410	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies,Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following varieties: Class 2,DN 63mm to 200mm,excluding 125mm; Class 3,DN 40mm to 200mm,excluding 125mm	MAAN POLY PLAST
696	MADHAV PLASTIC INDUSTRIESADDRESS:- SURVEY NO.10/1 PAIKI 1,,F/O RELIANCE PETROL PUMP,JETPUR ROAD,DHORAJI,DHORAJIPINCODE:-360410	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following varieties: Class 2, DN 63mm to 200mm, excluding 125mm; Class 3, DN 40mm to 200mm, excluding 125mm	NA

Sl. No.	Firm Name & Address	State	Variety	Brand
697	BHAGWATI PIPEADDRESS:- 1, 1, NEAR DHORIVAV, JUNAGADH ROAD, DHORAJI, ,RAJKOT, GUJARAT,RAJKOTPINCODE:-360410	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint : Class 1, DN 90mm to DN 250mm; Class 2, DN 63mm to 250mm; and Class 3, DN 50mm to 250mm	NA
698	GOLDEN PVC INDUSTRIESADDRESS:- PLOT NO. 3-4, PO.: LATHIDAD, TA. & DIST. : BOTAD,BOTAD,BOTADPINCODE:-364710	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following varieties: Class 2, DN 63mm to 200mm, except 125mm; Class 3, DN 63mm to 200mm, except 125mm	KRUSHI RATH, Golden
699	A STAR PVC PIPEADDRESS:- 45, NR SHYAM DAIRY, KUKAVAV ROAD,MANGVAPAL ROAD,AMRELI PINCODE:-365601	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following Sizes: Class 2, DN 63 mm to 200 mm, Class 3, DN 50 mm to 200 mm	NA
700	HARSH POLYPACK PVT. LTD.ADDRESS:- PLOT NO. 14/15, ZANKHAR IND. AREA, AT. ZANKHAR,TA. LALPUR, DIST. JAMNAGAR,JAMNAGARPINCODE:-361170	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following varieties: Class 1, DN 90mm to DN 200mm, except 125mm Class 2, DN 63mm to 200mm, except 125mm Class 3, DN 63mm to 200mm, except 125mm	Harsh

Sl. No.	Firm Name & Address	State	Variety	Brand
701	SKYWIN POLY PLASTADDRESS:- SURVEY NO.664/PAIKI-3,SARVODAY HOTEL,,NR.RAMPAR PATIA,JAMNAGAR-RAJKOT HIGHWAY,,JAMNAGARPINCODE:-361120	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following varieties: Class 2, DN 63mm to DN 200mm, Class 3, DN 125mm to 200mm, Class 5, DN 20mm to 200mm, Unplasticized PVC Pipes for Potable Water Supplies,Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for Class 3,DN 40mm to 110mm	skywin
702	RADHE P.V.C INDUSTRIESADDRESS:- BHARAT NAGAR, N H-8A, MORBI,,RAJKOT,MORBIPINCODE:-363642	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following varieties: Class 2, DN 63mm to 200mm, except 125mm; Class 3, DN 40mm to 200mm, except 125mm	Radhe
703	UJALA PVC INDUSTRIESADDRESS:- PLOT NO. 513, GIDC., AT DAMNAGAR, TAL: LATHI ,DISTRICT AMRELI STATE GUJARAT,DAMNAGARPINCODE:-365220	GUJARAT	Unplasticized PVC Pipes for Potable Water Supplies, Plain Ended Pipes and Socket Ended Pipes with Solvent Cement Joint for the following varieties: Class 1, DN 160mm to DN 250mm, Class 2, DN 63mm to 250mm, Class 3, DN 90mm to 250mm	JALPARI, SATNAM, EAGLE, UJALA

Sl. No.	Firm Name & Address	State	Variety	Brand
704	NIJANAND PIPES AND FITTINGS PVT. LTD.ADDRESS:- SURVEY NO.: 28, PLOT NO.: 72,73,74 & SURVEY NO.: 29, PLOT NO.: 1,2,29,30,SHIVAM INDUSTRIAL ESTATE, NR.OM CASTING, B/H. HOTEL KRISHNA PARK, GONDAL ROAD, VAVDI, RAJKOT-360004.,RAJKOTPINCODE:- 360004	GUJARAT	class 6, 20mm to 200mm, class 5, 20mm to 200mm, class 4, 25mm to 200mm, class 3, 40mm to 200mm, class 2, 63mm to 200mm, UPVC Pipes for Potable Water Supply, Plain ended pipes and Socket ended pipes for solvant cement Jointing , class 1, 90mm to 200mm	NIJANAND
705	BRENNA IRRIGATION PVT.LTD.ADDRESS:- REVENUE SURVEY NO.: 159, SURENDRANAGAR-DHRANGADHRA HIGHWAY,,AT. VILL.: BHADRESHI, AT. TAL.: WADHWAN, AT. DIST.: SURENDRANAGAR- 363040 (GUJARAT),SURENDRANAGARPINCODE:-363040	GUJARAT	UPVC Pipes for Potable Water Supply, Plain Ended and Socket Ended Pipes for Solvent Cement Joint, Class 1 -90 mm to 200 mm and Class 2 -63 mm to 200 mm	BRENNA
706	SIDDHIVINAYAK PVC LLPADDRESS:- SURVEY NO.: 70/P5/P1, PLOT NO.: 2, 8-A KANDLA NATIONAL HIGHWAY,,AT. VILL.: GALA, AT. TAL. & DIST.: MORBI- 363642,MORBIPINCODE:-363642	GUJARAT	UPVC pipes for Potable water Supply, Plain ended Pipes and Socket Ended Pipes for Solvent cement Joint, Class 2 and Class 3, 63 mm TO 200 mm	ASTA,SCOTTO

Sl. No.	Firm Name & Address	State	Variety	Brand
707	SAROVAR AGRITECHADDRESS:- SURVEY NO. 42/P, AT BADANPAR, NEAR MARKET YARD, ,DHROL-JODIYA ROAD,BADANPARPINCODE:-361250	GUJARAT	Plain ended pipes, Socketed Pipes for solvent cement jointing and pipes with elastomeric sealing ring joint, Class 2, 63 mm to 315 mm,, Plain ended pipes, Socketed Pipes for solvent cement jointing and Pipes with elastomeric sealing ring joint, Class 3, 40 mm to 315 mm, Plain ended and socketed Pipes for solvent cement jointing , Class 5, 20 mm to 315 mm,, Plain Ended and Socket Ended Pipes for Solvent Cement Joint, Class 1, 90 mm TO 315 mm	SAROVAR, SARITA, SHIKHAR
708	DIPSON POLYMERS PRIVATE LIMITEDADDRESS:- YAMUNA INDUSTRIAL AREA, SURVEY NO.22,PLOT NO.1,,B/H PERFECT SHOW ROOM, N.H.8B,GONDAL ROAD,RAJKOT,RAJKOTPINCODE:-360004	GUJARAT	UPVC Pipes for Potable water Supply, Plain ended pipes and pipes socketed for solvent cement jointing, class 3, sizes 40 mm to 110 mm, class 2, sizes 63 mm to 110 mm	dipson
709	AADHYASHAKTI POLYMERADDRESS:- SURVEY NO.88, PLOT NO.28, ,BHACHAU, KUTCH - 370140(GUJARAT) ,KUTCHPINCODE:-370140	GUJARAT	class 3, sizes 40 mm to 200 mm, class 5, sizes 20 mm to 200 mm, plain ended and socketed for solvent cement jointing	AADHYASHAKTI
710	JRD PVC PIPEADDRESS:- SURVEY NO.283,OPP.POOJA GINING,KALAVAD RANUJA ROAD,HARIPAR KHANDERA, TAL. KALAVAD,HARIPAR KHANDERAPINCODE:-361160	GUJARAT	Class 2 for sizes 63 mm to 250 mm and Class 3 for sizes 40 mm to 250 mm, plain ended pipes and socketed pipes suitable for solvent cement jointing	JRD
711	GURUKRUPA IRRIGATION PVT.LTDADDRESS:- PLOT NO.D-102,MIDC AREA ,,AWADHANPINCODE:-424001	MAHARASHTRA	63 - 110mm, Class 2, Socketed Solvent Cement Type	GURUKRUPA

Sl. No.	Firm Name & Address	State	Variety	Brand
712	KISAN MOULDINGS LTD ADDRESS:- SURVEY NO. 63/1, 64/1, 70,71,72 VILLAGE MAHAGAON,,BOISAR EAST PINCODE:-401506	MAHARASHTRA	1) Class 1, Working Pressure(PN) 0.25 Mpa, nominal outside diameter 90 mm - 110mm 2) Class 2, Working Pressure(PN) 0.4 Mpa, nominal outside diameter 63 mm - 110mm & 125mm - 250mm 3) Class 3, Working Pressure(PN) 0.6 Mpa, nominal outside diameter 40 mm - 110mm & 125mm-250mm for plain end, Solvent cement for socket end. 1] PLAIN END & SOCKET END - SOLVENT CEMENT JOINT FOR :- CLASS 1, DN 125 TO 250 MM 2] PLAIN END & SOCKET END - ELASTOMERIC RING TYPE FOR :- CLASS 2, DN 63 MM TO 110 MM & 125 MM TO 250 MM DN 20mm Class 5 [Plain ended & Solvent cement Socketeend] DN 25mm Class 5 [Plain ended & Solvent cement Socketeend] DN 32mm Class 5 [Plain ended & Solvent cement Socketeend]	-
713	GURUKRUPA INDUSTRIES ADDRESS:- G-115, NEAR EMCO, MIDC AREA,,JALGAON PINCODE:-425003	MAHARASHTRA	63mm to 110mm OD Class 2 only	JAYKISAAN
714	ZENITH IRRIGATION PVT LTD. ADDRESS:- GAT NO. 41, MUKKAM DAHEGAON, POST GONDEGAON, VIA VINCHUR,,NIPHAD PINCODE:-422305	MAHARASHTRA	a) Class 1 - 90 mm to 200mm OD b) Class 2 - 90 mm to 200mm OD c) Class 3 - 40 mm to 200mm OD d) Class 5 - 32 mm to 200mm OD	-
715	MARATHE PIPE INDUSTRIES ADDRESS:- PLOT NO. S-55 M.I.D.C. AREA JALGAON ,,JALGAON PINCODE:-425003	MAHARASHTRA	1) Class 2, Working Pressure 0.4MPa, Sizes 63 - 110mm; 125 - 315mm 2) Class 3, Working Pressure 0.6MPa, Sizes 40 - 110mm; 125-315mm	MARATHE

Sl. No.	Firm Name & Address	State	Variety	Brand
716	SUDARSHANA ENTERPRISESADDRESS:- HOUSE NO.605, PALASPE, ,,PANVELPINCODE:-410206	MAHARASHTRA	a) 63mm - 110mm, Class 2 b) 140mm - 200 mm, Class 2 c) 40mm - 110mm, Class 3 , 140mm - 200mm Class 3	KONKAN
717	PRECISION PLASTIC INDUSTRIES PVT. LTDADDRESS:- PLOT NO. 441/5, 442/1&2, 444/1&2,VILLAGE DABHEL,,NANI DAMANPINCODE:-396210	DAMAN & DIU	a) 90-110 mm; 125-250 mm OD, Class 1 b) 63-110 mm; 125-250 mm OD, Class 2 c) 40-110 mm, 125-250 mm OD, Class 3 d) 20-110 mm, 125-250 mm OD, Class 5 for both plain end & socketed with Solvent Cement	Precision
718	SADGURU PIPESADDRESS:- GAT NO 171 A,P NASHIRABAD,,PINCODE:-425309	MAHARASHTRA	Unplasticized PVC pipe for potable water supplies with Plain socket end for solvent cement jointing for following sizes:- Nominal OD 125 mm to 200 mm, class 2, Nominal OD 40 mm to 110 mm, class 3, Nominal OD 25 mm to 200 mm, class 4., i) Class 2, 63 mm to 110 mm, Plain and socket ended; ii) Class 3, 140 mm to 200 mm, plain and socket ended	TULSI
719	SHOBHA INDUSTRIESADDRESS:- PLOT NO 55, AMALNER CO OP INDUSTRIAL ESTATE, DHULE ROAD,JALGAON,AMALNERPINCODE:-425401	MAHARASHTRA	Unplasticized u-PVC pipes for potable water supplies 140mm-class 2, 140mm-class 3, 75mm-class3, Unplasticized u-PVC pipes for potable water supplies 140mm-class 2, 140mm-class 3, 75mm-class3, Class 2 ,DN 63 to 110 mm ,Plain and Socket ended(Solvent Cement Jointing).	Nilganga
720	SHREE SAI SAMARTH PLASTIC WORKSADDRESS:- J53, ADDITIONAL IND. AREA, MIDC, ,KUNDAVALI VILLAGE , MURBAD, THANE - 421401,MURBADPINCODE:-421401	MAHARASHTRA	PVC Pipe, class3, 0.6 Mpa(6kg/cm sq), Size 40 - 180 mm, PVC Pipe, class2, 0.4 Mpa(4kg/cm sq), Size 63 - 160 mm	RAM JANKI

Sl. No.	Firm Name & Address	State	Variety	Brand
721	TIRUPATI POLYPLAST IRRIGATION SYSTEMS PVT LTD.ADDRESS:- GAT NO.272,A/P MAMURABAD TAL & DIST JALGAON.,,JALGAONPINCODE:-425002	MAHARASHTRA	Unplasticized PVC pipe for potable water supplies with Plain end and socketed end for solvent cement jointing for following sizes:- Nominal OD 125 mm to 200 mm of class 2 and class 3., 63 75 90 110 mm Class 2 Plain Ended & Socketed solvent cement jointing, size 63-110 mm, working pressure 0.4 Mpa, class-2, plain and socket ended , solvent cement joint	TIRUPATI BEST
722	SKYLINE AGRO PLASTADDRESS:- J-43 MIDC AREA JALGAON.,,JALGAONPINCODE:-425003	MAHARASHTRA	63 mm to 200 mm (except 125 mm) for class 2 & 3, of Plain ended pipes and Socketed for Solvent cement jointing.	SKYLINE
723	ADITYA INDUSTRIESADDRESS:- L-2,MIDC AREA,AJANTA ROAD,,,,JALGAONPINCODE:-425003	MAHARASHTRA	125 mm - 250 mm class - 2(6 Kg) Plain Ended & Socketed solvent cement jointing, 63 mm -110 mm class-3(6 Kg) Plain Ended & Socketed solvent cement jointing, 125 mm - 250 mm class - 2(4 Kg) Plain Ended & Socketed solvent cement jointing, 63 mm -110 mm class-2(4 Kg) Plain Ended & Socketed solvent cement jointing	Aditya



Sl. No.	Firm Name & Address	State	Variety	Brand
724	ROYAL PLAST INDUSTRIESADDRESS:- A-299, DSIDC INDUSTRIAL COMPLEX, NARELA ,,DELHIPINCODE:-110040	DELHI	Unplasticized PVC Pipes for Potable Water Supplies, plain and socket ended, class 3 (0.6 MPA) , sizes 140 mm & 160 mm Unplasticized PVC Pipes for Potable Water Supplies, Plain and Socket Ended(for Solvent Cement Jointing), Class 3(0.60 MPa), Nominal Sizes - 63 mm, 75 mm, 90 mm & 110 mm	METPLAST, METPLAST
725	SHRI ANAND PIPE INDUSTRIESADDRESS:- INDUSTRIAL AREA, ,,KOSMIPINCODE:-460001	MADHYA PRADESH	ClassNominal OD, mm Type of ends 263 upto & including 200 Plain ended pipe & Socketed pipe for solvent cement jointing 3 63 upto & including 110	OTHER, ANAND

Sl. No.	Firm Name & Address	State	Variety	Brand
726	VECTUS INDUSTRIES LIMITED ADDRESS:- PLOT NO. 41/42, INDUSTRIAL AREA, ,,BANMOR PINCODE:-476444	MADHYA PRADESH	Nominal Size, mm - 90, 110, 125, 160, 180, 200, 225 & 250, Class -1, Type of Ends - Plain end & Socketed end for Solvent Cement joining, Nominal Size, mm - 63, 75, 90, 110, 125, 160, 180, 200, 225 & 250, Class -2, Type of Ends - Plain end & Socketed end for Solvent Cement joining, Nominal Size, mm - 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, & 250, Class -3, Type of Ends - Plain end & Socketed end for Solvent Cement joining, Nominal Size, mm - 20, 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225 & 250, Class -5, Type of Ends - Plain end & Socketed end for Solvent Cement joining. Nominal Size, mm - 140, 280 & 315. Class-1,2,3 & 5, Plain end & Socketed end for Solvent Cement joining	VECTUS-GANGA FOR LIFE-WATERWELL WONDER
727	RUKMANI RETAILS PVT LTD ADDRESS:- 4/5, MAIN ROAD, NAVLAKHA, NEAR PRASHANT HOTEL,, INDORE PINCODE:-452001	MADHYA PRADESH	Nominal size, mm Class Type of Ends 90, 110, 140, 160, 180 & 200 1 Plain end & Socketed end for Solvent Cement joining 63, 75, 90, 110, 140, 160, 180, & 200 2 Plain end & Socketed end for Solvent Cement joining 63, 75, 90, 110, 140, 160, 180 & 200 3 Plain end & Socketed end for Solvent Cement joining	Surya Strong , SUNWORLD
728	SAMRAT INDUSTRIES ADDRESS:- 52, ARIHANT COLONY,, JAORA PINCODE:-457226	MADHYA PRADESH	Nominal size, mm Class Type of Ends 63, 75, 90 & 110 2 Plain end & Socket end for Solvent Cement joining	KRASHI GOLD

Sl. No.	Firm Name & Address	State	Variety	Brand
729	VISHVAS ENTERPRISESADDRESS:- 205, MAN HERITAGE, 6/2 SOUTH TUKOGANJ NEAR HIGHCOURT BUILDING,INDORE,INDOREPINCODE:-452001	MADHYA PRADESH	UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES having Class 5, Nominal size 125 mm, 140 mm, 160 mm, 180 mm, 200 mm, 225 mm, 250 mm, 280 mm and 315 mm, Plain ended pipes and Socketed for solvent cement jointing ., --Nominal Size(DN), mm â 225mm, 250mm, 280mm & 315mm; Class-1,2 & 3; Type of Ends- Plain End & Socketed End for Solvent Cement Joining, Nominal Size(mm)-90, 110, 125, 140, 160, 180 & 200, Class - 1, Plain end & Socketed end for Solvent Cement joining, Nominal Size(mm) - 63, 75, 90, 110, 140, 160, 180 & 200, Class - 2, Plain end & Socketed end for Solvent Cement joining, Nominal Size(mm) - 40, 50, 63, 75, 90, 110, 125, 140, 160, 180 & 200, Class - 3, Plain end & Socketed end for Solvent Cement joining, Nominal Size(mm) - 20, 25, 32, 40, 50, 63, 75, 90 & 110, Class - 5, Plain end & Socketed end for Solvent Cement joining, Nominal Size(mm) - 20, 25, 32, 40, 50, 63, 75, 90 & 110, Class - 5, Plain end & Socketed end for Solvent Cement joining, Nominal Size(mm) - 40, 50, 63, 75, 90, 110, 125, 140, 160, 180 & 200, Class - 3, Plain end &	Krishna Classic

Sl. No.	Firm Name & Address	State	Variety	Brand
730	SHAKTI IRRIGATION PRIVATE LIMITED ADDRESS:- PLOT NO.391/1, EICHER SQUARE, SECTOR-1 MHOW NEEMUCH ROAD PITHAMPUR, PITHAMPUR PIN CODE:-454774	MADHYA PRADESH	CLASS -3, 63, 75, 90, 110, 140, 160, 180 & 200 mm, Plain end & Solvent cement end, CLASS -2, 63, 75, 90, 110, 140, 160, 180 & 200 mm, Plain end & Solvent cement end, CLASS -2, 63, 75, 90, 110, 140, 160, 180 & 200 mm, Plain end & Solvent cement end, CLASS -3, 63, 75, 90, 110, 140, 160, 180 & 200 mm, Plain end & Solvent cement end.	SHAKTI, Shakti
731	SAMRATH PIPES ADDRESS:- BAJRANG NAGAR, DEORITOLA, KATNI PIN CODE:-483442	MADHYA PRADESH	Class 1 - 90, 110, 140, 160, 180, 200 mm Socket end pipe & plain end Solvent cement Class 2 - 63, 75, 90, 110, 140, 160, 180, 200 mm Socket end pipe & plain end Solvent cement Class 3 - 40, 50, 63, 75, 90, 110, 140, 160, 180, 200 mm Socket end pipe & plain end Solvent cement Class 5 - 20, 25, 32, 40, 50, 63, 75, 90, 110, 140, 160, 180, 200 mm Socket end pipe & plain end Solvent cement	SAMRATH
732	REWA POLYMERS ADDRESS:- PLOT NO. - 77 INDUSTRIAL AREA, RICHHAI, JABALPUR, JABALPUR PIN CODE:-482001	MADHYA PRADESH	UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES of following type/grade/variety: Class 1 - 90 mm up to and including 200 mm, Class 2 63 mm up to and including 200 mm, Class 3 40 mm up to and including 200 mm with Plain ended Pipes and b) Socketed for solvent cement jointing	Rewa

Sl. No.	Firm Name & Address	State	Variety	Brand
733	D.P.K. PRODUCTS PRIVATE LIMITED ADDRESS:- 81, DOSI GAON, JAORA ROAD, INDUSTRIAL AREA,RATLAM,RATLAMPINCODE:-457001	MADHYA PRADESH	CLASS-4, WORKING PRESSURE 8 KG, SIZE- 25 mm to 110 mm, plain and socket ended,Solvent cement joints, CLASS-3, WORKING PRESSURE 6 KG, SIZE- 40 mm to 315 mm, Plain and Socket ended ,Solvent Cement Joint, CLASS-3, WORKING PRESSURE 6 KG, SIZE- 40 mm to 315 mm, Socketed for Elastomeric Sealing Ring Joint, CLASS-2, WORKING PRESSURE 4 KG, SIZE- 63 mm to 315 mm, Plain and Socket Ended,Solvent Cement Joint, CLASS-1, WORKING PRESSURE 2.5 KG, SIZE- 90 mm to 315 mm, Plain and Socket Ended Solvent Cement Joint	NA
734	SUPREMO INDIA PVT. LTD.ADDRESS:- 13, NEMAWAR ROAD PALDA,,INDOREPINCODE:-452001	MADHYA PRADESH	Size- 63 to 250 mm ,Class-2 Plain and Socket ended for Solvent Cement Joint, Size- 40 to 250 mm ,Class-3 Plain and Socket ended for Solvent Cement Joint, Size- 20 to 250 mm ,Class-5 Plain and Socket ended for Solvent Cement Joint, Plumbing Pipes, Size-(20 to 50 )mm Plain ended	SUPREMO
735	DESANA POLY PLASTIC INDUSTRIESADDRESS:- FACTORY NO. 340, LAKESHRI, (NEAR AMBUJA CEMENT FACTORY) BHAGWANPUR, ROORKEE,,ROORKEEPINCODE:-247661	UTTARAKHAND	Unplasticized PVC Pipes for Potable Water Supplies Plain Ended & Socket Ended for Solvent Cement Jointings a).Class-2 ,Size 63mm-160mm. b).Class-3,Size 40mm-160mm.	raksha

Sl. No.	Firm Name & Address	State	Variety	Brand
736	PRINCE PIPES AND FITTINGS LTD.ADDRESS:- KHASARA NO.1548, 1549/4&5, SALEMPUR MEHDOOD-2, BAHADRABAD,,HARIDWARPINCEDURE:-249402	UTTARAKHAND	Plain Ended and Socket Ended for Solvent cement jointing: a). Class-2,Size:63mm-315mm b). Class-3,Size:40mm-315mm c). Class-1,Size:90mm-315mm d). Class 5, Size:20mm-315mm	AQUAFIT
737	PLASTO INDUSTRIESADDRESS:- KHASRA NO. 256, MIN, SITARGANJ ROAD, VILLAGE - BARA,,SITARGANJPINCEDURE:-263148	UTTARAKHAND	1.DN 90 to 110mm, Class 1, Plain ended and socket ended for solvent cement joint 2.DN 63 to 110mm, Class 2, Plain ended and socket ended for solvent cement joint 3.DN 40 to 110mm, Class 3, Plain ended and socket ended for solvent cement joint 4.DN 20 to 110mm, Class 5, Plain ended and socket ended for solvent cement joint , 125 to 250 mm, Class 1, Plain and Socket ended with solvent cement joint, 125 to 250 mm, Class 2, Plain and socket ended with solvent cement joint , 125 mm to 250 mm, Class 3, Plain and socket ended with solvent cement joint , 125 mm to 250 mm, Class 5, Plain and socket ended with solvent cement joint	Plast o Tuff, Plast O Tuff

Sl. No.	Firm Name & Address	State	Variety	Brand
738	TMR POLY TUBESADDRESS:- PLOT NO.20&21, SECTOR-4, IIE,,SIDCUL,HARIDWARPINCODE:-249403	UTTARAKHAND	1.DN 90 to DN 315 mm, Class 1, Plain ended and socket ended for solvent cement joint 2.DN 63 to DN 110 mm, Class 2, Plain ended and socket ended for solvent cement joint 3. DN 40 to DN 315 mm, Class 3, Plain ended and socket ended for solvent cement joint 4.DN 20 to DN 315 mm, Class 5, Plain ended and socket ended for solvent cement joint, DN 125 to 315 mm Class 2 Plain ended and socket ended for solvent cement joint.	GANPATI MONIKA PREMIUM, GANPATI MONIKA PREMIUM
739	PADMAVATI PIPES & FITTINGS INC.ADDRESS:- PLOT NO.46, 47, 48, KHASRA NO. 31, 33, 34 SHIV GANGA INDUSTRIAL AREA, LAKESHWARI BHAGWANPUR ,HARIDWAR,ROORKEEPINCODE:-247661	UTTARAKHAND	1. Calss 2- 63 mm to 315 mm 2. Calss 3- 40 mm to 110 mm 3. Calss 4- 25 mm to 315 mm 4. Calss 5- 125 mm to 315 mm	PADMAVATI, PADMAVATI, PADMAVATI
740	PSR INNOVATIONS LLPADDRESS:- VILLAGE GOPIPURA,POST RTC HEMPUR, KASHIPUR,KASHIPURPINCODE:-244716	UTTARAKHAND	Plain ended and solvent cement socket ended pipes, DN 90 upto and including 250mm, Class 1, Plain ended and solvent cement socket ended pipes, DN 63 upto and including 250mm, Class 2, Plain ended and solvent cement socket ended pipes, DN 40 upto and including 250mm, Class 3, Plain ended and solvent cement socket ended pipes, DN 32 upto and including 250mm, Class 4 & 5	PSR

Sl. No.	Firm Name & Address	State	Variety	Brand
741	BHARAT DRIP IRRIGATION AND AGRO ADDRESS:- G1-185, ROAD NO.10, RIICO INDUSTRIAL AREA, BINDAYAKA, SIRSI ROAD,,PINCODE:-0	RAJASTHAN	(i) DN 90mm & DN 110mm, Class-1 (0.25MPa) (ii) From DN 63mm upto & including DN 110mm, Class-2 (0.4MPa) (iii) From DN 40mm upto & including DN 110mm, Class-3 (0.6MPa) Plain Ended & Socket Ended Pipes for Solvent Cement Jointing	-
742	K.S.POLYTUBE (PVT.) LTD.ADDRESS:- 1089, RICCO INDUSTRIAL AREA,,BASSIPINCODE:-0	RAJASTHAN	(i) From DN 90mm upto & including DN 250mm, Class-1 (0.25MPa) Plain Ended & Socketted Pipes for Solvent Cement Jointing (ii) From DN 63mm upto & including DN 250mm, Class-2 (0.4MPa) and Class-3 (0.6MPa) Plain Ended & Socketted Pipes for Solvent Cement Jointing (iii) From DN 63mm upto & including DN 250mm, Class-3 (0.6MPa) Plain Ended and Socketted Pipes for Elastomeric Sealing Ring Jointing.	SAARAS



Sl. No.	Firm Name & Address	State	Variety	Brand
743	SHREE BHANDARI PLASTIC PVT. LTD.,ADDRESS:- F-49,RIICO INDUSTRIAL AREA,SHAH PURA.,,SHAH PURA PINCODE:-303103	RAJASTHAN	(a) Nominal OD 90 & 110mm Class 1(0.25MPa) Plain ended for solvent cement jointing; (b) Nominal OD from 63mm upto & including OD 110mm Class 2 (0.4MPa) and Class 3(0.6MPa) plain ended for solvent cement jointing. (a) Nominal OD 90mm & 110mm Class 1 (0.25MPa) socketed pipes for solvent cement jointing; (b) Nominal OD from 63mm upto & including 110mm Class 2(0.4MPa) & Class 3 (0.6MPa) socketed pipes for solvent cement jointing. From DN 125mm upto & including DN 250mm Class 1 (0.25MPa), Class 2(0.4MPa) & Class 3 (0.6MPa) plain & socketed pipes for solvent cement jointing	BHANDARI
744	SRM PLASTOCHEM PVT. LTD.,ADDRESS:- J-375-B, ROAD NO.7, NEAR BHAMASAHA MANDI GATE, IPIA.,,KOTA PINCODE:-324005	RAJASTHAN	(a) From Nominal OD 90 upto & including Nominal OD 200mm, class 1 (0.25MPa) plain & Socketed pipes for solvent cement jointing; (b) From Nominal OD 63 upto & including Nominal OD 200mm,Class 2 (0.4MPa) plain & Socketed pipes for solvent cement jointing ; (c) From Nominal OD 40 upto & including Nominal OD 200mm, Class 3 (0.6MPa) plain & Socketed pipes for solvent cement jointing	JAYANT

Sl. No.	Firm Name & Address	State	Variety	Brand
745	SHREE MAHESHWARI INDUSTRIES, ADDRESS:- F-276-A, ROAD NO.13, V.K.I.AREA, JAIPUR - 302013,,JAIPURPINCODE:-302013	RAJASTHAN	(i)From Nominal size (DN) 63mm upto & including Nominal size (DN) 250mm, Class 2 (0.40MPa) Plain Ended & Socketted Pipes for Solvent Cement Jointing (ii) From Nominal size (DN) 40mm upto & including Nominal size (DN) 250mm, Class-3 (0.6MPa) Plain Ended & Socketted Pipes for Solvent Cement Jointing , Nominal OD from 63 mm upto and including 315 mm Class 3 Plain ended and socketed pipes for elastomeric sealing ring jointing, Nominal OD from 90 mm upto and including 315 mm Class 1 Plain ended and socketed pipes for solvent cement jointing.	ORIENT

Sl. No.	Firm Name & Address	State	Variety	Brand
746	NIMBUS PIPES LIMITED, ADDRESS:- SP-2, 123 & 123 A, RIICO INDUSTRIAL AREA, MANDA, CHOMU, JAIPUR PINCODE:-302023	RAJASTHAN	(a) From OD 63mm upto & including OD 110mm Class 2(0.4MPa) plain and Socketed pipes for solvent cement jointing. (a)OD 90mm & OD 110mm Class 1 (0.25MPa) plain & socketed pipes for both solvent cement & elastomeric sealing ring jointing (b)From OD 63mm upto & including OD 315mm Class 2 (0.4MPa) plain & socketed pipes for elastomeric sealing ring jointing (c) From OD 125mm upto & including OD 315mm Class 2 (0.4MPa) plain & socketed pipes for solvent cement jointing. (d) From OD 40mm upto & including OD 315mm Class 3 (0.6MPa) plain & socketed pipes for both solvent cement jointing and elastomeric sealing ring jointing (e) From OD 125mm upto & including OD 315mm Class 1 plain & socketed pipes for solvent cement & elastomeric sealing ring jointing	-

Sl. No.	Firm Name & Address	State	Variety	Brand
747	JAY SHREE PLASTICS ADDRESS:- H-2/136, IST PHASE, SANGARIYA,, PINCODE:-0	RAJASTHAN	(a) Nominal OD 90 & 110mm Class 1 (0.25MPa) plain & socketed pipes for solvent cement jointing; (b) From Nominal OD 63mm upto & including 110mm Class 2 (0.4MPa) plain & sockete pipes for solvent cement jointing From OD 63 upto and including 110 mm Class 3 (0.6 MPA) plain and socketed pipes for solvent cement jointing	ASIAN
748	SHREE BALAJI INDUSTRIES, ADDRESS:- KH NO. 3521/3723, SAWARDA MODE, MOJAMABAD, AJMER ROAD ,, JAIPUR PINCODE:-302020	RAJASTHAN	(a) OD From 63mm upto & including 160mm Class 2 (0.40MPa) plain & socketed pipes for solvent cement jointing	SPIRAL
749	RADISON PIPES INDUSTRIES, ADDRESS:- PLOT NO.F-362, JHOTWARA INDUSTRIAL AREA EXTENSION, PHASE-II, SARNA DUNGER, JAIPUR - 302012,, PINCODE:-0	RAJASTHAN	UPVC Pipes for Potable Water Supplies for the following varieties :(a) From OD 90mm upto & including 250mm Class 1 (0.25MPa) plain and socketed pipes for solvent cement jointing (b) From OD 63mm upto & including 250mm Class 2 (0.40MPa) & Class 3 (0.6MPa) plain and socketed pipes for solvent cement jointing (c) OD 63,75,110,140,160 and 250mm Class 3 (0.6MPa) Plain & Socketed pipes for elastomeric sealing ring jointing.	-

Sl. No.	Firm Name & Address	State	Variety	Brand
750	OSWAL POLYPLAST PVT. LTD.,ADDRESS:- KHASARA NO.9350/5020, RIICO INDUSTRIAL AREA, KEKRI - 305404,,PINCODE:-0	RAJASTHAN	(a) Nominal outside diameter 90,110, 125,140, 160,180 and 200mm Class 1 (0.25MPa) plain ended and socketed pipes for solvent cement jointing (b) Nominal outside diameter 63, 75, 90, 110,125, 140,160,180 & 200mm Class 2 (0.4MPa) plain ended and socketed pipes for solvent cement jointing. (c) Nominal outside diameter 63, 75, 90, 110,125, 140,160,180 & 200mm Class 3 (0.6MPa) plain ended and socketed pipes for solvent cement jointing.	OSWALM FLOW, oswa, Oswal flow
751	ARPIT MANU AGRO PLAST PVT. LTD.,ADDRESS:- PLOT/LAND NO.42, MANGLAM INDUSTRIAL CITY(CHOMU), NEAR RADHASWAMI BAGH, JETPURA CHOMU,JAIPUR,JAIPURPINCODE:-303704	RAJASTHAN	CLASS 3 SIZE 125-200 MM WITH ELASTOMERIC SEALING JOINT, CLASS 3 SIZE 63-200 MM WITH SOLVENT CEMENT JOINT/PLAIN JOINT, CLASS 2 SIZE 63-200 MM WITH SOLVENT CEMENT JOINT/PLAIN JOINT, CLASS 1 SIZE 90-200 MM WITH SOLVENT CEMENT JOINT/PLAIN JOINT, a) Class 1 (2.5 kg/cm <sup>2</sup> ) Size : 90- 200 mm with solvent cement jointing and plain ended b) Class 2 (4.0 kg/cm <sup>2</sup> ) Size : 63- 200 mm with solvent cement jointing and plain ended c) Class 3 (6.0 kg/cm <sup>2</sup> ) Size : 63- 200 mm with solvent cement jointing and plain ended d) Class 3 (6.0 kg/cm <sup>2</sup> ) Size : 125-200 mm elastomeric sealing ring joints	-

Sl. No.	Firm Name & Address	State	Variety	Brand
752	M/S SHRI R.G. INDUSTRIESADDRESS:- G-154,RIICO IND. AREA , BAGRU EXTN.BAGRU,JAIPUR,JAIPUR , RAJASTHAN,JAIPURPINCODE:-303007	RAJASTHAN	PIPES WITH SOCKET FOR SOLVENT CEMENT JOINTING AND PLAIN ENDS, SIZE 40 TO 110, 140 TO 200MM, CLASS 3, PIPES WITH SOCKET FOR SOLVENT CEMENT JOINTING AND PLAIN ENDS, SIZE 63 TO 110, 140 TO 200MM, CLASS 2, SIZE : 63 MM TO 200 MM , CLASS-3, SIZE: 63 MM TO 200 MM , CLASS -2, 1) Class 2, Nominal Diamter 63 to 110mm and 140 to 200mm with sockets for solvent Cement Jointing and plain pipes 2) Class 3, Nominal Diameter 40 to 110mm and 140mm to 200mm with sockets for solvent Cement Jointing and plain pipes	WONDER PLUS, FALCON SUPER
753	ASHIRVAD PIPES PVT LTDADDRESS:- PLOT SP1-177-178,, INDUSTRIAL AREA, KAHARANI,BHIWADIPINCODE:- 301019	RAJASTHAN	Class 3 (0.60 MPa) = DN 40,50,63,75,90,110,125,140,160,180,200, 225,250,280 and 315 mm, Class 2 (0.40 MPa) = DN 63,75,90,110,125,140,160,180,200,225,250,280 and 315 mm	NA

Sl. No.	Firm Name & Address	State	Variety	Brand
754	A. P. POLYMERADDRESS:- G-215-218 ,RIICO INDUASTRIAL ARE,KESHARPURA , SHEOGANJ , SIROHI , RAJASTHAN 307027,SIROHIPINCODE:-307027	RAJASTHAN	Class-3, from OD 125mm upto and including 250mm with solvent cement socketted and plain ended, Class-2, from OD 125mm upto and including 250mm with solvent cement socketted and plain ended, Class-1, from OD 125mm upto and including 250mm with solvent cement socketted and plain ended, SIZE : 63 MM TO 110 MM , CLASS-2 , TYPE : PLAIN AND SOLVENT CEMENT JOINTPIPE, SIZE : 63 TO 110 MM, CLASS-3, TYPE : SOLVENT CEMENT JOINTPIPE	SAROJ
755	SHIVA INDUSTRIESADDRESS:- 155 , INDUSTRIAL AREA , JHOTWARA , JAIPUR,AAKASHBAID@GMAIL.COM,JAIPURPINCODE:- 302012	RAJASTHAN	Size from DN 63 mm upto and including 110 mm, Class 2, Socket for solvent cement joint and plain ended	KELWIN

Sl. No.	Firm Name & Address	State	Variety	Brand
756	PRAYAG POLYMERS PVT.LTDADDRESS:- A-1129,PHASE - III, RICO INDL. AREA,BHIWADI ,BHIWADIPINCODE:-301019	RAJASTHAN	Class-1 Size-90,110,125,140,160,180,200 mm Socketed pipe for solvent cement jointing and plain ended pipes, Class-2 Size-63,75,90,110,125,140,160,180,200 mm Socketed pipe for solvent cement jointing and plain ended pipes, Class-3 Size-40,50,63,75,90,110,125,140,160,180,200 mm Socketed pipe for solvent cement jointing and plain ended pipes, Class-5 Size-40,50,63,75,90,110,125,140,160,180,200 mm Socketed pipe for solvent cement jointing and plain ended pipes	Prayag
757	SK GUPTA INDUSTRIES LLPADDRESS:- B-189B MIA,UDAIPUR,UDAIPURPINCODE:-313003	RAJASTHAN	Size- from DN 63mm upto & including 110mm, Class 2, Socket for Solvent Cement Joint & plain ended	VERITUFF



Sl. No.	Firm Name & Address	State	Variety	Brand
758	ASTRAL POLY TECHNIK LTD.ADDRESS:- PLOT NO-SP5 - 132,,RIICO INDUSTRIAL AREA, GHILOT,ALWARPINCODE:- 301705	RAJASTHAN	CLASS 5- 63 to 110mm & 140 to 315mm for Elastomeric Sealing Ring Joint, CLASS 3- 63 to 110mm & 140 to 315mm for Elastomeric Sealing Ring Joint, CLASS 2- 63 to 110mm & 140 to 315mm for Elastomeric Sealing Ring Joint, CLASS 5- Size DN 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 140 mm, 160 mm, 180 mm, 200 mm, 225 mm, 250 mm & 315 mm, Socket for Solvent Cement Joint & Elastomeric Sealing Ring Joint and Plain Ended Pipes, CLASS 3- Size DN 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 140 mm, 160 mm, 180 mm, 200 mm, 225 mm, 250 mm & 315 mm, Socket for Solvent Cement Joint & Elastomeric Sealing Ring Joint and Plain Ended Pipes, CLASS 2- Size DN 63 mm, 75 mm, 90 mm, 110 mm, 140 mm, 160 mm, 180 mm, 200 mm, 225 mm, 250 mm & 315 mm, Socket for Solvent Cement Joint & Elastomeric Sealing Ring Joint and Plain Ended Pipes, CLASS 1- Size DN 90 mm,110 mm, 140 mm, 160 mm, 180 mm, 200 mm, 225 mm, 250 mm & 315 mm Socket for Solvent Cement Joint and Plain ended pipes	AQUASAFE, ASTRAL

Sl. No.	Firm Name & Address	State	Variety	Brand
759	SADGURU CONDUCTORS PVT LTD ADDRESS:- E-16 RIICO INDUSTRIAL AREA,BASSI EXTN.,JAIPUR PINCODE:- 303301	RAJASTHAN	Class-3, for nominal sizes from 125mm upto and including 225mm, for plains ended pipes and solvent cement socketted pipes, Class-2, for nominal sizes from 125mm upto and including 225mm, for plains ended pipes and solvent cement socketted pipes, Class-1, for nominal sizes from 125mm upto and including 225mm, for plains ended pipes and solvent cement socketted pipes, Class 1, Sizes from 90 mm upto and including 110 mm with socket for solvent cement jointing and plain ended pipes, Class 2, Sizes from 63 mm upto and including 110 mm with socket for solvent cement jointing and plain ended pipes, Class 3, Sizes from 40 mm upto and including 110 mm with socket for solvent cement jointing and plain ended pipes	SUPER CON, METRO

Sl. No.	Firm Name & Address	State	Variety	Brand
760	SHIV VIJAY POLY FEB PVT.LTD.ADDRESS:- SHIV VIJAY POLY FEB PVT.LTD.,188-B RIICO GROTH CENTRE ,CHITTOR ROAD ,BHILW,BHILWARAPINCODE:-311001	RAJASTHAN	Class -1 (2.5 kg/cm <sup>2</sup> ), Sizes 90 mm, 110 mm, 140 mm, 160 mm, 180 mm and 200 mm with Socket for solvent cement Jointing and Plain ended pipes, Class -2 (4.0 kg/cm <sup>2</sup> ), Sizes 63 mm, 75 mm, 90 mm, 110 mm, 140 mm, 160 mm, 180 mm and 200 mm withSocket for solvent cement Jointing and Plain ended pipes, Class -3 (6.0 kg/cm <sup>2</sup> ), Sizes 63 mm, 75 mm, 90 mm, 110 mm, 140 mm, 160 mm, 180 mm and 200 mm wit Socket for solvent cement Jointing and Plain ended pipes	chandan, chamble, kasturi, champion plus
761	P & T INDUSTRIESADDRESS:- VILLAGE - KADUKI, TEHSIL - ALWAR, ,,ALWARPINCODE:-301001	RAJASTHAN	Class -1 (2.5 kg/cm <sup>2</sup> ), Sizes 90 mm and 110 mm with Socket for solvent cement Jointing and Plain ended pipes, Class -2 (4.0 kg/cm <sup>2</sup> ), Sizes 63 mm, 75 mm, 90 mm and 110 mm with Socket for solvent cement Jointing and Plain ended pipes, Class -3 (6.0 kg/cm <sup>2</sup> ), Sizes 50 mm, 63 mm, 75 mm, 90 mm and 110 mm with Socket for solvent cement Jointing and Plain ended pipes	NA

Sl. No.	Firm Name & Address	State	Variety	Brand
762	AAIJI POLYMERS LLPADDRESS:- E1/69 RIICO INDUSTRIAL AREA PALARA AJMER ,,AJMERPINCODE:-305001	RAJASTHAN	Class-1, PN 0.25MPa, DN 90mm to 110mm and DN 140mm to 200mm Class-2, PN 0.40MPa, DN 140mm to 200mm Class-3, PN 0.60MPa, DN 40mm to 110mm and DN 140mm to 200mm Ends of pipe: Socketed for solvent cement jointing, Plain ended pipes, Class 2 ( PN 0.40) . Nominal Diameter 63mm, plain ended and Socketed for solvent cement jointing., Class 2 ( PN 0.40) . Nominal Diameter 75mm, plain ended and Socketed for solvent cement jointing, Class 2 ( PN 0.40) . Nominal Diameter 90mm, plain ended and Socketed for solvent cement jointing, Class 2 ( PN 0.40) . Nominal Diameter 110 mm, plain ended and Socketed for solvent cement jointing	WINSON, GULAB, AAI JI POLYMERS

Sl. No.	Firm Name & Address	State	Variety	Brand
763	PRINCE PIPES AND FITTINGS LIMITED ADDRESS:- KHASARA NO 102,1708/103,104,105,106,ETC,AT VILLAGE-ASALPUR, JOBNER-MAHALA ROAD, TEHSIL- SAMBHAR LAKE,JAIPURPINCODE:-303604	RAJASTHAN	Class-4, Nominal sizes 25, 32, 40, 50, 63, 75, 90, 110mm with plain ends and solvent cement socket ends , Plain ended plumbing pipes in buildings from nominal sizes 20mm upto and including 50mm, Class-5, from nominal sizes 20mm upto and including 315 mm with sockets for solvent cement jointing and plain ended pipes,, Class-3, from nominal sizes 40mm upto and including 315 mm with sockets for solvent cement jointing and elastomeric sealing ring jointing and plain ended pipes,, Class-2, from nominal sizes 63mm upto and including 315 mm with sockets for solvent cement jointing and elastomeric sealing ring jointing and plain ended pipes,, Class-1, from nominal sizes 90mm upto and including 315 mm with sockets for solvent cement jointing and plain ended pipes	PRINCE, TRUBORE
764	M/S SHREE RAM PRODUCTS ADDRESS:- PLOT NO - B- 7 , INDUSTRIAL ESTATE ,BHILWARA , RAJASTHAN,BHILWARAPINCODE:-311001	RAJASTHAN	Class -1 (0.25 MPa), Sizes 90 mm and 110 mm with Socket for Solvent Cement Jointing and Plain ended pipes, Class -2 ( 0.40 MPa), Sizes 63 mm, 75 mm, 90 mm and 110 mm with Socket for Solvent Cement Jointing and Plain ended pipes	SHREE RAM

Sl. No.	Firm Name & Address	State	Variety	Brand
765	PRINS POLYTECH PRIVATE LIMITED ADDRESS:- KHASRA NO. 210, NARNADI, NEAR SEZ & AGRO PARK, BORANADA,, LUNI PINCODE:-342012	RAJASTHAN	Class -2 (0.40 MPa), Sizes 63mm upto and including 250mm with Socket for Solvent Cement Jointing and Plain ended pipes	PRINS
766	SBC POLYPIPES PVT LTD ADDRESS:- PLOT NO. 25, SILVER SOIL INDUSTRIAL PARK, GOVINDGARH PINCODE:-303712	RAJASTHAN	Class-2, DN 63mm to 110mm Ends of pipe: Socketed for solvent cement jointing & Plain ended pipes, Class-3, DN 40mm to 110mm & DN 125mm to 315mm Ends of pipe: Socketed for solvent cement jointing & Plain ended pipes	DHORA, JAL PRAVAH
767	CHOUDHARY HARDWARE ADDRESS:- PLOT NO.H-165, RIICO GROWTH CENTRE PHASE-II, MAVAL, ABUROAD, SIROHI, RAJASTHAN, 307026, ABUROAD PINCODE:-307026	RAJASTHAN	Class-2, DN 63mm to 110mm Ends of pipe: Socketed for solvent cement jointing & Plain ended pipes	JRC
768	VIJAY INDUSTRIES ADDRESS:- AARAJA NO 992/2, MALAN, BEHIND GAYATRI ASHRAM, AJMER ROAD, BHILWARA, BHILWARA, RAJASTHAN 311001, BHILWARA PINCODE:-311001	RAJASTHAN	Class-3, DN 40mm to 110mm Ends of pipe: Socketed for elastomeric sealing ring jointing & Plain ended pipes, Class-2, DN 63mm to 110mm Ends of pipe: Socketed for solvent cement jointing & Plain ended pipes	TUSKER, SUZUKI
769	OSWAL PIPES AND LIGHTS INDUSTRIES PVT.LTD. ADDRESS:- AARAJI NO 429/1, 430/1, 431/3, 424/2, DANTANILAVARI,, BALESARIYA, BERA, BANERA, BHILWARA PINCODE:-311001	RAJASTHAN	Class-1, DN 90mm to 200mm Class-2, DN 63mm to 200mm Class-3, DN 40mm to 200mm Ends of pipe: Socketed for solvent cement jointing & Plain ended pipes	AYON
770	KONARK IRRIGATION PVT. LTD ADDRESS:- PACHPERA BAROTH, CHHAJMAL ROAD, TEHSIL GABHANA,, ALIGARH PINCODE:-202001	UTTAR PRADESH	Plain end, for solvent cement jointing, Class 3, Nominal size 40mm to 225mm. , Class 2, Size 63 mm to 250 mm, plain end	KONARK, KISSAN AGRO, KONARK

Sl. No.	Firm Name & Address	State	Variety	Brand
771	POLY SHAKTI PIPE INDUSTRIESADDRESS:- H32, UPSIDC SITE C , SURAJPUR INDUSTRIAL,AREA GREATER NOIDA,GREATER NOIDAPINCODE:-201308	UTTAR PRADESH	Plain and socket end for solvent cement jointings, Class-1, Nominal size 90 mm to 225 mm, Class-2, Nominal size 63 mm to 225 mm, Class-3, Nominal size 40 mm to 225 mm.	HaryaliGold, TelcoPlast, Kisan Shaktishali Plus
772	JAI PUSHPA INDUSTRIES (U-3)ADDRESS:- SITE BE-3 UPSIDC ESTATE ,OPP MATHURA REFINERY MATHURA ,MATHURAPINCODE:-281005	UTTAR PRADESH	Plain and socketed end for solvent cement jointing; Class 1 Size 125 mm to 315 mm, Class 2 Size 125 mm to 315 mm, Class 3 Size 40 mm to 315 mm, Class 4 Size 25 mm to 315 mm, Class 5 Size 20 mm to 110 mm.	TRILOK
773	VINDHYA INDUSTRIESADDRESS:- 6TH KM STONE, BEHIND JINDAL STRIPS LTD,DELHI ROAD,,PINCODE:- 125505	HARYANA	a) Class 1, 90-110 mm, 125-250 mm b) Class 2, 63-110 mm, 125-250 mm c) Class 3, 63-110 mm, 125-250 mm	-
774	JAIN POLYTUBESADDRESS:- NEAR PETROL PUMP, LADWA ROAD, VILL. SIRSMA,,KURUKSHETRAPINCODE:-0	HARYANA	UPVC Pipes for Potable Water Supplies for Nominal Sizes 63-225 mm for Class 2, 3 and 5, Plain Ended and Socket Ended (Solvent Cement Jointing)	-
775	AGGARWAL EXTRUSIONSADDRESS:- VILLAGE KHANPUR KOLIAN, G. T. ROAD, G. T. ROAD, KURUKSHETRA,,PINCODE:-0	HARYANA	Size 125 mm to 280 mm Class 1,2,3,5 Socketed ended & Plain ended	-
776	AGGARWAL POLYTUBESADDRESS:- PIPLI ROAD, KURUKSHETRA,,PINCODE:-136118	HARYANA	UPVC Pipes for potable water supplies, plain and socket ended-solvent cement jointing Class 2 ( 63mm, 75mm, 90mm, and 110 mm), Class 3 ( 40mm, 50mm, 63mm, 75mm, 90mm and 110mm). Class 5 with size : 40mm, 50mm, 63mm, 75mm, 90mm and 110mm.	-

Sl. No.	Firm Name & Address	State	Variety	Brand
777	GOEL POLYPLASTSADDRESS:- VILLAGE RATTANGARH DELHI ROAD, YAMUNANAGAR,,PINCODE:-135001	HARYANA	UPVC pipes for potable water supplies, plain and socket ended Class1(Sizes:125mm,140mm,160mm,180 mm,200mm,225mm, 250mm, 280mm) Class 2 (Size : 63mm, 75mm, 90mm, 125mm, 140mm, 160mm,180mm,200mm,225mm, 250mm,280mm), Class 3(Size:50mm,63mm,75mm,90mm,125m m,140mm,160mm,180mm,200mm,225m m,250mm,280mm) and Class 5(Size:50mm,63mm,75mm,90mm,125m m,140mm,160mm,180mm,200mm,225m m,250mm,280m)	-
778	INDIAN SUMER INDUSTRIES,ADDRESS:- LADWA ROAD,SIRSAMA, KURUKSHETRA,KURUKSHETRA,KURUKSHETRAPINCODE:- 136131	HARYANA	plain and socket ended(solvent cement jointing) Class 1(125 mm ,140 mm,160mm, 180mm,200mm,225mm and 250mm), Class2 (63 mm, 75 mm , 90mm, 110 mm 125mm,140 mm,160mm, 180mm,200mm,225mm,250mm),Class 3 and Class 5 (40mm,50mm,63 mm, 75 mm , 90mm, 110 mm 125mm,140 mm,160mm, 180mm,200mm,225mm and 250mm), Class 1235 Size 40mm to 250mm	-



Sl. No.	Firm Name & Address	State	Variety	Brand
779	SHREE BALAJI ENTERPRISES ADDRESS:- BHIWANI ROAD, HANSI, HISSAR, HISSAR PIN CODE:-0	HARYANA	Plain ended pipe and socketed pipe for solvent cement jointing for Sizes 125 mm to 315 mm for (i) Class of Pipe: 1, Working Pressure (PN): 0.25 MPa, (ii) Class of Pipe: 2, Working Pressure (PN): 0.4 MPa and (iii) Class of Pipe: 3, Working Pressure (PN): 0.6 MPa, plain and socket ended (Solvent Cement Jointing) Class 2 and Class 3 for Size 90mm and 110 mm ., 63mm-110mm, Class 2 3 Socket end pipes (Solvent cement)	-

Sl. No.	Firm Name & Address	State	Variety	Brand
780	ASIAN TUBES ADDRESS:- 1.2 KM STONE, OPP. HUDA SECTOR-3, HISAR ROAD, FATEHABAD, FATEHABAD PINCODE:-125050	HARYANA	Plain ended pipe and socketed pipe for solvent cement jointing for Class of Pipe: 3, Nominal Sizes: 63 mm, 75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm, 180 mm, 200 mm, 250 mm, 280 mm and 315 mm, Plain ended pipe and socketed pipe for solvent cement jointing for Class of Pipe: 5, Nominal Sizes: 125 mm, 140 mm, 160 mm, 180 mm, 200 mm, 250 mm, 280 mm and 315 mm, Plain ended pipe and socketed pipe for solvent cement jointing for Class of Pipe: 1, Nominal Sizes: 90 mm and 110 mm, Plain ended pipe and socketed pipe for solvent cement jointing for Class of Pipe: 2, Nominal Sizes: 63 mm, 75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm, 180 mm, 200 mm, 250 mm, 280 mm and 315 mm	AASTHA
781	SRI RAM TUBES PRIVATE LIMITED ADDRESS:- BHIWANI ROAD, HANSI, HANSI PINCODE:-125033	HARYANA	Class 1/Size-90mm To 250mm/Pressure Rating-0.25MPa, Class 2/Size-63mm To 250mm/Pressure Rating-0.4MPa, Class 3/Size-50mm To 250mm/Pressure Rating-0.6MPa	NA

Sl. No.	Firm Name & Address	State	Variety	Brand
782	SHRI BALASUNDRI POLYMERS UNIT NO 2ADDRESS:- JIND ROAD,GOHANA,GOHANAPINCODE:-131301	HARYANA	Plain ended pipe and socketed pipe for solvent cement jointing for Class of Pipe: 1 for Size Group-I (90 mm to 110 mm) & Size Group-II (125 mm to 250 mm), Plain ended pipe and socketed pipe for solvent cement jointing for Class of Pipe: 2 for Size Group-I (63 mm to 110 mm) & Size Group-II (125 mm to 250 mm),, Plain ended pipe and socketed pipe for solvent cement jointing for Class of Pipe: 3 for Size Group-I (50 mm to 110 mm) & Size Group-II (125 mm to 250 mm),, Plain ended pipe and socketed pipe for solvent cement jointing for Class of Pipe: 5 for Size Group-I (50 mm to 110 mm) & Size Group-II (125 mm to 250 mm),	ANKASH
783	NANDI POLYTUBESADDRESS:- PLOT NO. 17, HSIIDC INDUSTRIAL ESTATE,PHASE-1, KUNDLI, SONEPAT,SONIPATPINCODE:-131028	HARYANA	Class of Pipe: 1, Nominal Sizes (in mm): 90, 110, 125, 140, 160, 180, 200 & 225 for Plain Ended Pipes and Socketed for solvent cement jointing, Class of Pipe: 2, Nominal Sizes (in mm): 63, 75, 90, 110, 125, 140, 160, 180, 200 & 225 for Plain Ended Pipes and Socketed for solvent cement jointing, Class of Pipe: 3, Nominal Sizes (in mm): 50, 63, 75, 90, 110, 125, 140, 160, 180, 200 & 225 for Plain Ended Pipes and Socketed for solvent cement jointing	Arham, Sonika Gold

Sl. No.	Firm Name & Address	State	Variety	Brand
784	SHANTI POLYMERSADDRESS:- SHANTI POLYMERS, NEAR SKYLARK FEED MILL, DHARMGARH,BOHLI ROAD,SAFIDON,JIND,HARYANA-126112,SAFIDONPINCODE:-126112	HARYANA	a)UPVC pipes for potable water supply for Plain Ended and Socket Ended for Solvent Cement Jointing: i) Class-1, Size:90mm-250mm ii). Class-2,Size:63mm-250mm iii). Class-3,Size:50mm-250mm iv) Class 5, Size:50mm-250mm	AMARDEEP
785	AASTHA POLYMERSADDRESS:- 3 K.M. STONE , G.T. ROAD , SIRSA ROAD ,FATEHABAD - HARYANA - 125050,FATEHABADPINCODE:-125050	HARYANA	Class 1, OD 125 mm to 315 mm, Plain ended pipes and Socketed for solvent cement jointing pipes	A Swastik
786	PARAS TUBES COMPANYADDRESS:- SHOP NO 71/3, MILE STONE NEAR GANESH DHARAM KANTA,G.T. ROAD KARNAL, KARNAL, HARYANA,KARNALPINCODE:-132001	HARYANA	Plain Ended Pipes and Socketed for Solvent Cement Jointing Pipes for Class of Pipe (PN): 3 (0.60 MPa) and Nominal Size (DN) in mm: 50, 63, 75, 90, 110, 125, 140, 160, 180, 200, 225 and 250, Plain Ended Pipes and Socketed for Solvent Cement Jointing Pipes for Class of Pipe (PN): 2 (0.40 MPa) and Nominal Size (DN) in mm: 63, 75, 90, 110, 125, 140, 160, 180, 200, 225 and 250, Plain Ended Pipes and Socketed for Solvent Cement Jointing Pipes for Class of Pipe (PN): 1 (0.25 MPa) and Nominal Size (DN) in mm: 90, 110, 125, 140, 160, 180, 200, 225 and 250	NA

Sl. No.	Firm Name & Address	State	Variety	Brand
787	JAI BHAWANI PIPE INDUSTRIESADDRESS:- 125, CHAUTALA ROAD, BEHIND INSIDE JAIN MANDIR,MANDI DABWALI, SIRSA,MANDI DABWALIPINCODE:-125104	HARYANA	Plain Ended Pipes and Socketed for Solvent Cement Jointing Pipes for Class of Pipe (PN): 2 (0.40 MPa) and Nominal Size (DN) in mm: 90 and 110, Plain Ended Pipes and Socketed for Solvent Cement Jointing Pipes for Class of Pipe (PN): 1 (0.25 MPa) and Nominal Size (DN) in mm: 140, 160, 180, 200, 225 and 250	POLYLINE, AKSHGOLW, RUPINDRA
788	UTTAM POLYPLASTADDRESS:- 89, KUBERPUR, TUNDLA ROAD,,PINCODE:-282006	UTTAR PRADESH	PUPVC Pipes, Plain ended & socket ended, class-1 DN 90 to 315mm, class-2 DN 63 to 315mm, class-3 DN 50 to 315mm, class-5 DN 40 to 315mm.	UTTAM
789	OBRA CEMENT PVT.LTD.,ADDRESS:- MILLAT NAGAR, CHOPAN ROAD,,SONBHADRAPINCODE:-231219	UTTAR PRADESH	UPVC Pipes, Plain ended & socket ended, Class-1 DN 125 to 250mm.Cclas-2 DN 63 to 110mm, Class-3 DN 40 to 110mm..	SANA SURYA
790	SHREE SAINATH POLYPLAST PVT.LTD.,ADDRESS:- F-10, INDUSTRIAL AREA, NAINI,,ALLAHABADPINCODE:-211002	UTTAR PRADESH	Class-2, DN 63mm to 225mm,Class-3, DN 40mm to 225mm & Class 5, DN 125mm to 225mm plain ended pipe with solvent cement joints.	waterplast
791	SINGHAL POLYTUBESADDRESS:- NAKHA NO. 2, PO: JUNGLE BENIMADHAVPUR,,GORAKHPURPINCODE:-273007	UTTAR PRADESH	125 mm to 200 mm ,class 2 ,plain ended, Class 3,125 mm to 200 mm,plain ended, Class1 ,size 90 mm to 110 mm,socket ended (socket for solvent cement jointing), 40 mm to 110 mm,Class 5,socket ended(socket for solvent cement jointing), Class 2, DN 63 mm to DN 110 mm Class3,DN 63 mm to DN 110 mm	TSA

Sl. No.	Firm Name & Address	State	Variety	Brand
792	SHRI RAM POLYMERS ADDRESS:- SHRI RAM POLYMERS, 8KM JALALABAD ROAD, JAMAUR,, SHAHJAHANPUR PINCODE:-242001	UTTAR PRADESH	UPVC Pipes for potable water supply Class 3, DN 40 mm to 110 mm, Plain ended & Socket ended for solvent cement joints, 1. Class- 2 , Sizes DN 63mm upto and including DN 110mm, plain ended and socket ended for solvent cement jointing. 2. Class- 2 , Sizes DN 125mm upto and including DN 315mm, plain ended and socket ended for solvent cement jointing. 3. Class- 3 , Sizes DN 125mm upto and including DN 315mm, plain ended and socket ended for solvent cement jointing. 4. Class- 4 , Sizes DN 40mm upto and including DN 110mm, plain ended and socket ended for solvent cement jointing. 5. Class- 4 , Sizes DN 125mm upto and including DN 315mm, plain ended and socket ended for solvent cement jointing. 6. Class- 5, Sizes DN 40mm upto and including DN 110mm, plain ended and socket ended for solvent cement jointing. 7. Class- 5 , Sizes DN 125mm upto and including DN 315mm, plain ended and socket ended for solvent cement jointing.	Ramansh, RAMANSH

Sl. No.	Firm Name & Address	State	Variety	Brand
793	AQUACO INDUSTRIES PRIVATE LIMITED ADDRESS:- ARG NO.-209, VILLAGE-SWARUPPUR, AKBARPUR,,KANPUR DEHAT (RAMABAI NAGAR),KANPUR DEHAT (RAMABAI NAGAR) PINCODE:-209311	UTTAR PRADESH	Unplasticized PVC pipes for potable water supply 1. Class-3 Sizes DN 40mm upto and including DN 315mm, plain ended 2. Class-3 Sizes DN 40mm upto and including DN 315mm, socket ended for solvent cement jointing 3. Class-4 Sizes DN 25mm upto and including DN 315mm, plain ended 4. Class-4 Sizes DN 25mm upto and including DN 315mm, socket ended for solvent cement jointing 5. Class-5 Sizes DN 20mm upto and including DN 315mm, plain ended 6. Class-5 Sizes DN 20mm upto and including DN 315mm, socket ended for solvent cement jointing	AQUACO

Sl. No.	Firm Name & Address	State	Variety	Brand
794	VD PAPER MILLS PVT LTDADDRESS:- VILLAGE UMRAN , RANIA,,KANPUR DEHATPINCODE:-209101	UTTAR PRADESH	Class-3, DN=40, 50, 63, 75, 90,110,125,140,160,180,200(all in mm) with Sockets for solvent Cement jointing, Class-3, DN= 40, 50, 63, 75, 90,110,125,140,160,180,200(all in mm) with Plain ended, Class-2, DN=63, 75, 90,110,125,140,160,180 (all in mm) with Sockets for solvent Cement jointing., Class- 2, DN= 63, 75, 90,110,125,140,160,180 (all in mm) with Plain ended, Class-1, DN=90,110,125,140,160,180,200(all in mm) with Sockets for solvent Cement jointing., Class-1, DN= 90,110,125,140,160,180,200(all in mm) with Plain ended, Unplasticized PVC pipes for potable water supplies as per IS 4985:2000 for following varieties : 1.Class- 1 Sizes DN 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, plain ended 2.Class-1 Sizes DN 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, socket ended for solvent cement jointing 3.Class-2 Sizes DN 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, plain ended 4.Class-2 Sizes DN 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm,	Yuva, Dhara plast
795	K. R. INDUSTRIESADDRESS:- B 14 INDUSTRIAL AREA SANDILA HARDOI 241204,,SANDILAPINCODE:-241204	UTTAR PRADESH	CLASS III ,SIZE 40 mm TO 225 mm ,socket ended(socketed for solvent cement jointing)	ATOOT;PRIME PLUS,POLY PLAST,



Sl. No.	Firm Name & Address	State	Variety	Brand
796	BS POLYFILL PRIVATE LIMITEDADDRESS:- KHASRA NO 129 MAUZA LAKHANPUR,SIKANDRA ,AGRAPINCODE:-282007	UTTAR PRADESH	Nominal Size= 40mm to 225mm,Class 3 (6 Kg/cm2),socket ended (socket for solvent cement jointing)	MASHAL
797	M.S. MAHAVIR PIPESADDRESS:- NAHAR ROAD, KOSLI, BUS STSAND, JHAL,,KOSLIPINCODE:-0	HARYANA	Unplasticized PVC pipes for potable water supplies Class 1 Size 90 - 315 mm Class 2 Size 63 - 315 mm Class 3 Size 40 - 315 mm Class 4 Size 40 - 315 mm	MS.MAHAVIR
798	HIL LIMITEDADDRESS:- HIL LIMITED,SECTOR-25,FARIDABADPINCODE:-121004	HARYANA	CALSS-2 (SIZE- 63MM TO 160MM), CLASS-3 (SIZE- 40MM TO 160MM), Class 3 Size 40, 50, 63, 75, 90, 110 & 160 mm plain and solvent socket and Class 2 Size 63, 75, 90, 110 & 160 mm plain and solvent socket	BIRLA AEROCON
799	JINDAL SANITARYWARE PVT LTDADDRESS:- 43KM MILE STONE VPO ROHAD,ROHAD,ROHADPINCODE:-124501	HARYANA	Class-1 Size- 90,110,125,140,160,180,200,225,250mm socket end pipe(solvent cement joint) and plain ended, Class-2 Size- 63,75,90,110,125,140,160,180,200,225, 250mmsocket end pipe(solvent cement joint) and plain ended, Class-3 Size- 40,50,63,75,90,110,125,140,160,180,200, 225,250mmsocket end pipe(solvent cement joint) and plain ended, Class-5 Size- 40,50,63,75,90,110,125,140,160,180,200, 225,250mmsocket end pipe(solvent cement joint) and plain ended	Pearl, J-Plex, Jindal

Sl. No.	Firm Name & Address	State	Variety	Brand
800	M/S SHRI KANTHADDRESS:- VILLAGE-GEHRA, POST-HAROT,TASIL-BANGANA,DIST-UNA,UNAPINCODE:-174303	HIMACHAL PRADESH	UPVC pipes for potable water supplies, Class 2,Plain ended and Socket ended for Solvent Cement jointing, Sizes 63 mm to 110 mm	SHRI KANTH
801	H B METALSADDRESS:- OPP. TRANSPORT NAGAR, BULANDPUR ROAD, BY-PASS,,,JALANDHARPINCODE:-144004	PUNJAB	Un plasticized polyvinyl chloride Pipes for Portable water supplies for following sizes/varieties:- Class 2, Sizes 63 to 250mm, Plain and socketed pipe for solvent cement joint, Class 3, sizes 40 to 250mm, Plain and socketed pipe for solvent cement joint.	hb
802	M/S SHIV SHAKTI CHEMICALSADDRESS:- C-16, INDUSTRIAL ESTATE, KATHUA, J&K,,KATHUAPINCODE:-184102	JAMMU & KASHMIR	UNPLASTICIZED POLYVINYL CHLORIDE PIPES FOR POTABLE WATER SUPPLIES OF FOLLOWING SIZE/VARIETY:- PLAIN AND SOCKET ENDED FOR SOLVENT CEMENT JOINTING: A) CLASS 2, SIZE 63 MM TO 110 MM, B) CLASS 3, SIZE 63 MM TO 200 MM	FLEXXO / EURO GOLD, flexxo / Euro Gold
803	SHREE RAM PLASTIC INDUSTRIESADDRESS:- NABHA ROAD, VILL. HARCHANDPUR, ,,DHURIPINCODE:-148024	PUNJAB	-	-

Sl. No.	Firm Name & Address	State	Variety	Brand
804	RADHEY POLY INDUSTRIES.ADDRESS:- VILL.KAKKARWAL DHURI.,SANGRUR,DHURIPINCODE:-148024	PUNJAB	PVC Pipes for Potable Water supplies" Class-1,0.25 MP a, OD:90mm to 250mm,Socket ended, meant for Solvent Cement jointing & Plain Ended. Class-2,0.4 MP a, OD:63mm to 250mm,Socket ended, meant for Solvent Cement jointing & Plain Ended. Class-3,0.6 MP a, OD:40mm to 250mm,Socket ended, meant for Solvent Cement jointing & Plain Ended. Class-5,1.0 MP a, OD:20mm to 250mm,Socket ended, meant for Solvent Cement jointing & Plain Ended.	QUEST
805	RADHEY KRISHNA POLY INDUSTRIESADDRESS:- VILL. HARCHANDPUR, ,SANGRUR,DHURIPINCODE:-148024	PUNJAB	Class-1, 0.25 MPa, OD:90 mm to 250mm, Socket ended, meant for Solvent Cement jointing & Plain Ended, Class-2, 0.4 MPa, OD:63 mm to 250mm, Socket ended, meant for Solvent Cement jointing & Plain Ended, Class-3, 0.6 MPa, OD:50 mm to 250mm, Socket ended, meant for Solvent Cement jointing & Plain Ended, Class-5, 1.0 MPa, OD:50 mm to 250mm, Socket ended, meant for Solvent Cement jointing & Plain Ended	-
806	SARASWATI POLY TUBES PVT LTDADDRESS:- RATOLAN, DHURI ROAD,MALERKOTLA,MALERKOTLAPINCODE:-148023	PUNJAB	Cl 2,Size 63mm to 110mm,Plain as well as Socketed for solvent cement jointing	POLYPOWER, VIKRANT-GOLD, INDO-TECH, VISHAV SHAKTI, ARAVALI-INDIA

Sl. No.	Firm Name & Address	State	Variety	Brand
807	BARNALA PIPES PVT. LTD.ADDRESS:- BARNALA - BATHINDA MAIN ROAD,OPP. KHUDI KHURAD BUS STAND,DHAULAPINCODE:-148107	PUNJAB	Class 2/Size-63mm To 250mm/Pressure Rating-0.4MPa/Type-Plain & Socketed Ended (for solvent cement jointing), Class 3/Size-50mm To 250mm/Pressure Rating-0.6MPa/Type-Plain & Socketed Ended (for solvent cement jointing), Class 5/Size-50mm To 250mm/Pressure Rating-1.0MPa/Type-Plain & Socketed Ended (for solvent cement jointing)	NA
808	SAXENA PLASTIC INDUSTRIESADDRESS:- E-37/C-52, INDUSTRIAL FOCAL POINT,,CHANALON,(KURALI) DISTT - MOHALI, PB,,KURALIPINCODE:-140103	PUNJAB	VOLUNTARY CERTIFICATION/UPVC PIPE FOR PORTABLE WATER SUPPLIES SIZE: 90 mm &110 MM,CLASS-1, 2.5 KG/CM2 , plain & socket ended joint (For SOLVENT CEMENT JOINTING SOCKETED), VOLUNTARY CERTIFICATION/UPVC PIPE FOR PORTABLE WATER SUPPLIES SIZE: 90 mm &110 MM,CLASS-3, 6.0 KG/CM2, plain & socket ended joint (For SOLVENT CEMENT JOINTING SOCKETED), UPVC PIPE FOR PORTABLE WATER SUPPLIES SIZE: 90 MM & 110, CLASS-2, 4.0 KG/CM2 , plain & socket ended (For SOLVENT CEMENT JOINTING SOCKETED)	ENROPLAST,CLASSIC,ELECTRO, REGAL

Sl. No.	Firm Name & Address	State	Variety	Brand
809	R.S. PIPE UDYOGADDRESS:- NABHA ROAD, AMLOH,,FATEHGARH SAHIBPINCODE:-147203	PUNJAB	Class - 3/ Nominal Size - 50mm to 250mm/ Pressure Rating - 0.60MPa/ Type - Plain & Socketed Ended (for solvent cement jointing), Class - 2/ Nominal Size - 63mm to 250mm/ Pressure Rating - 0.40MPa/ Type - Plain & Socketed Ended (for solvent cement jointing), Class - 1/ Nominal Size -90mm to 250mm/ Pressure Rating - 0.25MPa/ Type - Plain & Socketed Ended (for solvent cement jointing)	NA
810	KUBER POLYMERSADDRESS:- VILLAGE BIJALPUR, NEAR TOLL PLAZA,SAMANA, PATIALA,SAMANAPINCODE:- 147101	PUNJAB	Class 3, Working pressure range 0.6 MPa, Size 40mm to 250mm Plain as well as socketed ended for solvent cement jointing., Class 2, Working pressure range 0.4 MPa, Size 63mm to 250mm Plain as well as socketed ended for solvent cement jointing.	NA

Sl. No.	Firm Name & Address	State	Variety	Brand
811	J.K POLYMERSADDRESS:- JAKHAL ROAD, VILLAGE CHHAJLI, ,,CHHAJLIPINCODE:-148028	PUNJAB	Class 1, Working pressure range 0.25 MPa, Size 90mm to 250mm Plain as well as socketed ended for solvent cement jointing., Class 2, Working pressure range 0.4 MPa, Size 63mm to 250mm Plain as well as socketed ended for solvent cement jointing., Class 3, Working pressure range 0.6 MPa, Size 63mm to 250mm Plain as well as socketed ended for solvent cement jointing., Class 5, Working pressure range 1.0 MPa, Size 63mm to 250mm Plain as well as socketed ended for solvent cement jointing.	Jay kay Plast, NA
812	SHREE GANESH INDUSTRIESADDRESS:- B-10 FOCAL POINT, FACTORY, MOGA, ,MOGA, PUNJAB,142001,MOGAPINCODE:-142001	PUNJAB	CLASS 3/ WORKING PRESSURE RANGE 0.6 MPa/ SIZE 50MM TO 250MM PLAIN AS WELL AS SOCKETED ENDED FOR SOLVENT CEMENT JOINTING, CLASS 2/ WORKING PRESSURE RANGE 0.4 MPa/ SIZE 63MM TO 250MM PLAIN AS WELL AS SOCKETED ENDED FOR SOLVENT CEMENT JOINTING., CLASS 1/ WORKING PRESSURE RANGE 0.25 MPa/ SIZE 90MM TO 250MM PLAIN AS WELL AS SOCKETED ENDED FOR SOLVENT CEMENT JOINTING	NA

Sl. No.	Firm Name & Address	State	Variety	Brand
813	REHAAN INDUSTRIESADDRESS:- NEAR G.T. ROAD, VPO SOHIAN,TEHSIL JAGRAON,LUDHIANAPINCODE:-142023	PUNJAB	Class - 5, Sizes - 50 mm to up to and including 250mm/ Socket for Solvent Cement Joints and Plain ended, Class-3, Sizes - 50 mm to up to and including 250mm/ Socket for Solvent Cement Joints and Plain ended, Class-2, Sizes - 63 mm to up to and including 250mm/ Socket for Solvent Cement Joints and Plain ended	NA
814	GOYAL POLYMERSADDRESS:- JAKHAL ROAD NEAR DHARAM KANDA SUNAM,SANGRUR PUNJAB 148028,SUNAMPINCODE:-148028	PUNJAB	Class - 2/ Working Pressure - 4.0kg/cm2/ Sizes - 63mm to 250mm/ Socket Type - Solvent Cement Joints, Class - 3/ Working Pressure - 6.0kg/cm2/ Sizes - 50mm to 250mm/ Socket Type - Solvent Cement Joints, Class - 5/ Working Pressure - 10.0kg/cm2/ Sizes - 50mm to 250mm/ Socket Type - Solvent Cement Joints	POLY SILVER

Sl. No.	Firm Name & Address	State	Variety	Brand
815	DURABLE PIPES & FITTINGS PRIVATE LIMITED ADDRESS:- VILLAGE SOHIAN, TEH JAGRAON,,,LUDHIANAPINCODE:- 142023	PUNJAB	Class - 1, Working Pressure - 2.5kg/cm2, Sizes - 280mm and 315mm, Socket for Solvent Cement Jointing and Plain ended , Class - 2, Working Pressure - 4.0kg/cm2, Sizes - 280mm and 315mm, Socket for Solvent Cement Jointing and Plain ended, Class - 3, Working Pressure - 6.0kg/cm2, Sizes - 280mm and 315mm, Socket for Solvent Cement Jointing and Plain ended, Class - 5, Working Pressure - 10.0kg/cm2, Sizes - 20mm, 25m, 32mm, 40mm, 280mm and 315mm, Socket for Solvent Cement Jointing and Plain Ended, Class - 1/ Working Pressure - 2.5kg/cm2/ Sizes - 90mm - 250mm/ Socket Type - Solvent Cement Joints, Class - 2/ Working Pressure - 4.0kg/cm2/ Sizes - 63mm - 250mm/ Socket Type - Solvent Cement Joints, Class - 3/ Working Pressure - 6.0kg/cm2/ Sizes - 50mm - 250mm/ Socket Type - Solvent Cement Joints, Class - 5/ Working Pressure - 10.0kg/cm2/ Sizes - 50mm - 250mm/ Socket Type - Solvent Cement Joints	NA



Sl. No.	Firm Name & Address	State	Variety	Brand
816	DIYA POLYMERSADDRESS:- DIYA POLYMERS, JAKHAL ROAD, VPO CHHAJLI, ,TEHSIL SUNAM, SANGRUR, PUNJAB, 148030,SANGRURPINCODE:-148030	PUNJAB	Plain ended and Socket ended for solvent cement jointing, Class 5, DN 50 mm to 250mm, Plain ended and Socket ended for solvent cement jointing, Class 3, DN 50 mmto DN 250mm, Plain ended and Socket ended for solvent cement jointing, Class 2, DN 63mm to DN 250mm	NA
817	SHREE DURGA INDUSTRIESADDRESS:- VPO CHOWKIMAN,TEHSIL - JAGRAON,LUDHIANAPINCODE:-142026	PUNJAB	Class - 3, Working Pressure - 0.6 MPa , Nominal Sizes - 40 mm to 110 mm, Plain ended and Socketed, Socketed for solvent cement jointing	NA
818	KRISHNA POLYMERSADDRESS:- S.K ROAD, VILLAGE NIWARSI,LADWA,KURUKSHETRAPINCODE:-136132	HARYANA	Class 3/Size-50mm To 250mm/Pressure Rating-0.6MPa/Type-Plain & Socketed Ended (for solvent cement jointing), Class 2/Size-63mm to 250mm/ Pressure Rating-0.4Mpa/ Type-Plain & Socketed Ended (for solvent cement jointing), Class 1/Size-90mm To 250mm/Pressure Rating-0.25MPa/Type-Plain & Socketed Ended (for solvent cement jointing)	NANDA RIVER
819	JAI ENTERPRISESADDRESS:- PHASE-II, SIDCO INDUSTRIAL COMPLEX, OPP DABUR INDIA LTD.,SAMBA,BARI BRAHMANAPINCODE:-181133	JAMMU & KASHMIR	Plain and socket ended for Solvent cement jointing 1) Class 1(0.25 Mpa), Size DN 90-200mm. 2) Class 2(0.40Mpa),size DN 63 to 200mm 3) Class 3(0.60 Mpa),size DN 63 to 200mm	STAR
820	VRTX GREEN POLYPIPESADDRESS:- IGC, PHASE-I,SAMBA,SAMBAPINCODE:-184121	JAMMU & KASHMIR	-	-

<b>Sl. No.</b>	<b>Firm Name &amp; Address</b>	<b>State</b>	<b>Variety</b>	<b>Brand</b>
821	SHANKAR INDUSTRIESADDRESS:- PHASE-1,IGC, INDUSTRIAL GROWTH CENTRE,SAMBA,,SAMBAPINCODE:-184121	JAMMU & KASHMIR	Class 2, Nominal size- 63 mm to 200 mm, Plain Ended & Socket ended (Solvent cement jointing), Class 3, Nominal Size- 50 mm to 200 mm, Plain Ended & Socket ended (Solvent cement jointing), Class 3, Nominal Size- 50 mm to 200 mm, Plain Ended & Socket ended (Solvent cement jointing), Class 2, Nominal size- 63 mm to 200 mm, Plain Ended & Socket ended (Solvent cement jointing)	Durend, Jehlum, Victrex