

KERALA WATER AUTHORITY

Office of the Executive Engineer, Quality Control Division, Kerala Water Authority, Vellayambalam, Thiruvananthapuram – 695033 Phone: 0471 2329105

CUG:8547638079

PROCEEDINGS OF THE EXECUTIVE ENGINEER, QUALITY CONTROL DIVSION, THIRUVANANTHAPURAM

PRESENT: SRI. R.V.SANTHOSHKUMAR

Sub:- KWA-QCD-TVPM- Conducting Walk in interview towards Data Entry Operator, Quality Manager(Microbiology), Technical Manager(Microbiology), Lab Attendant, Sampling Attendant, for the supporting the NABL activities under various Qualit control section offices under Quality Control Division, TVPM forThiruvanathapuram, Kollam, Pathanamthitta, Alappuzha & Kottayam Districts.- reg.

No: KWA/QCDN/E1-467/Employment/2020

Dated: 21.01.2022

Read:- 1. Meeting Conducted on 03/01/2022 at the chamber of Executive Engineer, Quality Control Division, TVPM.

2This office circular No. KWA/QCDN/E1-467/Employment/2020 dated 31.12.2021

3. Discussion with CE HRD -gl. and the JJM Review meeting conducted by MD held on 14.1.2022

The NABL Accreditation works are going under prestigious JJ Mission Mode on War foot basis. There is need of man power for supporting the staffs in various offices under Quality Control Division, TVPM. Hence with in the time limit, Walk in interview is to be conducted for selecting the competent candidates in various Categories such as Data Entry Operator, Quality Manager(Microbiology), Technical Manager(Microbiology), Lab Attendant, Sampling Attendant etc. Qualification for each category is as follows:

Quality Manager:

Wages(Rs.20,000/-). Qualification: Graduation (3 Years experience) /Post Graduation (2years experience) in science with Microbiology /Bio Technology/ Biological sciences as one of the subject.

Technical Manager:

Wages(Rs.18000/-). Qualification: Graduation (3 Years experience) /Post Graduation (2years experience) in science with Microbiology /Bio Technology/ Biological sciences as one of the subject.

Data Entry Operator:

Wages(Rs.15000/-). Qualification:10+2 with skills in computer fundamentals experience, Graduate with one year computer course may be preferred.



Lab Attendant:

Wages(Rs.14130/-). Qualification:10+2 in science group with one year experience in water quality laboratory may be preferred.

Sampling Attendant:

Wages(Rs.13500/-). Qualification:10th pass with one year experience in water quality may be preferred.

Thiruvananthapuram:- At Quality Control District Lab,KWA, Thiruvananthapuram-PH.04712736303,8547638124,8547638117 on 24/01/2022.

Data Entry Operator: 6

Quality Manager: 3 10 am to 2 pm Techincal Manager: 3 10 am to 2 pm

Lab Attendent: 6
Sampling Attendent: 3

Kollam- At Quality Control District Lab, Kollam PH: 0474-2766515,8547638118 on

25/01/2022.

Data Entry Operator: 7

Quality Manager: 2 10 am to 2 pm Techincal Manager: 2 10 am to 2 pm

Lab Attendent: **5** Sampling Attendent: **3**

Pathanamthitta: At Quality Control Sub Division, Thiruvallla. PH-0469-

2600833,8547638125, 8547638120 on 24/01/2022

Data Entry Operator: 5

Quality Manager: 2 10 am to 2pm Techincal Manager: 2 10 am to 2pm

Lab Attendent: 2
Sampling Attendent: 3

Alappuzha: At Quality Control District Lab, Allissery, Alappuzha KWA. PH.0477-

2246650,8547638125 8547638119 on 25/01/2022

Data Entry Operator: 3

Quality Manager: 4 10 am to 2pm
Techincal Manager: 4 10 am to 2pm

Lab Attendent: **5**Sampling Attendent: **3**

Kottayam: At Quality Control District Lab, Vadavathur Kottayam, KWA.

PH No 8547638125, 8547638122 on 27/01/2022

Data Entry Operator: 7
Quality Manager: 2
Techincal Manager: 2
Lab Attendent: 4
Sampling Attendent: 3

After selecting the candidates has to execute a bond between the KWA and the

incumbent



Sd/-Santhosh Kumar R V Executive Engineer

То

Director,

State Referral Institute,

Kerala Water Authority,

Nettoor,

Kochi, Kerala.

Copy To

- 1. CE (HRD & GL)
- 2. P.A to TM
- 3. PA to MD
- 4. AE's & AEE's under Quality Control Division, TVPM.
- 5. IT Unit . Jalabhavan; for publishing in web site
- 6. DBA for publishing in Web site.
- 7.PIO for information

