

Fax: 91-0471-2324903 Tel : 0471-2328654

Jalabhavan Thiruvananthapuram – 695033 Kerala – India

PROCEEDINGS OF THE CHIEF ENGINEER (HRD &GL)

Sub:- KWA - Admn - Transfer and Posting of Assistant Executive Engineers for Administrative convenience - Orders Issued:-

| No: 3568/E2(A)/2020/KWA | Dated: 04.01.2023 |
|-------------------------|--------------------|
| | Balda e ne ne ne e |

Read:-

<u>ORDER</u>

The following transfer and posting of Assistant Executive Engineers is ordered with immediate effect for Administrative Convenience.

| SI. No. | Name and Present Office | Transferred and Posted to |
|---------|-------------------------------|---|
| | Sri Ajith Kumar J, G12189, | Assistant Executive Engineer |
| 1 | Technical Assistant, | P H Sub Division, Piravom vise Sri Sabu |
| | Project Division, Kannur | Thomas transferred. |
| | Sri Sabu Thomas, G43422, | Technical Assistant, |
| 2 | Assistant Executive Engineer, | Project Division, Kannur vice Sri Ajith Kumar |
| | P H Sub Division, Piravom. | J transferred. |

Before leaving the present office, the incumbents should hand over their charges along with the files and the documents including 'Memorandum of Works' to the officers suggested by the controlling officers. The details of documents handed over and a hard copy of 'Memorandum of Works' (soft copy to be emailed), are to be submitted to the controlling officers and the controlling officers should ensure that the incumbents are relieved with proper handing over of charges and submission of 'Memorandum of Works' to strengthen institutional memory and professional business continuity. The controlling officers are requested to relieve the incumbents forthwith.

*Sd/-*SETHUKUMAR S Chief Engineer (HRD&GL)

То

The Incumbents.

Сору То

Chief Engineer SR/CR/NR/Superintending Engineer ,P H Circle Kannur/Kochi, PA to MD/PA to TM/PA to AM/CA to CE(HRD&GL)/CA to CE(P&O) /CA to FM&CAO/CA to DCE(GI)/CA to Sr.AO/AO(Estt&Admin)/ AO(Payslip&Pension)/SS(Payslip)/SS/JS/E12/E15/E20/File/SF. DBA Unit for publishing the same in website.



